

2 . 身体障害者手帳の取得状況と介護認定状況についての集計

1 ベーチェット病

表3-1-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、1 ベーチェット病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	7,181	100%	1,070	14.9%	5,394	75.1%	717	10.0%
0-4歳	-	-	-	-	-	-	-	-
5-9	2	100	-	-	2	100	-	-
10-14	8	100	-	-	7	87.5	1	12.5
15-19	66	100	-	-	59	89.4	7	10.6
20-24	124	100	4	3.2	106	85.5	14	11.3
25-29	286	100	23	8.0	242	84.6	21	7.3
30-34	443	100	31	7.0	362	81.7	50	11.3
35-39	498	100	32	6.4	419	84.1	47	9.4
40-44	598	100	70	11.7	467	78.1	61	10.2
45-49	709	100	96	13.5	557	78.6	56	7.9
50-54	978	100	158	16.2	705	72.1	115	11.8
55-59	942	100	155	16.5	706	74.9	81	8.6
60-64	872	100	139	15.9	654	75.0	79	9.1
65-69	811	100	148	18.2	583	71.9	80	9.9
70-74	511	100	129	25.2	321	62.8	61	11.9
75-79	248	100	66	26.6	155	62.5	27	10.9
80-84	64	100	16	25.0	33	51.6	15	23.4
85-	21	100	3	14.3	16	76.2	2	9.5
不 明	-	-	-	-	-	-	-	-

表3-1-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、1 ベーチェット病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	7,181	100%	1,070	14.9%	5,394	75.1%	717	10.0%
0-4年	1,202	100	42	3.5	1,019	84.8	141	11.7
5-9	1,259	100	99	7.9	1,048	83.2	112	8.9
10-14	1,101	100	148	13.4	857	77.8	96	8.7
15-19	1,000	100	155	15.5	749	74.9	96	9.6
20-24	835	100	181	21.7	583	69.8	71	8.5
25-29	599	100	147	24.5	398	66.4	54	9.0
30-34	350	100	102	29.1	216	61.7	32	9.1
35-39	208	100	69	33.2	123	59.1	16	7.7
40-44	91	100	27	29.7	47	51.6	17	18.7
45-49	43	100	14	32.6	25	58.1	4	9.3
50-54	10	100	3	30.0	7	70.0	-	-
55-59	8	100	2	25.0	6	75.0	-	-
60-64	4	100	2	50.0	2	50.0	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	470	100	79	16.8	313	66.6	78	16.6

表3-1-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、1 ベーチェット病

年齢階級	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	5,754	100%	248	4.3%	82	1.4%	4,725	82.1%	699	12.1%
40-44歳	598	100	6	1.0	3	0.5	526	88.0	63	10.5
45-49	709	100	5	0.7	6	0.8	635	89.6	63	8.9
50-54	978	100	8	0.8	11	1.1	815	83.3	144	14.7
55-59	942	100	18	1.9	10	1.1	812	86.2	102	10.8
60-64	872	100	16	1.8	7	0.8	757	86.8	92	10.6
65-69	811	100	54	6.7	13	1.6	640	78.9	104	12.8
70-74	511	100	67	13.1	19	3.7	348	68.1	77	15.1
75-79	248	100	46	18.5	9	3.6	156	62.9	37	14.9
80-84	64	100	17	26.6	3	4.7	29	45.3	15	23.4
85-	21	100	11	52.4	1	4.8	7	33.3	2	9.5

表3-1-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、1 ベーチェット病

発病後期間	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	5,754	100%	248	4.3%	82	1.4%	4,725	82.1%	699	12.1%
0-4年	583	100	11	1.9	4	0.7	488	83.7	80	13.7
5-9	819	100	17	2.1	9	1.1	719	87.8	74	9.0
10-14	901	100	21	2.3	12	1.3	777	86.2	91	10.1
15-19	937	100	29	3.1	7	0.7	796	85.0	105	11.2
20-24	815	100	42	5.2	17	2.1	671	82.3	85	10.4
25-29	595	100	29	4.9	8	1.3	484	81.3	74	12.4
30-34	348	100	33	9.5	10	2.9	261	75.0	44	12.6
35-39	207	100	21	10.1	6	2.9	152	73.4	28	13.5
40-44	91	100	11	12.1	2	2.2	59	64.8	19	20.9
45-49	43	100	7	16.3	2	4.7	27	62.8	7	16.3
50-54	10	100	3	30.0	-	-	7	70.0	-	-
55-59	8	100	1	12.5	-	-	6	75.0	1	12.5
60-64	4	100	2	50.0	-	-	2	50.0	-	-
65-69	1	100	1	100	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	392	100	20	5.1	5	1.3	276	70.4	91	23.2

2 多発性硬化症

表3-2-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、2 多発性硬化症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,458	100%	1,410	31.6%	2,712	60.8%	336	7.5%
0-4歳	2	100	-	-	2	100.0	-	-
5-9	29	100	2	6.9	25	86.2	2	6.9
10-14	52	100	3	5.8	44	84.6	5	9.6
15-19	72	100	7	9.7	56	77.8	9	12.5
20-24	147	100	14	9.5	122	83.0	11	7.5
25-29	365	100	43	11.8	306	83.8	16	4.4
30-34	542	100	120	22.1	381	70.3	41	7.6
35-39	493	100	107	21.7	353	71.6	33	6.7
40-44	483	100	128	26.5	320	66.3	35	7.2
45-49	419	100	148	35.3	243	58.0	28	6.7
50-54	527	100	216	41.0	274	52.0	37	7.0
55-59	418	100	171	40.9	207	49.5	40	9.6
60-64	345	100	165	47.8	158	45.8	22	6.4
65-69	244	100	118	48.4	99	40.6	27	11.1
70-74	197	100	98	49.7	83	42.1	16	8.1
75-79	89	100	49	55.1	29	32.6	11	12.4
80-84	21	100	11	52.4	7	33.3	3	14.3
85-	13	100	10	76.9	3	23.1	-	-
不 明	-	-	-	-	-	-	-	-

表3-2-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、2 多発性硬化症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,458	100%	1,410	31.6%	2,712	60.8%	336	7.5%
0-4年	1,381	100	220	15.9	1,049	76.0	112	8.1
5-9	1,226	100	347	28.3	789	64.4	90	7.3
10-14	787	100	274	34.8	457	58.1	56	7.1
15-19	408	100	195	47.8	179	43.9	34	8.3
20-24	272	100	163	59.9	95	34.9	14	5.1
25-29	145	100	81	55.9	53	36.6	11	7.6
30-34	75	100	47	62.7	22	29.3	6	8.0
35-39	33	100	25	75.8	6	18.2	2	6.1
40-44	19	100	13	68.4	3	15.8	3	15.8
45-49	6	100	5	83.3	1	16.7	-	-
50-54	1	100	1	100	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	1	100
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	104	100	39	37.5	58	55.8	7	6.7

表3-2-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、2 多発性硬化症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	2,756	100%	291	10.6%	35	1.3%	2,137	77.5%	293	10.6%
40-44歳	483	100	4	0.8	2	0.4	437	90.5	40	8.3
45-49	419	100	11	2.6	2	0.5	368	87.8	38	9.1
50-54	527	100	14	2.7	5	0.9	441	83.7	67	12.7
55-59	418	100	16	3.8	1	0.2	354	84.7	47	11.2
60-64	345	100	27	7.8	5	1.4	275	79.7	38	11.0
65-69	244	100	76	31.1	8	3.3	134	54.9	26	10.7
70-74	197	100	78	39.6	6	3.0	91	46.2	22	11.2
75-79	89	100	44	49.4	4	4.5	29	32.6	12	13.5
80-84	21	100	11	52.4	1	4.8	7	33.3	2	9.5
85-	13	100	10	76.9	1	7.7	1	7.7	1	7.7

表3-2-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、2 多発性硬化症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	2,756	100%	291	10.6%	35	1.3%	2,137	77.5%	293	10.6%
0-4年	647	100	52	8.0	7	1.1	515	79.6	73	11.3
5-9	669	100	61	9.1	8	1.2	537	80.3	63	9.4
10-14	541	100	50	9.2	3	0.6	422	78.0	66	12.2
15-19	323	100	42	13.0	5	1.5	246	76.2	30	9.3
20-24	236	100	33	14.0	4	1.7	177	75.0	22	9.3
25-29	133	100	16	12.0	3	2.3	101	75.9	13	9.8
30-34	74	100	14	18.9	2	2.7	49	66.2	9	12.2
35-39	33	100	5	15.2	1	3.0	23	69.7	4	12.1
40-44	19	100	7	36.8	-	-	9	47.4	3	15.8
45-49	6	100	1	16.7	-	-	3	50.0	2	33.3
50-54	1	100	1	100	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	-	-	1	100
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	73	100	9	12.3	2	2.7	55	75.3	7	9.6

3 重症筋無力症

表3-3-3. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、3 重症筋無力症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	6,167	100%	502	8.1%	5,085	82.5%	580	9.4%
0-4歳	28	100	-	-	25	89.3	3	10.7
5-9	67	100	1	1.5	54	80.6	12	17.9
10-14	58	100	-	-	52	89.7	6	10.3
15-19	113	100	2	1.8	105	92.9	6	5.3
20-24	143	100	5	3.5	121	84.6	17	11.9
25-29	214	100	6	2.8	192	89.7	16	7.5
30-34	322	100	13	4.0	287	89.1	22	6.8
35-39	309	100	17	5.5	263	85.1	29	9.4
40-44	353	100	15	4.2	299	84.7	39	11.0
45-49	440	100	24	5.5	388	88.2	28	6.4
50-54	652	100	54	8.3	549	84.2	49	7.5
55-59	738	100	62	8.4	608	82.4	68	9.2
60-64	641	100	71	11.1	510	79.6	60	9.4
65-69	628	100	65	10.4	498	79.3	65	10.4
70-74	641	100	76	11.9	496	77.4	69	10.8
75-79	492	100	54	11.0	393	79.9	45	9.1
80-84	242	100	26	10.7	183	75.6	33	13.6
85-	86	100	11	12.8	62	72.1	13	15.1
不 明	-	-	-	-	-	-	-	-

表3-3-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、3 重症筋無力症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	6,167	100%	502	8.1%	5,085	82.5%	580	9.4%
0-4年	1,858	100	69	3.7	1,594	85.8	195	10.5
5-9	1,433	100	110	7.7	1,191	83.1	132	9.2
10-14	945	100	70	7.4	801	84.8	74	7.8
15-19	668	100	53	7.9	566	84.7	49	7.3
20-24	416	100	45	10.8	333	80.0	38	9.1
25-29	314	100	58	18.5	227	72.3	29	9.2
30-34	181	100	37	20.4	128	70.7	16	8.8
35-39	119	100	25	21.0	86	72.3	8	6.7
40-44	51	100	9	17.6	40	78.4	2	3.9
45-49	25	100	9	36.0	13	52.0	3	12.0
50-54	10	100	3	30.0	6	60.0	1	10.0
55-59	4	100	3	75.0	1	25.0	-	-
60-64	2	100	-	-	2	100	-	-
65-69	1	100	1	100	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	140	100	10	7.1	97	69.3	33	23.6

表3-3-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、3 重症筋無力症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	4,913	100%	269	5.5%	79	1.6%	4,065	82.7%	500	10.2%
40-44歳	353	100	1	0.3	2	0.6	317	89.8	33	9.3
45-49	440	100	3	0.7	5	1.1	402	91.4	30	6.8
50-54	652	100	6	0.9	1	0.2	598	91.7	47	7.2
55-59	738	100	8	1.1	5	0.7	644	87.3	81	11.0
60-64	641	100	9	1.4	2	0.3	570	88.9	60	9.4
65-69	628	100	27	4.3	11	1.8	520	82.8	70	11.1
70-74	641	100	62	9.7	13	2.0	488	76.1	78	12.2
75-79	492	100	72	14.6	18	3.7	354	72.0	48	9.8
80-84	242	100	47	19.4	18	7.4	139	57.4	38	15.7
85-	86	100	34	39.5	4	4.7	33	38.4	15	17.4

表3-3-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、3 重症筋無力症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	4,913	100%	269	5.5%	79	1.6%	4,065	82.7%	500	10.2%
0-4年	1,401	100	68	4.9	27	1.9	1,143	81.6	163	11.6
5-9	1,132	100	67	5.9	23	2.0	929	82.1	113	10.0
10-14	750	100	33	4.4	4	0.5	645	86.0	68	9.1
15-19	544	100	32	5.9	8	1.5	464	85.3	40	7.4
20-24	332	100	20	6.0	4	1.2	280	84.3	28	8.4
25-29	279	100	20	7.2	4	1.4	235	84.2	20	7.2
30-34	147	100	11	7.5	2	1.4	119	81.0	15	10.2
35-39	116	100	5	4.3	2	1.7	96	82.8	13	11.2
40-44	51	100	2	3.9	1	2.0	43	84.3	5	9.8
45-49	25	100	4	16.0	1	4.0	17	68.0	3	12.0
50-54	10	100	-	-	-	-	9	90.0	1	10.0
55-59	4	100	-	-	1	25.0	3	75.0	-	-
60-64	2	100	-	-	-	-	-	-	2	100
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	119	100	7	5.9	2	1.7	81	68.1	29	24.4

3 重症筋無力症

表3-3-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	502	100%	98	145	99	76	41	22	21	4.2%
0-4歳	-	-	-	-	-	-	-	-	-	-
5-9	1	100	-	1	100	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	2	100	-	-	-	1	50.0	1	50.0	-
20-24	5	100	2	40.0	-	1	20.0	-	-	2
25-29	6	100	-	-	2	33.3	-	2	33.3	-
30-34	13	100	-	-	3	23.1	2	15.4	1	7.7
35-39	17	100	4	23.5	2	11.8	4	23.5	3	17.6
40-44	15	100	2	13.3	4	26.7	2	13.3	1	6.7
45-49	24	100	3	12.5	6	25.0	6	25.0	3	12.5
50-54	54	100	13	24.1	16	29.6	8	14.8	6	11.1
55-59	62	100	14	22.6	21	33.9	14	22.6	5	8.1
60-64	71	100	13	18.3	22	31.0	13	18.3	5	7.0
65-69	65	100	8	12.3	21	32.3	12	18.5	15	23.1
70-74	76	100	17	22.4	19	25.0	20	26.3	7	9.2
75-79	54	100	12	22.2	15	27.8	11	20.4	9	16.7
80-84	26	100	5	19.2	9	34.6	4	15.4	7	26.9
85-	11	100	5	45.5	4	36.4	-	-	1	9.1
不明	-	-	-	-	-	-	-	-	-	-

表3-3-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	502	100%	98	145	99	76	41	22	21	4.2%
0-4年	69	100	8	11.6	14	20.3	13	18.8	15	21.7
5-9	110	100	25	22.7	26	23.6	21	19.1	22	20.0
10-14	70	100	12	17.1	24	34.3	9	12.9	14	20.0
15-19	53	100	11	20.8	15	28.3	13	24.5	5	9.4
20-24	45	100	8	17.8	12	26.7	12	26.7	8	17.8
25-29	58	100	14	24.1	22	37.9	10	17.2	5	8.6
30-34	37	100	8	21.6	17	45.9	4	10.8	4	10.8
35-39	25	100	4	16.0	7	28.0	5	20.0	2	8.0
40-44	9	100	1	11.1	4	44.4	3	33.3	-	-
45-49	9	100	4	44.4	1	11.1	4	44.4	-	-
50-54	3	100	-	-	2	66.7	-	-	1	33.3
55-59	3	100	-	-	1	33.3	1	33.3	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	10	100	3	30.0	-	-	3	30.0	1	10.0

表3-3-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	269	100%	115	42.8%	49	18.2%	32	11.9%	25	9.3%	19	7.1%	29	10.8%
40-44歳	1	100	1	100	-	-	-	-	-	-	-	-	-	-
45-49	3	100	1	33.3	1	33.3	-	-	1	33.3	-	-	-	-
50-54	6	100	1	16.7	-	-	2	33.3	1	16.7	2	33.3	-	-
55-59	8	100	-	-	-	-	2	25.0	1	12.5	2	25.0	3	37.5
60-64	9	100	1	11.1	3	33.3	2	22.2	1	11.1	-	-	2	22.2
65-69	27	100	11	40.7	4	14.8	3	11.1	3	11.1	3	11.1	3	11.1
70-74	62	100	30	48.4	13	21.0	7	11.3	4	6.5	2	3.2	6	9.7
75-79	72	100	41	56.9	12	16.7	5	6.9	3	4.2	6	8.3	5	6.9
80-84	47	100	15	31.9	10	21.3	5	10.6	7	14.9	1	2.1	9	19.1
85-	34	100	14	41.2	6	17.6	6	17.6	4	11.8	3	8.8	1	2.9

表3-3-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	269	100%	115	42.8%	49	18.2%	32	11.9%	25	9.3%	19	7.1%	29	10.8%
0-4年	68	100	26	38.2	15	22.1	9	13.2	5	7.4	3	4.4	10	14.7
5-9	67	100	34	50.7	9	13.4	5	7.5	9	13.4	3	4.5	7	10.4
10-14	33	100	19	57.6	4	12.1	5	15.2	1	3.0	1	3.0	3	9.1
15-19	32	100	9	28.1	8	25.0	5	15.6	4	12.5	3	9.4	3	9.4
20-24	20	100	8	40.0	4	20.0	2	10.0	1	5.0	4	20.0	1	5.0
25-29	20	100	9	45.0	3	15.0	2	10.0	2	10.0	2	10.0	2	10.0
30-34	11	100	6	54.5	2	18.2	-	-	1	9.1	-	-	2	18.2
35-39	5	100	2	40.0	-	-	2	40.0	-	-	-	-	1	20.0
40-44	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-
45-49	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	7	100	1	14.3	2	28.6	-	-	1	14.3	3	42.9	-	-

4 全身性エリテマトーデス

表3-4-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、4 全身性エリテマトーデス

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	23,469	100%	2,413	10.3%	18,579	79.2%	2,477	10.6%
0-4歳	3	100	-	-	1	33.3	2	66.7
5-9	18	100	-	-	14	77.8	4	22.2
10-14	155	100	2	1.3	130	83.9	23	14.8
15-19	465	100	9	1.9	394	84.7	62	13.3
20-24	1,033	100	22	2.1	895	86.6	116	11.2
25-29	1,725	100	75	4.3	1,492	86.5	158	9.2
30-34	2,264	100	142	6.3	1,918	84.7	204	9.0
35-39	2,205	100	178	8.1	1,793	81.3	234	10.6
40-44	2,320	100	220	9.5	1,893	81.6	207	8.9
45-49	2,424	100	290	12.0	1,891	78.0	243	10.0
50-54	2,956	100	379	12.8	2,285	77.3	292	9.9
55-59	2,638	100	341	12.9	2,014	76.3	283	10.7
60-64	2,031	100	296	14.6	1,512	74.4	223	11.0
65-69	1,498	100	203	13.6	1,101	73.5	194	13.0
70-74	981	100	143	14.6	714	72.8	124	12.6
75-79	527	100	78	14.8	375	71.2	74	14.0
80-84	181	100	29	16.0	125	69.1	27	14.9
85-	44	100	5	11.4	32	72.7	7	15.9
不 明	1	100	1	100	-	-	-	-

表3-4-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、4 全身性エリテマトーデス

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	23,469	100%	2,413	10.3%	18,579	79.2%	2,477	10.6%
0-4年	4,622	100	161	3.5	3,889	84.1	572	12.4
5-9	4,531	100	286	6.3	3,807	84.0	438	9.7
10-14	4,271	100	418	9.8	3,447	80.7	406	9.5
15-19	3,599	100	465	12.9	2,817	78.3	317	8.8
20-24	2,562	100	385	15.0	1,934	75.5	243	9.5
25-29	1,512	100	311	20.6	1,052	69.6	149	9.9
30-34	674	100	140	20.8	466	69.1	68	10.1
35-39	227	100	48	21.1	160	70.5	19	8.4
40-44	70	100	21	30.0	40	57.1	9	12.9
45-49	31	100	7	22.6	19	61.3	5	16.1
50-54	8	100	1	12.5	6	75.0	1	12.5
55-59	1	100	1	100	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	5	100	-	-	3	60.0	2	40.0
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不 明	1,355	100	169	12.5	938	69.2	248	18.3

表3-4-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、4 全身性エリテマトーデス

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	15,600	100%	637	4.1%	152	1.0%	13,191	84.6%	1,620	10.4%
40-44歳	2,320	100	16	0.7	9	0.4	2,101	90.6	194	8.4
45-49	2,424	100	34	1.4	6	0.2	2,164	89.3	220	9.1
50-54	2,956	100	47	1.6	25	0.8	2,620	88.6	264	8.9
55-59	2,638	100	50	1.9	23	0.9	2,289	86.8	276	10.5
60-64	2,031	100	58	2.9	16	0.8	1,723	84.8	234	11.5
65-69	1,498	100	112	7.5	19	1.3	1,161	77.5	206	13.8
70-74	981	100	134	13.7	25	2.5	691	70.4	131	13.4
75-79	527	100	121	23.0	21	4.0	318	60.3	67	12.7
80-84	181	100	45	24.9	8	4.4	104	57.5	24	13.3
85-	44	100	20	45.5	-	-	20	45.5	4	9.1

表3-4-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、4 全身性エリテマトーデス

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	15,600	100%	637	4.1%	152	1.0%	13,191	84.6%	1,620	10.4%
0-4年	2,181	100	108	5.0	9	0.4	1,801	82.6	263	12.1
5-9	2,374	100	81	3.4	17	0.7	2,055	86.6	221	9.3
10-14	2,664	100	99	3.7	20	0.8	2,310	86.7	235	8.8
15-19	2,720	100	90	3.3	29	1.1	2,365	86.9	236	8.7
20-24	2,211	100	69	3.1	21	0.9	1,909	86.3	212	9.6
25-29	1,444	100	59	4.1	24	1.7	1,207	83.6	154	10.7
30-34	666	100	37	5.6	11	1.7	545	81.8	73	11.0
35-39	225	100	21	9.3	6	2.7	179	79.6	19	8.4
40-44	70	100	6	8.6	1	1.4	52	74.3	11	15.7
45-49	31	100	5	16.1	-	-	21	67.7	5	16.1
50-54	8	100	1	12.5	1	12.5	4	50.0	2	25.0
55-59	1	100	1	100	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	5	100	-	-	-	-	4	80.0	1	20.0
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	999	100	60	6.0	13	1.3	738	73.9	188	18.8

6 再生不良性貧血

表3-6-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、6 再生不良性貧血

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,634	100%	223	4.8%	3,787	81.7%	624	13.5%
0-4歳	28	100	-	-	26	92.9	2	7.1
5-9	77	100	3	3.9	61	79.2	13	16.9
10-14	137	100	4	2.9	112	81.8	21	15.3
15-19	196	100	3	1.5	172	87.8	21	10.7
20-24	205	100	5	2.4	175	85.4	25	12.2
25-29	214	100	8	3.7	179	83.6	27	12.6
30-34	220	100	3	1.4	187	85.0	30	13.6
35-39	232	100	9	3.9	191	82.3	32	13.8
40-44	216	100	3	1.4	185	85.6	28	13.0
45-49	247	100	9	3.6	211	85.4	27	10.9
50-54	325	100	9	2.8	277	85.2	39	12.0
55-59	325	100	17	5.2	268	82.5	40	12.3
60-64	441	100	27	6.1	364	82.5	50	11.3
65-69	484	100	22	4.5	397	82.0	65	13.4
70-74	530	100	40	7.5	404	76.2	86	16.2
75-79	411	100	29	7.1	326	79.3	56	13.6
80-84	245	100	23	9.4	182	74.3	40	16.3
85-	101	100	9	8.9	70	69.3	22	21.8
不 明	-	-	-	-	-	-	-	-

表3-6-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、6 再生不良性貧血

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,634	100%	223	4.8%	3,787	81.7%	624	13.5%
0-4年	1,801	100	68	3.8	1,464	81.3	269	14.9
5-9	1,076	100	48	4.5	903	83.9	125	11.6
10-14	604	100	39	6.5	502	83.1	63	10.4
15-19	386	100	29	7.5	318	82.4	39	10.1
20-24	243	100	9	3.7	197	81.1	37	15.2
25-29	152	100	8	5.3	133	87.5	11	7.2
30-34	74	100	4	5.4	54	73.0	16	21.6
35-39	34	100	1	2.9	30	88.2	3	8.8
40-44	14	100	2	14.3	10	71.4	2	14.3
45-49	3	100	-	-	3	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100
70-74	-	-	-	-	-	-	-	-
75-79	2	100	-	-	1	50.0	1	50.0
不 明	244	100	15	6.1	172	70.5	57	23.4

表3-6-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、6 再生不良性貧血

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	3,325	100%	143	4.3%	61	1.8%	2,689	80.9%	432	13.0%
40-44歳	216	100	-	-	-	-	192	88.9	24	11.1
45-49	247	100	1	0.4	3	1.2	221	89.5	22	8.9
50-54	325	100	1	0.3	2	0.6	283	87.1	39	12.0
55-59	325	100	-	-	6	1.8	282	86.8	37	11.4
60-64	441	100	3	0.7	4	0.9	386	87.5	48	10.9
65-69	484	100	8	1.7	1	0.2	406	83.9	69	14.3
70-74	530	100	21	4.0	15	2.8	408	77.0	86	16.2
75-79	411	100	41	10.0	12	2.9	307	74.7	51	12.4
80-84	245	100	44	18.0	11	4.5	149	60.8	41	16.7
85-	101	100	24	23.8	7	6.9	55	54.5	15	14.9

表3-6-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、6 再生不良性貧血

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	3,325	100%	143	4.3%	61	1.8%	2,689	80.9%	432	13.0%
0-4年	1,335	100	55	4.1	30	2.2	1,047	78.4	203	15.2
5-9	726	100	28	3.9	12	1.7	604	83.2	82	11.3
10-14	398	100	21	5.3	3	0.8	342	85.9	32	8.0
15-19	267	100	15	5.6	5	1.9	225	84.3	22	8.2
20-24	176	100	3	1.7	-	-	153	86.9	20	11.4
25-29	120	100	5	4.2	3	2.5	102	85.0	10	8.3
30-34	61	100	2	3.3	1	1.6	45	73.8	13	21.3
35-39	32	100	2	6.3	1	3.1	26	81.3	3	9.4
40-44	14	100	1	7.1	1	7.1	11	78.6	1	7.1
45-49	3	100	-	-	-	-	3	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	2	100	-	-	-	-	1	50.0	1	50.0
不 明	190	100	11	5.8	5	2.6	129	67.9	45	23.7

7 サルコイドーシス

表3-7-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、7 サルコイドーシス

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	8,572	100%	627	7.3%	6,966	81.3%	979	11.4%
0-4歳	3	100	-	-	3	100	-	-
5-9	5	100	-	-	4	80.0	1	20.0
10-14	5	100	1	20.0	4	80.0	-	-
15-19	11	100	-	-	11	100	-	-
20-24	47	100	1	2.1	41	87.2	5	10.6
25-29	358	100	2	0.6	312	87.2	44	12.3
30-34	560	100	11	2.0	478	85.4	71	12.7
35-39	533	100	13	2.4	470	88.2	50	9.4
40-44	473	100	22	4.7	396	83.7	55	11.6
45-49	477	100	21	4.4	395	82.8	61	12.8
50-54	743	100	44	5.9	633	85.2	66	8.9
55-59	1,012	100	58	5.7	838	82.8	116	11.5
60-64	1,212	100	94	7.8	994	82.0	124	10.2
65-69	1,324	100	148	11.2	1,029	77.7	147	11.1
70-74	1,053	100	104	9.9	820	77.9	129	12.3
75-79	535	100	74	13.8	389	72.7	72	13.5
80-84	169	100	27	16.0	111	65.7	31	18.3
85-	51	100	7	13.7	37	72.5	7	13.7
不 明	1	100	-	-	1	100	-	-

表3-7-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、7 サルコイドーシス

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	8,572	100%	627	7.3%	6,966	81.3%	979	11.4%
0-4年	2,923	100	131	4.5	2,455	84.0	337	11.5
5-9	2,213	100	164	7.4	1,843	83.3	206	9.3
10-14	1,379	100	125	9.1	1,092	79.2	162	11.7
15-19	665	100	77	11.6	519	78.0	69	10.4
20-24	322	100	44	13.7	246	76.4	32	9.9
25-29	159	100	17	10.7	128	80.5	14	8.8
30-34	56	100	4	7.1	44	78.6	8	14.3
35-39	22	100	6	27.3	14	63.6	2	9.1
40-44	6	100	-	-	5	83.3	1	16.7
45-49	-	-	-	-	-	-	-	-
50-54	2	100	-	-	2	100	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	824	100	59	7.2	617	74.9	148	18.0

表3-7-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、7 サルコイドーシス

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	7,049	100%	188	2.7%	77	1.1%	5,895	83.6%	889	12.6%
40-44歳	473	100	-	-	2	0.4	414	87.5	57	12.1
45-49	477	100	-	-	1	0.2	413	86.6	63	13.2
50-54	743	100	-	-	1	0.1	660	88.8	82	11.0
55-59	1,012	100	-	-	4	0.4	889	87.8	119	11.8
60-64	1,212	100	3	0.2	7	0.6	1,058	87.3	144	11.9
65-69	1,324	100	35	2.6	20	1.5	1,102	83.2	167	12.6
70-74	1,053	100	57	5.4	15	1.4	844	80.2	137	13.0
75-79	535	100	47	8.8	20	3.7	392	73.3	76	14.2
80-84	169	100	36	21.3	5	3.0	94	55.6	34	20.1
85-	51	100	10	19.6	2	3.9	29	56.9	10	19.6

表3-7-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、7 サルコイドーシス

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	7,049	100%	188	2.7%	77	1.1%	5,895	83.6%	889	12.6%
0-4年	2,144	100	30	1.4	19	0.9	1,827	85.2	268	12.5
5-9	1,814	100	42	2.3	14	0.8	1,570	86.5	188	10.4
10-14	1,208	100	43	3.6	19	1.6	993	82.2	153	12.7
15-19	641	100	26	4.1	9	1.4	534	83.3	72	11.2
20-24	313	100	16	5.1	7	2.2	253	80.8	37	11.8
25-29	154	100	1	0.6	3	1.9	129	83.8	21	13.6
30-34	56	100	3	5.4	2	3.6	47	83.9	4	7.1
35-39	21	100	2	9.5	-	-	17	81.0	2	9.5
40-44	6	100	-	-	-	-	5	83.3	1	16.7
45-49	-	-	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	2	100	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	1	100	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	689	100	24	3.5	4	0.6	518	75.2	143	20.8

8 筋萎縮性側索硬化症

表3-8-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、8 筋萎縮性側索硬化症

年齢階級	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	3,158	100%	1,924	60.9%	868	27.5%	366	11.6%
0-4歳	3	100	2	66.7	1	33.3	-	-
5-9	2	100	2	100	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-
20-24	6	100	3	50.0	1	16.7	2	33.3
25-29	5	100	1	20.0	3	60.0	1	20.0
30-34	19	100	15	78.9	3	15.8	1	5.3
35-39	36	100	19	52.8	11	30.6	6	16.7
40-44	74	100	53	71.6	14	18.9	7	9.5
45-49	125	100	82	65.6	33	26.4	10	8.0
50-54	281	100	184	65.5	70	24.9	27	9.6
55-59	409	100	266	65.0	104	25.4	39	9.5
60-64	481	100	324	67.4	95	19.8	62	12.9
65-69	556	100	341	61.3	160	28.8	55	9.9
70-74	603	100	346	57.4	184	30.5	73	12.1
75-79	384	100	208	54.2	125	32.6	51	13.3
80-84	138	100	65	47.1	47	34.1	26	18.8
85-	35	100	12	34.3	17	48.6	6	17.1
不 明	-	-	-	-	-	-	-	-

表3-8-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、8 筋萎縮性側索硬化症

発病後期間	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	3,158	100%	1,924	60.9%	868	27.5%	366	11.6%
0-4年	1,818	100	851	46.8	700	38.5	267	14.7
5-9	756	100	618	81.7	91	12.0	47	6.2
10-14	298	100	236	79.2	38	12.8	24	8.1
15-19	93	100	75	80.6	6	6.5	12	12.9
20-24	53	100	43	81.1	5	9.4	5	9.4
25-29	29	100	22	75.9	5	17.2	2	6.9
30-34	8	100	6	75.0	1	12.5	1	12.5
35-39	4	100	4	100	-	-	-	-
40-44	4	100	3	75.0	-	-	1	25.0
45-49	2	100	2	100	-	-	-	-
50-54	2	100	2	100	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	91	100	62	68.1	22	24.2	7	7.7

表3-8-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、8 筋萎縮性側索硬化症

年齢階級	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	3,086	100%	1,470	47.6%	47	1.5%	1,097	35.5%	472	15.3%
40-44歳	74	100	32	43.2	1	1.4	32	43.2	9	12.2
45-49	125	100	54	43.2	1	0.8	55	44.0	15	12.0
50-54	281	100	125	44.5	3	1.1	122	43.4	31	11.0
55-59	409	100	194	47.4	4	1.0	156	38.1	55	13.4
60-64	481	100	225	46.8	4	0.8	170	35.3	82	17.0
65-69	556	100	263	47.3	6	1.1	212	38.1	75	13.5
70-74	603	100	291	48.3	16	2.7	198	32.8	98	16.3
75-79	384	100	192	50.0	10	2.6	111	28.9	71	18.5
80-84	138	100	78	56.5	1	0.7	33	23.9	26	18.8
85-	35	100	16	45.7	1	2.9	8	22.9	10	28.6

表3-8-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、8 筋萎縮性側索硬化症

発病後期間	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	3,086	100%	1,470	47.6%	47	1.5%	1,097	35.5%	472	15.3%
0-4年	1,783	100	754	42.3	27	1.5	689	38.6	313	17.6
5-9	738	100	450	61.0	11	1.5	192	26.0	85	11.5
10-14	295	100	146	49.5	3	1.0	109	36.9	37	12.5
15-19	85	100	36	42.4	4	4.7	32	37.6	13	15.3
20-24	50	100	19	38.0	-	-	23	46.0	8	16.0
25-29	29	100	16	55.2	1	3.4	10	34.5	2	6.9
30-34	8	100	3	37.5	1	12.5	4	50.0	-	-
35-39	4	100	2	50.0	-	-	2	50.0	-	-
40-44	4	100	1	25.0	-	-	2	50.0	1	25.0
45-49	2	100	-	-	-	-	1	50.0	1	50.0
50-54	2	100	1	50.0	-	-	1	50.0	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	86	100	42	48.8	-	-	32	37.2	12	14.0

9_1 強皮症

表3-9_1-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、9_1 強皮症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,069	100%	889	9.8%	7,266	80.1%	914	10.1%
0-4歳	1	100	-	-	1	100	-	-
5-9	7	100	1	14.3	6	85.7	-	-
10-14	14	100	1	7.1	10	71.4	3	21.4
15-19	12	100	-	-	12	100	-	-
20-24	36	100	2	5.6	30	83.3	4	11.1
25-29	92	100	8	8.7	78	84.8	6	6.5
30-34	148	100	5	3.4	125	84.5	18	12.2
35-39	206	100	18	8.7	164	79.6	24	11.7
40-44	325	100	31	9.5	269	82.8	25	7.7
45-49	512	100	39	7.6	429	83.8	44	8.6
50-54	1,071	100	74	6.9	908	84.8	89	8.3
55-59	1,393	100	103	7.4	1,144	82.1	146	10.5
60-64	1,698	100	165	9.7	1,356	79.9	177	10.4
65-69	1,536	100	188	12.2	1,204	78.4	144	9.4
70-74	1,121	100	137	12.2	857	76.4	127	11.3
75-79	618	100	81	13.1	470	76.1	67	10.8
80-84	224	100	29	12.9	161	71.9	34	15.2
85-	55	100	7	12.7	42	76.4	6	10.9
不明	-	-	-	-	-	-	-	-

表3-9_1-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、9_1 強皮症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	9,069	100%	889	9.8%	7,266	80.1%	914	10.1%
0-4年	2,031	100	103	5.1	1,691	83.3	237	11.7
5-9	2,128	100	150	7.0	1,787	84.0	191	9.0
10-14	1,884	100	189	10.0	1,520	80.7	175	9.3
15-19	1,014	100	138	13.6	783	77.2	93	9.2
20-24	657	100	93	14.2	502	76.4	62	9.4
25-29	370	100	72	19.5	270	73.0	28	7.6
30-34	182	100	38	20.9	123	67.6	21	11.5
35-39	89	100	14	15.7	70	78.7	5	5.6
40-44	37	100	10	27.0	22	59.5	5	13.5
45-49	19	100	4	21.1	14	73.7	1	5.3
50-54	8	100	3	37.5	4	50.0	1	12.5
55-59	5	100	2	40.0	3	60.0	-	-
60-64	-	-	-	-	-	-	-	-
65-69	3	100	1	33.3	2	66.7	-	-
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不明	641	100	72	11.2	474	73.9	95	14.8

表3-9_1-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、9_1 強皮症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	8,553	100%	424	5.0%	112	1.3%	7,148	83.6%	869	10.2%
40-44歳	325	100	2	0.6	3	0.9	289	88.9	31	9.5
45-49	512	100	4	0.8	2	0.4	464	90.6	42	8.2
50-54	1,071	100	10	0.9	7	0.7	962	89.8	92	8.6
55-59	1,393	100	17	1.2	4	0.3	1,246	89.4	126	9.0
60-64	1,698	100	36	2.1	13	0.8	1,475	86.9	174	10.2
65-69	1,536	100	101	6.6	16	1.0	1,261	82.1	158	10.3
70-74	1,121	100	90	8.0	23	2.1	874	78.0	134	12.0
75-79	618	100	94	15.2	31	5.0	424	68.6	69	11.2
80-84	224	100	58	25.9	11	4.9	121	54.0	34	15.2
85-	55	100	12	21.8	2	3.6	32	58.2	9	16.4

表3-9_1-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、9_1 強皮症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	8,553	100%	424	5.0%	112	1.3%	7,148	83.6%	869	10.2%
0-4年	1,829	100	64	3.5	19	1.0	1,516	82.9	230	12.6
5-9	1,985	100	67	3.4	23	1.2	1,722	86.8	173	8.7
10-14	1,785	100	84	4.7	23	1.3	1,513	84.8	165	9.2
15-19	976	100	58	5.9	17	1.7	822	84.2	79	8.1
20-24	646	100	50	7.7	9	1.4	518	80.2	69	10.7
25-29	365	100	25	6.8	5	1.4	307	84.1	28	7.7
30-34	180	100	15	8.3	4	2.2	145	80.6	16	8.9
35-39	89	100	4	4.5	1	1.1	75	84.3	9	10.1
40-44	37	100	3	8.1	2	5.4	27	73.0	5	13.5
45-49	19	100	3	15.8	-	-	15	78.9	1	5.3
50-54	8	100	1	12.5	1	12.5	5	62.5	1	12.5
55-59	5	100	2	40.0	1	20.0	2	40.0	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	3	100	-	-	-	-	3	100	-	-
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	625	100	48	7.7	7	1.1	477	76.3	93	14.9

9_2 皮膚筋炎及び多発性筋炎

表3-9_2-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、9_2 皮膚筋炎及び多発性筋炎

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	6,257	100%	834	13.3%	4,792	76.6%	631	10.1%
0-4歳	11	100	-	-	10	90.9	1	9.1
5-9	43	100	1	2.3	37	86.0	5	11.6
10-14	54	100	1	1.9	43	79.6	10	18.5
15-19	80	100	2	2.5	70	87.5	8	10.0
20-24	91	100	3	3.3	82	90.1	6	6.6
25-29	146	100	11	7.5	117	80.1	18	12.3
30-34	217	100	11	5.1	179	82.5	27	12.4
35-39	225	100	23	10.2	183	81.3	19	8.4
40-44	309	100	20	6.5	258	83.5	31	10.0
45-49	448	100	41	9.2	361	80.6	46	10.3
50-54	755	100	71	9.4	617	81.7	67	8.9
55-59	865	100	125	14.5	670	77.5	70	8.1
60-64	954	100	147	15.4	716	75.1	91	9.5
65-69	798	100	125	15.7	593	74.3	80	10.0
70-74	676	100	129	19.1	464	68.6	83	12.3
75-79	417	100	90	21.6	281	67.4	46	11.0
80-84	130	100	28	21.5	85	65.4	17	13.1
85-	38	100	6	15.8	26	68.4	6	15.8
不 明	-	-	-	-	-	-	-	-

表3-9_2-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、9_2 皮膚筋炎及び多発性筋炎

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	6,257	100%	834	13.3%	4,792	76.6%	631	10.1%
0-4年	2,188	100	123	5.6	1,808	82.6	257	11.7
5-9	1,595	100	211	13.2	1,248	78.2	136	8.5
10-14	1,051	100	179	17.0	779	74.1	93	8.8
15-19	596	100	118	19.8	433	72.7	45	7.6
20-24	331	100	74	22.4	225	68.0	32	9.7
25-29	165	100	48	29.1	102	61.8	15	9.1
30-34	47	100	17	36.2	27	57.4	3	6.4
35-39	14	100	6	42.9	7	50.0	1	7.1
40-44	7	100	4	57.1	3	42.9	-	-
45-49	2	100	1	50.0	-	-	1	50.0
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	1	100	1	100	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	259	100	52	20.1	159	61.4	48	18.5

表3-9_2-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、9_2 皮膚筋炎及び多発性筋炎

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	5,390	100%	372	6.9%	83	1.5%	4,329	80.3%	606	11.2%
40-44歳	309	100	-	-	2	0.6	273	88.3	34	11.0
45-49	448	100	3	0.7	1	0.2	398	88.8	46	10.3
50-54	755	100	9	1.2	2	0.3	678	89.8	66	8.7
55-59	865	100	20	2.3	1	0.1	765	88.4	79	9.1
60-64	954	100	29	3.0	4	0.4	822	86.2	99	10.4
65-69	798	100	66	8.3	15	1.9	611	76.6	106	13.3
70-74	676	100	95	14.1	28	4.1	455	67.3	98	14.5
75-79	417	100	98	23.5	18	4.3	250	60.0	51	12.2
80-84	130	100	38	29.2	11	8.5	59	45.4	22	16.9
85-	38	100	14	36.8	1	2.6	18	47.4	5	13.2

表3-9_2-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、9_2 皮膚筋炎及び多発性筋炎

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	5,390	100%	372	6.9%	83	1.5%	4,329	80.3%	606	11.2%
0-4年	1,748	100	96	5.5	24	1.4	1,414	80.9	214	12.2
5-9	1,377	100	85	6.2	22	1.6	1,149	83.4	121	8.8
10-14	951	100	65	6.8	16	1.7	759	79.8	111	11.7
15-19	548	100	42	7.7	9	1.6	451	82.3	46	8.4
20-24	307	100	30	9.8	2	0.7	243	79.2	32	10.4
25-29	156	100	14	9.0	3	1.9	120	76.9	19	12.2
30-34	43	100	7	16.3	2	4.7	26	60.5	8	18.6
35-39	14	100	3	21.4	-	-	8	57.1	3	21.4
40-44	7	100	2	28.6	1	14.3	4	57.1	-	-
45-49	2	100	1	50.0	-	-	-	-	1	50.0
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	235	100	27	11.5	4	1.7	153	65.1	51	21.7

10 特発性血小板減少性紫斑病

表3-10-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、10 特発性血小板減少性紫斑病

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	12,406	100%	486	3.9%	10,386	83.7%	1,534	12.4%
0-4歳	290	100	1	0.3	252	86.9	37	12.8
5-9	364	100	1	0.3	319	87.6	44	12.1
10-14	325	100	3	0.9	295	90.8	27	8.3
15-19	359	100	3	0.8	316	88.0	40	11.1
20-24	342	100	8	2.3	299	87.4	35	10.2
25-29	546	100	7	1.3	489	89.6	50	9.2
30-34	640	100	12	1.9	562	87.8	66	10.3
35-39	645	100	9	1.4	571	88.5	65	10.1
40-44	614	100	9	1.5	545	88.8	60	9.8
45-49	719	100	22	3.1	605	84.1	92	12.8
50-54	1,040	100	31	3.0	888	85.4	121	11.6
55-59	1,286	100	47	3.7	1,082	84.1	157	12.2
60-64	1,314	100	54	4.1	1,110	84.5	150	11.4
65-69	1,333	100	92	6.9	1,079	80.9	162	12.2
70-74	1,169	100	70	6.0	919	78.6	180	15.4
75-79	845	100	63	7.5	651	77.0	131	15.5
80-84	365	100	29	7.9	262	71.8	74	20.3
85-	209	100	25	12.0	142	67.9	42	20.1
不明	1	100	-	-	-	-	1	100

表3-10-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、10 特発性血小板減少性紫斑病

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	12,406	100%	486	3.9%	10,386	83.7%	1,534	12.4%
0-4年	4,601	100	153	3.3	3,842	83.5	606	13.2
5-9	3,199	100	121	3.8	2,743	85.7	335	10.5
10-14	1,977	100	82	4.1	1,650	83.5	245	12.4
15-19	989	100	55	5.6	830	83.9	104	10.5
20-24	452	100	18	4.0	384	85.0	50	11.1
25-29	230	100	13	5.7	193	83.9	24	10.4
30-34	101	100	5	5.0	88	87.1	8	7.9
35-39	48	100	2	4.2	39	81.3	7	14.6
40-44	34	100	3	8.8	30	88.2	1	2.9
45-49	12	100	-	-	10	83.3	2	16.7
50-54	5	100	-	-	4	80.0	1	20.0
55-59	2	100	-	-	2	100	-	-
60-64	3	100	-	-	3	100	-	-
65-69	2	100	-	-	-	-	2	100
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不明	750	100	34	4.5	567	75.6	149	19.9

表3-10-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、10 特発性血小板減少性紫斑病

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	8,894	100%	337	3.8%	80	0.9%	7,391	83.1%	1,086	12.2%
40-44歳	614	100	2	0.3	1	0.2	558	90.9	53	8.6
45-49	719	100	-	-	2	0.3	637	88.6	80	11.1
50-54	1,040	100	3	0.3	-	-	927	89.1	110	10.6
55-59	1,286	100	6	0.5	2	0.2	1,139	88.6	139	10.8
60-64	1,314	100	12	0.9	1	0.1	1,157	88.1	144	11.0
65-69	1,333	100	38	2.9	13	1.0	1,135	85.1	147	11.0
70-74	1,169	100	60	5.1	13	1.1	916	78.4	180	15.4
75-79	845	100	81	9.6	24	2.8	619	73.3	121	14.3
80-84	365	100	74	20.3	15	4.1	208	57.0	68	18.6
85-	209	100	61	29.2	9	4.3	95	45.5	44	21.1

表3-10-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、10 特発性血小板減少性紫斑病

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	8,894	100%	337	3.8%	80	0.9%	7,391	83.1%	1,086	12.2%
0-4年	2,888	100	117	4.1	38	1.3	2,330	80.7	403	14.0
5-9	2,290	100	93	4.1	16	0.7	1,943	84.8	238	10.4
10-14	1,554	100	42	2.7	14	0.9	1,340	86.2	158	10.2
15-19	809	100	25	3.1	4	0.5	699	86.4	81	10.0
20-24	384	100	11	2.9	2	0.5	328	85.4	43	11.2
25-29	189	100	6	3.2	2	1.1	159	84.1	22	11.6
30-34	86	100	5	5.8	1	1.2	70	81.4	10	11.6
35-39	44	100	3	6.8	-	-	36	81.8	5	11.4
40-44	34	100	2	5.9	-	-	31	91.2	1	2.9
45-49	12	100	1	8.3	-	-	9	75.0	2	16.7
50-54	5	100	-	-	-	-	4	80.0	1	20.0
55-59	2	100	-	-	-	-	2	100	-	-
60-64	3	100	-	-	-	-	3	100	-	-
65-69	2	100	-	-	-	-	2	100	-	-
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	591	100	32	5.4	3	0.5	434	73.4	122	20.6

