

20\_3 パーキンソン病

表3-20\_3-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	10,137	100%	2,541	25.1%	3,979	39.3%	2,176	21.5%	490	4.8%	499	4.9%	106	1.0%	346	3.4%
0-4歳	3	100	-	-	2	66.7	1	33.3	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
10-14																
15-19	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
20-24																
25-29	4	100	-	-	3	75.0	-	-	-	-	1	25.0	-	-	-	-
30-34	11	100	2	18.2	3	27.3	4	36.4	-	-	1	9.1	1	9.1	-	-
35-39	19	100	2	10.5	10	52.6	2	10.5	1	5.3	3	15.8	-	-	1	5.3
40-44	35	100	7	20.0	11	31.4	5	14.3	4	11.4	7	20.0	-	-	1	2.9
45-49	95	100	12	12.6	33	34.7	28	29.5	7	7.4	12	12.6	1	1.1	2	2.1
50-54	249	100	42	16.9	85	34.1	83	33.3	10	4.0	19	7.6	4	1.6	6	2.4
55-59	471	100	74	15.7	159	33.8	132	28.0	31	6.6	49	10.4	5	1.1	21	4.5
60-64	923	100	154	16.7	360	39.0	249	27.0	38	4.1	71	7.7	15	1.6	36	3.9
65-69	1,691	100	372	22.0	628	37.1	442	26.1	87	5.1	93	5.5	20	1.2	49	2.9
70-74	2,394	100	568	23.7	954	39.8	544	22.7	127	5.3	113	4.7	23	1.0	65	2.7
75-79	2,314	100	621	26.8	977	42.2	427	18.5	95	4.1	81	3.5	21	0.9	92	4.0
80-84	1,291	100	433	33.5	499	38.7	194	15.0	62	4.8	44	3.4	11	0.9	48	3.7
85-	634	100	253	39.9	253	39.9	65	10.3	28	4.4	5	0.8	5	0.8	25	3.9
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-20\_3-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	10,137	100%	2,541	25.1%	3,979	39.3%	2,176	21.5%	490	4.8%	499	4.9%	106	1.0%	346	3.4%
0-4年	1,177	100	261	22.2	370	31.4	302	25.7	98	8.3	74	6.3	19	1.6	53	4.5
5-9	3,237	100	768	23.7	1,207	37.3	747	23.1	189	5.8	177	5.5	36	1.1	113	3.5
10-14	2,702	100	658	24.4	1,099	40.7	588	21.8	110	4.1	131	4.8	25	0.9	91	3.4
15-19	1,376	100	369	26.8	603	43.8	261	19.0	42	3.1	55	4.0	11	0.8	35	2.5
20-24	679	100	178	26.2	314	46.2	121	17.8	14	2.1	21	3.1	10	1.5	21	3.1
25-29	241	100	71	29.5	106	44.0	37	15.4	9	3.7	9	3.7	2	0.8	7	2.9
30-34	80	100	25	31.3	35	43.8	13	16.3	2	2.5	4	5.0	-	-	1	1.3
35-39	51	100	14	27.5	26	51.0	8	15.7	1	2.0	1	2.0	-	-	1	2.0
40-44	33	100	14	42.4	9	27.3	7	21.2	1	3.0	2	6.1	-	-	-	-
45-49	10	100	6	60.0	1	10.0	2	20.0	-	-	1	10.0	-	-	-	-
50-54	5	100	1	20.0	3	60.0	1	20.0	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
60-64	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
65-69	4	100	2	50.0	-	-	2	50.0	-	-	-	-	-	-	-	-
70-74	1	100	-	-	-	-	-	-	-	-	1	100	-	-	-	-
75-79	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
不明	536	100	172	32.1	204	38.1	86	16.0	24	4.5	23	4.3	3	0.6	24	4.5

表3-20\_3-3. つづき  
要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	14,346	100%	2,833	19.7%	2,875	20.0%	2,338	16.3%	2,298	16.0%	2,946	20.5%	1,056	7.4%
40-44歳	10	100	2	20.0	1	10.0	2	20.0	1	10.0	-	-	4	40.0
45-49	42	100	8	19.0	13	31.0	3	7.1	5	11.9	6	14.3	7	16.7
50-54	118	100	25	21.2	24	20.3	22	18.6	10	8.5	25	21.2	12	10.2
55-59	292	100	74	25.3	73	25.0	45	15.4	29	9.9	45	15.4	26	8.9
60-64	697	100	179	25.7	141	20.2	112	16.1	94	13.5	113	16.2	58	8.3
65-69	1,843	100	412	22.4	415	22.5	309	16.8	249	13.5	296	16.1	162	8.8
70-74	3,375	100	733	21.7	729	21.6	542	16.1	494	14.6	596	17.7	281	8.3
75-79	3,976	100	778	19.6	810	20.4	667	16.8	633	15.9	811	20.4	277	7.0
80-84	2,637	100	464	17.6	458	17.4	429	16.3	500	19.0	619	23.5	167	6.3
85-	1,356	100	158	11.7	211	15.6	207	15.3	283	20.9	435	32.1	62	4.6

表3-20\_3-4. つづき  
要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	14,346	100%	2,833	19.7%	2,875	20.0%	2,338	16.3%	2,298	16.0%	2,946	20.5%	1,056	7.4%
0-4年	2,567	100	717	27.9	571	22.2	393	15.3	333	13.0	346	13.5	207	8.1
5-9	4,901	100	1,063	21.7	1,022	20.9	794	16.2	744	15.2	914	18.6	364	7.4
10-14	3,435	100	602	17.5	685	19.9	576	16.8	557	16.2	756	22.0	259	7.5
15-19	1,571	100	204	13.0	288	18.3	248	15.8	325	20.7	394	25.1	112	7.1
20-24	703	100	73	10.4	114	16.2	147	20.9	127	18.1	202	28.7	40	5.7
25-29	236	100	26	11.0	39	16.5	40	16.9	43	18.2	70	29.7	18	7.6
30-34	75	100	6	8.0	11	14.7	9	12.0	16	21.3	28	37.3	5	6.7
35-39	38	100	8	21.1	4	10.5	9	23.7	6	15.8	8	21.1	3	7.9
40-44	26	100	6	23.1	8	30.8	3	11.5	5	19.2	4	15.4	-	-
45-49	9	100	2	22.2	1	11.1	-	-	1	11.1	3	33.3	2	22.2
50-54	6	100	-	-	3	50.0	-	-	2	33.3	1	16.7	-	-
55-59														
60-64	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-
65-69	4	100	-	-	1	25.0	1	25.0	1	25.0	1	25.0	-	-
70-74	1	100	-	-	-	-	1	100	-	-	-	-	-	-
75-79	5	100	1	20.0	-	-	1	20.0	1	20.0	2	40.0	-	-
不明	766	100	124	16.2	127	16.6	115	15.0	137	17.9	217	28.3	46	6.0

21 アミロイドーシス

表3-21-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、21 アミロイドーシス

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	509	100%	150	29.5%	299	58.7%	60	11.8%
0-4歳	1	100	1	100	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	1	100	-	-
20-24	3	100	-	-	2	66.7	1	33.3
25-29	4	100	-	-	4	100	-	-
30-34	12	100	1	8.3	10	83.3	1	8.3
35-39	21	100	3	14.3	18	85.7	-	-
40-44	19	100	8	42.1	10	52.6	1	5.3
45-49	25	100	9	36.0	12	48.0	4	16.0
50-54	52	100	15	28.8	29	55.8	8	15.4
55-59	53	100	14	26.4	36	67.9	3	5.7
60-64	85	100	29	34.1	49	57.6	7	8.2
65-69	93	100	31	33.3	50	53.8	12	12.9
70-74	67	100	24	35.8	36	53.7	7	10.4
75-79	51	100	11	21.6	28	54.9	12	23.5
80-84	18	100	4	22.2	10	55.6	4	22.2
85-	4	100	-	-	4	100	-	-
不 明	-	-	-	-	-	-	-	-

表3-21-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、21 アミロイドーシス

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	509	100%	150	29.5%	299	58.7%	60	11.8%
0-4年	251	100	51	20.3	158	62.9	42	16.7
5-9	134	100	54	40.3	72	53.7	8	6.0
10-14	51	100	22	43.1	28	54.9	1	2.0
15-19	8	100	2	25.0	6	75.0	-	-
20-24	6	100	2	33.3	2	33.3	2	33.3
25-29	5	100	-	-	5	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	54	100	19	35.2	28	51.9	7	13.0

表3-21-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、21 アミロイドーシス

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	467	100%	54	11.6%	14	3.0%	326	69.8%	73	15.6%
40-44歳	19	100	2	10.5	-	-	15	78.9	2	10.5
45-49	25	100	3	12.0	-	-	19	76.0	3	12.0
50-54	52	100	2	3.8	1	1.9	41	78.8	8	15.4
55-59	53	100	1	1.9	1	1.9	45	84.9	6	11.3
60-64	85	100	5	5.9	2	2.4	67	78.8	11	12.9
65-69	93	100	16	17.2	3	3.2	60	64.5	14	15.1
70-74	67	100	10	14.9	5	7.5	40	59.7	12	17.9
75-79	51	100	10	19.6	2	3.9	27	52.9	12	23.5
80-84	18	100	4	22.2	-	-	9	50.0	5	27.8
85-	4	100	1	25.0	-	-	3	75.0	-	-

表3-21-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、21 アミロイドーシス

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	467	100%	54	11.6%	14	3.0%	326	69.8%	73	15.6%
0-4年	231	100	25	10.8	9	3.9	149	64.5	48	20.8
5-9	121	100	14	11.6	2	1.7	93	76.9	12	9.9
10-14	49	100	5	10.2	2	4.1	38	77.6	4	8.2
15-19	8	100	-	-	-	-	7	87.5	1	12.5
20-24	6	100	-	-	-	-	4	66.7	2	33.3
25-29	5	100	-	-	-	-	4	80.0	1	20.0
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	47	100	10	21.3	1	2.1	31	66.0	5	10.6

21 アミロイドーシス

表3-21-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	150	100%	77	51.3%	31	20.7%	25	16.7%	9	6.0%	5	3.3%	-	-	3	2.0%
0-4歳	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	8	100	4	50.0	2	25.0	1	12.5	1	12.5	-	-	-	-	-	-
45-49	9	100	4	44.4	2	22.2	3	33.3	-	-	-	-	-	-	-	-
50-54	15	100	5	33.3	2	13.3	4	26.7	1	6.7	2	13.3	-	-	1	6.7
55-59	14	100	7	50.0	3	21.4	3	21.4	1	7.1	-	-	-	-	-	-
60-64	29	100	23	79.3	3	10.3	2	6.9	1	3.4	-	-	-	-	-	-
65-69	31	100	17	54.8	8	25.8	4	12.9	-	-	2	6.5	-	-	-	-
70-74	24	100	10	41.7	7	29.2	4	16.7	2	8.3	-	-	-	-	1	4.2
75-79	11	100	2	18.2	2	18.2	3	27.3	2	18.2	1	9.1	-	-	1	9.1
80-84	4	100	2	50.0	1	25.0	-	-	1	25.0	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-21-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	150	100%	77	51.3%	31	20.7%	25	16.7%	9	6.0%	5	3.3%	-	-	3	2.0%
0-4年	51	100	26	51.0	8	15.7	8	15.7	5	9.8	1	2.0	-	-	3	5.9
5-9	54	100	24	44.4	14	25.9	10	18.5	3	5.6	3	5.6	-	-	-	-
10-14	22	100	16	72.7	3	13.6	3	13.6	-	-	-	-	-	-	-	-
15-19	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
20-24	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	19	100	10	52.6	3	15.8	4	21.1	1	5.3	1	5.3	-	-	-	-

表3-21-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度											
			1		2		3		4		5		不明	
総 数	54	100%	13	24.1%	16	29.6%	6	11.1%	3	5.6%	7	13.0%	9	16.7%
40-44歳	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-
45-49	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3
50-54	2	100	-	-	1	50.0	-	-	-	-	-	-	1	50.0
55-59	1	100	-	-	-	-	1	100	-	-	-	-	-	-
60-64	5	100	-	-	1	20.0	3	60.0	-	-	-	-	1	20.0
65-69	16	100	3	18.8	4	25.0	-	-	1	6.3	3	18.8	5	31.3
70-74	10	100	1	10.0	3	30.0	1	10.0	1	10.0	3	30.0	1	10.0
75-79	10	100	5	50.0	4	40.0	1	10.0	-	-	-	-	-	-
80-84	4	100	2	50.0	1	25.0	-	-	1	25.0	-	-	-	-
85-	1	100	-	-	1	100	-	-	-	-	-	-	-	-

表3-21-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度											
			1		2		3		4		5		不明	
総 数	54	100%	13	24.1%	16	29.6%	6	11.1%	3	5.6%	7	13.0%	9	16.7%
0-4年	25	100	4	16.0	11	44.0	3	12.0	2	8.0	2	8.0	3	12.0
5-9	14	100	2	14.3	4	28.6	2	14.3	1	7.1	2	14.3	3	21.4
10-14	5	100	2	40.0	1	20.0	-	-	-	-	2	40.0	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	10	100	5	50.0	-	-	1	10.0	-	-	1	10.0	3	30.0

## 22 後縦靭帯骨化症

表3-22-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、22 後縦靭帯骨化症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,698	100%	3,263	33.6%	5,369	55.4%	1,066	11.0%
0-4歳	4	100	2	50.0	1	25.0	1	25.0
5-9	2	100	1	50.0	1	50.0	-	-
10-14	1	100	-	-	1	100	-	-
15-19	1	100	-	-	-	-	1	100
20-24	3	100	-	-	3	100	-	-
25-29	10	100	1	10.0	8	80.0	1	10.0
30-34	19	100	3	15.8	14	73.7	2	10.5
35-39	61	100	12	19.7	40	65.6	9	14.8
40-44	145	100	29	20.0	94	64.8	22	15.2
45-49	319	100	55	17.2	218	68.3	46	14.4
50-54	836	100	190	22.7	543	65.0	103	12.3
55-59	1,140	100	294	25.8	727	63.8	119	10.4
60-64	1,592	100	480	30.2	948	59.5	164	10.3
65-69	1,761	100	589	33.4	975	55.4	197	11.2
70-74	1,765	100	702	39.8	890	50.4	173	9.8
75-79	1,301	100	556	42.7	604	46.4	141	10.8
80-84	549	100	242	44.1	239	43.5	68	12.4
85-	188	100	106	56.4	63	33.5	19	10.1
不 明	1	100	1	100	-	-	-	-

表3-22-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、22 後縦靭帯骨化症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,698	100%	3,263	33.6%	5,369	55.4%	1,066	11.0%
0-4年	3,385	100	620	18.3	2,354	69.5	411	12.1
5-9	2,414	100	889	36.8	1,273	52.7	252	10.4
10-14	1,577	100	673	42.7	739	46.9	165	10.5
15-19	788	100	417	52.9	309	39.2	62	7.9
20-24	401	100	220	54.9	140	34.9	41	10.2
25-29	175	100	98	56.0	58	33.1	19	10.9
30-34	59	100	37	62.7	19	32.2	3	5.1
35-39	23	100	19	82.6	4	17.4	-	-
40-44	11	100	8	72.7	2	18.2	1	9.1
45-49	3	100	2	66.7	-	-	1	33.3
50-54	2	100	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100
60-64	1	100	1	100	-	-	-	-
65-69	3	100	1	33.3	2	66.7	-	-
70-74	2	100	2	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	853	100	276	32.4	467	54.7	110	12.9

表3-22-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、22 後縦靭帯骨化症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	9,596	100%	1,882	19.6%	267	2.8%	6,038	62.9%	1,409	14.7%
40-44歳	145	100	8	5.5	1	0.7	106	73.1	30	20.7
45-49	319	100	19	6.0	2	0.6	248	77.7	50	15.7
50-54	836	100	64	7.7	15	1.8	629	75.2	128	15.3
55-59	1,140	100	94	8.2	19	1.7	860	75.4	167	14.6
60-64	1,592	100	180	11.3	19	1.2	1,180	74.1	213	13.4
65-69	1,761	100	269	15.3	56	3.2	1,157	65.7	279	15.8
70-74	1,765	100	431	24.4	69	3.9	1,010	57.2	255	14.4
75-79	1,301	100	429	33.0	51	3.9	635	48.8	186	14.3
80-84	549	100	268	48.8	26	4.7	177	32.2	78	14.2
85-	188	100	120	63.8	9	4.8	36	19.1	23	12.2

表3-22-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、22 後縦靭帯骨化症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	9,596	100%	1,882	19.6%	267	2.8%	6,038	62.9%	1,409	14.7%
0-4年	3,314	100	460	13.9	97	2.9	2,248	67.8	509	15.4
5-9	2,401	100	439	18.3	54	2.2	1,575	65.6	333	13.9
10-14	1,573	100	341	21.7	50	3.2	957	60.8	225	14.3
15-19	788	100	223	28.3	20	2.5	458	58.1	87	11.0
20-24	401	100	125	31.2	14	3.5	202	50.4	60	15.0
25-29	175	100	71	40.6	2	1.1	79	45.1	23	13.1
30-34	59	100	23	39.0	4	6.8	23	39.0	9	15.3
35-39	23	100	9	39.1	2	8.7	10	43.5	2	8.7
40-44	11	100	6	54.5	1	9.1	3	27.3	1	9.1
45-49	3	100	2	66.7	-	-	-	-	1	33.3
50-54	2	100	-	-	-	-	2	100	-	-
55-59	1	100	-	-	-	-	-	-	1	100
60-64	1	100	1	100	-	-	-	-	-	-
65-69	3	100	-	-	-	-	3	100	-	-
70-74	2	100	2	100	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	839	100	180	21.5	23	2.7	478	57.0	158	18.8

22 後縦靭帯骨化症

表3-22-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総数	3,263	100%	876	26.8%	1,091	33.4%	638	19.6%	292	8.9%	226	6.9%	65	2.0%	75	2.3%
0-4歳	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-	-
35-39	12	100	1	8.3	5	41.7	2	16.7	1	8.3	2	16.7	-	-	1	8.3
40-44	29	100	6	20.7	9	31.0	5	17.2	6	20.7	2	6.9	-	-	1	3.4
45-49	55	100	15	27.3	16	29.1	15	27.3	5	9.1	1	1.8	1	1.8	2	3.6
50-54	190	100	57	30.0	62	32.6	29	15.3	15	7.9	16	8.4	9	4.7	2	1.1
55-59	294	100	75	25.5	84	28.6	61	20.7	28	9.5	29	9.9	9	3.1	8	2.7
60-64	480	100	115	24.0	154	32.1	105	21.9	46	9.6	39	8.1	9	1.9	12	2.5
65-69	589	100	149	25.3	195	33.1	117	19.9	47	8.0	51	8.7	14	2.4	16	2.7
70-74	702	100	197	28.1	236	33.6	145	20.7	64	9.1	35	5.0	13	1.9	12	1.7
75-79	556	100	143	25.7	190	34.2	115	20.7	52	9.4	36	6.5	7	1.3	13	2.3
80-84	242	100	74	30.6	97	40.1	27	11.2	25	10.3	11	4.5	1	0.4	7	2.9
85-	106	100	41	38.7	40	37.7	15	14.2	3	2.8	4	3.8	2	1.9	1	0.9
不明	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-

表3-22-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総数	3,263	100%	876	26.8%	1,091	33.4%	638	19.6%	292	8.9%	226	6.9%	65	2.0%	75	2.3%
0-4年	620	100	208	33.5	162	26.1	124	20.0	62	10.0	33	5.3	19	3.1	12	1.9
5-9	889	100	218	24.5	299	33.6	186	20.9	90	10.1	62	7.0	18	2.0	16	1.8
10-14	673	100	169	25.1	225	33.4	126	18.7	64	9.5	58	8.6	13	1.9	18	2.7
15-19	417	100	99	23.7	157	37.6	86	20.6	29	7.0	36	8.6	4	1.0	6	1.4
20-24	220	100	51	23.2	94	42.7	40	18.2	13	5.9	11	5.0	5	2.3	6	2.7
25-29	98	100	35	35.7	38	38.8	10	10.2	5	5.1	6	6.1	-	-	4	4.1
30-34	37	100	7	18.9	15	40.5	10	27.0	2	5.4	2	5.4	-	-	1	2.7
35-39	19	100	8	42.1	6	31.6	2	10.5	2	10.5	1	5.3	-	-	-	-
40-44	8	100	3	37.5	2	25.0	1	12.5	-	-	1	12.5	-	-	1	12.5
45-49	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
70-74	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	276	100	77	27.9	92	33.3	50	18.1	25	9.1	15	5.4	6	2.2	11	4.0

表3-22-3. つづき

要介護者の要介護度

年齢階級	総数		要介護度											
			1		2		3		4		5		不明	
総数	1,882	100%	554	29.4%	393	20.9%	211	11.2%	243	12.9%	254	13.5%	227	12.1%
40-44歳	8	100	3	37.5	1	12.5	-	-	1	12.5	-	-	3	37.5
45-49	19	100	4	21.1	4	21.1	3	15.8	3	15.8	1	5.3	4	21.1
50-54	64	100	21	32.8	11	17.2	9	14.1	6	9.4	7	10.9	10	15.6
55-59	94	100	24	25.5	24	25.5	10	10.6	8	8.5	13	13.8	15	16.0
60-64	180	100	49	27.2	43	23.9	15	8.3	17	9.4	28	15.6	28	15.6
65-69	269	100	79	29.4	59	21.9	29	10.8	36	13.4	36	13.4	30	11.2
70-74	431	100	136	31.6	96	22.3	49	11.4	45	10.4	50	11.6	55	12.8
75-79	429	100	131	30.5	78	18.2	55	12.8	63	14.7	55	12.8	47	11.0
80-84	268	100	86	32.1	52	19.4	27	10.1	41	15.3	35	13.1	27	10.1
85-	120	100	21	17.5	25	20.8	14	11.7	23	19.2	29	24.2	8	6.7

表3-22-4. つづき

要介護者の要介護度

発病後期間	総数		要介護度											
			1		2		3		4		5		不明	
総数	1,882	100%	554	29.4%	393	20.9%	211	11.2%	243	12.9%	254	13.5%	227	12.1%
0-4年	460	100	133	28.9	85	18.5	49	10.7	60	13.0	66	14.3	67	14.6
5-9	439	100	144	32.8	92	21.0	50	11.4	51	11.6	59	13.4	43	9.8
10-14	341	100	97	28.4	77	22.6	34	10.0	38	11.1	43	12.6	52	15.2
15-19	223	100	62	27.8	49	22.0	34	15.2	37	16.6	20	9.0	21	9.4
20-24	125	100	39	31.2	27	21.6	10	8.0	17	13.6	17	13.6	15	12.0
25-29	71	100	16	22.5	11	15.5	10	14.1	11	15.5	10	14.1	13	18.3
30-34	23	100	5	21.7	5	21.7	2	8.7	6	26.1	3	13.0	2	8.7
35-39	9	100	1	11.1	1	11.1	1	11.1	2	22.2	2	22.2	2	22.2
40-44	6	100	1	16.7	1	16.7	1	16.7	1	16.7	2	33.3	-	-
45-49	2	100	2	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	180	100	53	29.4	44	24.4	19	10.6	20	11.1	32	17.8	12	6.7

23 ハンチントン病

表3-23-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、23 ハンチントン病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	285	100%	153	53.7%	104	36.5%	28	9.8%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	-	-	1	100	-	-
20-24	1	100	-	-	-	-	1	100
25-29	4	100	3	75.0	-	-	1	25.0
30-34	4	100	3	75.0	1	25.0	-	-
35-39	14	100	6	42.9	6	42.9	2	14.3
40-44	25	100	14	56.0	9	36.0	2	8.0
45-49	34	100	19	55.9	11	32.4	4	11.8
50-54	35	100	19	54.3	14	40.0	2	5.7
55-59	40	100	24	60.0	13	32.5	3	7.5
60-64	35	100	20	57.1	14	40.0	1	2.9
65-69	45	100	19	42.2	18	40.0	8	17.8
70-74	21	100	15	71.4	5	23.8	1	4.8
75-79	20	100	9	45.0	8	40.0	3	15.0
80-84	4	100	2	50.0	2	50.0	-	-
85-	2	100	-	-	2	100	-	-
不 明	-	-	-	-	-	-	-	-

表3-23-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、23 ハンチントン病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	285	100%	153	53.7%	104	36.5%	28	9.8%
0-4年	42	100	11	26.2	26	61.9	5	11.9
5-9	86	100	38	44.2	41	47.7	7	8.1
10-14	76	100	47	61.8	22	28.9	7	9.2
15-19	40	100	29	72.5	7	17.5	4	10.0
20-24	12	100	8	66.7	2	16.7	2	16.7
25-29	6	100	4	66.7	1	16.7	1	16.7
30-34	3	100	3	100	-	-	-	-
35-39	2	100	1	50.0	1	50.0	-	-
40-44	1	100	1	100	-	-	-	-
45-49	1	100	-	-	-	-	1	100
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	16	100	11	68.8	4	25.0	1	6.3

表3-23-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、23 ハンチントン病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	261	100%	83	31.8%	2	0.8%	136	52.1%	40	15.3%
40-44歳	25	100	3	12.0	-	-	20	80.0	2	8.0
45-49	34	100	2	5.9	-	-	23	67.6	9	26.5
50-54	35	100	6	17.1	1	2.9	25	71.4	3	8.6
55-59	40	100	5	12.5	-	-	25	62.5	10	25.0
60-64	35	100	10	28.6	-	-	17	48.6	8	22.9
65-69	45	100	26	57.8	1	2.2	13	28.9	5	11.1
70-74	21	100	15	71.4	-	-	4	19.0	2	9.5
75-79	20	100	14	70.0	-	-	6	30.0	-	-
80-84	4	100	1	25.0	-	-	2	50.0	1	25.0
85-	2	100	1	50.0	-	-	1	50.0	-	-

表3-23-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、23 ハンチントン病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	261	100%	83	31.8%	2	0.8%	136	52.1%	40	15.3%
0-4年	37	100	6	16.2	1	2.7	26	70.3	4	10.8
5-9	75	100	18	24.0	1	1.3	41	54.7	15	20.0
10-14	74	100	30	40.5	-	-	30	40.5	14	18.9
15-19	37	100	15	40.5	-	-	18	48.6	4	10.8
20-24	11	100	5	45.5	-	-	5	45.5	1	9.1
25-29	6	100	3	50.0	-	-	3	50.0	-	-
30-34	3	100	-	-	-	-	2	66.7	1	33.3
35-39	2	100	-	-	-	-	2	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	1	100	1	100	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	14	100	5	35.7	-	-	8	57.1	1	7.1

23 ハンチントン病

表3-23-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	153	100%	79	51.6%	45	29.4%	19	12.4%	-	-	3	2.0%	2	1.3%	5	3.3%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	3	100	1	33.3	-	-	2	66.7	-	-	-	-	-	-	-	-
30-34	3	100	3	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	6	100	4	66.7	1	16.7	1	16.7	-	-	-	-	-	-	-	-
40-44	14	100	7	50.0	6	42.9	-	-	-	-	1	7.1	-	-	-	-
45-49	19	100	7	36.8	6	31.6	1	5.3	-	-	1	5.3	2	10.5	2	10.5
50-54	19	100	8	42.1	7	36.8	4	21.1	-	-	-	-	-	-	-	-
55-59	24	100	13	54.2	4	16.7	4	16.7	-	-	1	4.2	-	-	2	8.3
60-64	20	100	10	50.0	6	30.0	4	20.0	-	-	-	-	-	-	-	-
65-69	19	100	11	57.9	6	31.6	2	10.5	-	-	-	-	-	-	-	-
70-74	15	100	8	53.3	6	40.0	1	6.7	-	-	-	-	-	-	-	-
75-79	9	100	6	66.7	3	33.3	-	-	-	-	-	-	-	-	-	-
80-84	2	100	1	50.0	-	-	-	-	-	-	-	-	-	-	1	50.0
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-23-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	153	100%	79	51.6%	45	29.4%	19	12.4%	-	-	3	2.0%	2	1.3%	5	3.3%
0-4年	11	100	4	36.4	3	27.3	4	36.4	-	-	-	-	-	-	-	-
5-9	38	100	16	42.1	11	28.9	7	18.4	-	-	3	7.9	1	2.6	-	-
10-14	47	100	20	42.6	19	40.4	5	10.6	-	-	-	-	-	-	3	6.4
15-19	29	100	21	72.4	6	20.7	-	-	-	-	-	-	-	-	2	6.9
20-24	8	100	6	75.0	2	25.0	-	-	-	-	-	-	-	-	-	-
25-29	4	100	4	100	-	-	-	-	-	-	-	-	-	-	-	-
30-34	3	100	3	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	-	-	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	11	100	5	45.5	4	36.4	2	18.2	-	-	-	-	-	-	-	-

表3-23-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	83	100%	4	4.8%	8	9.6%	10	12.0%	12	14.5%	41	49.4%	8	9.6%
40-44歳	3	100	-	-	-	-	1	33.3	-	-	2	66.7	-	-
45-49	2	100	-	-	-	-	-	-	-	1	50.0	1	50.0	
50-54	6	100	-	-	2	33.3	-	-	1	16.7	1	16.7	2	33.3
55-59	5	100	1	20.0	-	-	-	-	1	20.0	2	40.0	1	20.0
60-64	10	100	1	10.0	1	10.0	1	10.0	1	10.0	5	50.0	1	10.0
65-69	26	100	2	7.7	3	11.5	3	11.5	2	7.7	14	53.8	2	7.7
70-74	15	100	-	-	1	6.7	4	26.7	2	13.3	8	53.3	-	-
75-79	14	100	-	-	-	-	1	7.1	5	35.7	7	50.0	1	7.1
80-84	1	100	-	-	-	-	-	-	-	-	1	100	-	-
85-	1	100	-	-	1	100	-	-	-	-	-	-	-	-

表3-23-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	83	100%	4	4.8%	8	9.6%	10	12.0%	12	14.5%	41	49.4%	8	9.6%
0-4年	6	100	-	-	1	16.7	1	16.7	1	16.7	2	33.3	1	16.7
5-9	18	100	2	11.1	4	22.2	4	22.2	1	5.6	5	27.8	2	11.1
10-14	30	100	2	6.7	1	3.3	3	10.0	7	23.3	15	50.0	2	6.7
15-19	15	100	-	-	1	6.7	1	6.7	1	6.7	9	60.0	3	20.0
20-24	5	100	-	-	-	-	-	-	2	40.0	3	60.0	-	-
25-29	3	100	-	-	-	-	-	-	-	-	3	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	-	-	-	1	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	5	100	-	-	1	20.0	1	20.0	-	-	3	60.0	-	-

24 モヤモヤ病(ウィリス動脈輪閉塞症)

表3-24-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、24 モヤモヤ病(ウィリス動脈輪閉塞症)

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,598	100%	775	16.9%	3,265	71.0%	558	12.1%
0-4歳	46	100	7	15.2	33	71.7	6	13.0
5-9	224	100	13	5.8	186	83.0	25	11.2
10-14	375	100	21	5.6	293	78.1	61	16.3
15-19	374	100	33	8.8	290	77.5	51	13.6
20-24	312	100	44	14.1	238	76.3	30	9.6
25-29	300	100	37	12.3	225	75.0	38	12.7
30-34	359	100	48	13.4	268	74.7	43	12.0
35-39	321	100	48	15.0	234	72.9	39	12.1
40-44	324	100	57	17.6	227	70.1	40	12.3
45-49	340	100	58	17.1	241	70.9	41	12.1
50-54	452	100	98	21.7	297	65.7	57	12.6
55-59	398	100	93	23.4	265	66.6	40	10.1
60-64	333	100	82	24.6	211	63.4	40	12.0
65-69	245	100	69	28.2	144	58.8	32	13.1
70-74	129	100	45	34.9	77	59.7	7	5.4
75-79	51	100	16	31.4	28	54.9	7	13.7
80-84	15	100	6	40.0	8	53.3	1	6.7
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-24-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、24 モヤモヤ病(ウィリス動脈輪閉塞症)

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	4,598	100%	775	16.9%	3,265	71.0%	558	12.1%
0-4年	1,670	100	165	9.9	1,281	76.7	224	13.4
5-9	1,033	100	182	17.6	740	71.6	111	10.7
10-14	714	100	150	21.0	475	66.5	89	12.5
15-19	463	100	108	23.3	317	68.5	38	8.2
20-24	246	100	66	26.8	154	62.6	26	10.6
25-29	144	100	42	29.2	84	58.3	18	12.5
30-34	69	100	20	29.0	39	56.5	10	14.5
35-39	29	100	9	31.0	17	58.6	3	10.3
40-44	12	100	3	25.0	5	41.7	4	33.3
45-49	6	100	4	66.7	1	16.7	1	16.7
50-54	2	100	2	100	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	208	100	24	11.5	150	72.1	34	16.3

表3-24-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、24 モヤモヤ病(ウィリス動脈輪閉塞症)

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	2,287	100%	302	13.2%	32	1.4%	1,678	73.4%	275	12.0%
40-44歳	324	100	15	4.6	1	0.3	257	79.3	51	15.7
45-49	340	100	25	7.4	3	0.9	283	83.2	29	8.5
50-54	452	100	41	9.1	3	0.7	350	77.4	58	12.8
55-59	398	100	51	12.8	4	1.0	298	74.9	45	11.3
60-64	333	100	53	15.9	7	2.1	230	69.1	43	12.9
65-69	245	100	54	22.0	7	2.9	152	62.0	32	13.1
70-74	129	100	37	28.7	6	4.7	76	58.9	10	7.8
75-79	51	100	19	37.3	-	-	26	51.0	6	11.8
80-84	15	100	7	46.7	1	6.7	6	40.0	1	6.7
85-	-	-	-	-	-	-	-	-	-	-

表3-24-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、24 モヤモヤ病(ウィリス動脈輪閉塞症)

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	2,287	100%	302	13.2%	32	1.4%	1,678	73.4%	275	12.0%
0-4年	861	100	97	11.3	9	1.0	641	74.4	114	13.2
5-9	520	100	63	12.1	10	1.9	393	75.6	54	10.4
10-14	330	100	44	13.3	6	1.8	242	73.3	38	11.5
15-19	226	100	38	16.8	3	1.3	164	72.6	21	9.3
20-24	101	100	19	18.8	1	1.0	72	71.3	9	8.9
25-29	52	100	8	15.4	1	1.9	35	67.3	8	15.4
30-34	44	100	15	34.1	-	-	24	54.5	5	11.4
35-39	22	100	1	4.5	-	-	18	81.8	3	13.6
40-44	12	100	2	16.7	-	-	5	41.7	5	41.7
45-49	6	100	1	16.7	-	-	4	66.7	1	16.7
50-54	2	100	-	-	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	109	100	14	12.8	2	1.8	76	69.7	17	15.6



24 モヤモヤ病(ウィリス動脈輪閉塞症)

表3-24-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	775	100%	275	35.5%	190	24.5%	129	16.6%	60	7.7%	37	4.8%	38	4.9%	46	5.9%
0-4歳	7	100	4	57.1	3	42.9	-	-	-	-	-	-	-	-	-	-
5-9	13	100	5	38.5	2	15.4	4	30.8	-	-	1	7.7	-	-	1	7.7
10-14	21	100	3	14.3	8	38.1	6	28.6	2	9.5	-	-	2	9.5	-	-
15-19	33	100	5	15.2	8	24.2	9	27.3	4	12.1	3	9.1	-	-	4	12.1
20-24	44	100	7	15.9	12	27.3	7	15.9	10	22.7	3	6.8	1	2.3	4	9.1
25-29	37	100	11	29.7	10	27.0	7	18.9	1	2.7	2	5.4	3	8.1	3	8.1
30-34	48	100	11	22.9	9	18.8	16	33.3	3	6.3	2	4.2	3	6.3	4	8.3
35-39	48	100	17	35.4	13	27.1	8	16.7	3	6.3	2	4.2	2	4.2	3	6.3
40-44	57	100	22	38.6	14	24.6	10	17.5	4	7.0	1	1.8	5	8.8	1	1.8
45-49	58	100	23	39.7	20	34.5	4	6.9	4	6.9	3	5.2	3	5.2	1	1.7
50-54	98	100	40	40.8	19	19.4	20	20.4	11	11.2	4	4.1	3	3.1	1	1.0
55-59	93	100	36	38.7	18	19.4	17	18.3	5	5.4	6	6.5	6	6.5	5	5.4
60-64	82	100	36	43.9	19	23.2	8	9.8	5	6.1	3	3.7	4	4.9	7	8.5
65-69	69	100	21	30.4	17	24.6	8	11.6	6	8.7	6	8.7	2	2.9	9	13.0
70-74	45	100	23	51.1	8	17.8	5	11.1	2	4.4	1	2.2	3	6.7	3	6.7
75-79	16	100	7	43.8	8	50.0	-	-	-	-	-	-	1	6.3	-	-
80-84	6	100	4	66.7	2	33.3	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-24-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	775	100%	275	35.5%	190	24.5%	129	16.6%	60	7.7%	37	4.8%	38	4.9%	46	5.9%
0-4年	165	100	68	41.2	43	26.1	28	17.0	10	6.1	2	1.2	5	3.0	9	5.5
5-9	182	100	69	37.9	46	25.3	24	13.2	19	10.4	9	4.9	7	3.8	8	4.4
10-14	150	100	42	28.0	41	27.3	31	20.7	10	6.7	9	6.0	8	5.3	9	6.0
15-19	108	100	33	30.6	24	22.2	15	13.9	9	8.3	7	6.5	7	6.5	13	12.0
20-24	66	100	23	34.8	14	21.2	15	22.7	3	4.5	2	3.0	7	10.6	2	3.0
25-29	42	100	19	45.2	6	14.3	10	23.8	3	7.1	3	7.1	-	-	1	2.4
30-34	20	100	10	50.0	5	25.0	1	5.0	1	5.0	2	10.0	1	5.0	-	-
35-39	9	100	-	-	4	44.4	1	11.1	-	-	-	-	3	33.3	1	11.1
40-44	3	100	-	-	2	66.7	-	-	-	-	1	33.3	-	-	-	-
45-49	4	100	-	-	-	-	2	50.0	-	-	2	50.0	-	-	-	-
50-54	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	24	100	11	45.8	5	20.8	1	4.2	4	16.7	-	-	-	-	3	12.5

表3-24-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	302	100%	51	16.9%	50	16.6%	52	17.2%	43	14.2%	83	27.5%	23	7.6%
40-44歳	15	100	4	26.7	4	26.7	-	-	-	-	7	46.7	-	-
45-49	25	100	4	16.0	4	16.0	9	36.0	-	-	6	24.0	2	8.0
50-54	41	100	7	17.1	7	17.1	9	22.0	5	12.2	11	26.8	2	4.9
55-59	51	100	10	19.6	7	13.7	5	9.8	7	13.7	17	33.3	5	9.8
60-64	53	100	6	11.3	7	13.2	8	15.1	9	17.0	16	30.2	7	13.2
65-69	54	100	16	29.6	8	14.8	6	11.1	8	14.8	12	22.2	4	7.4
70-74	37	100	3	8.1	9	24.3	8	21.6	6	16.2	9	24.3	2	5.4
75-79	19	100	1	5.3	3	15.8	3	15.8	6	31.6	5	26.3	1	5.3
80-84	7	100	-	-	1	14.3	4	57.1	2	28.6	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-24-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	302	100%	51	16.9%	50	16.6%	52	17.2%	43	14.2%	83	27.5%	23	7.6%
0-4年	97	100	21	21.6	16	16.5	17	17.5	12	12.4	25	25.8	6	6.2
5-9	63	100	9	14.3	11	17.5	13	20.6	9	14.3	15	23.8	6	9.5
10-14	44	100	8	18.2	8	18.2	7	15.9	8	18.2	9	20.5	4	9.1
15-19	38	100	3	7.9	6	15.8	10	26.3	7	18.4	9	23.7	3	7.9
20-24	19	100	3	15.8	1	5.3	2	10.5	3	15.8	8	42.1	2	10.5
25-29	8	100	-	-	3	37.5	1	12.5	2	25.0	2	25.0	-	-
30-34	15	100	6	40.0	1	6.7	1	6.7	-	-	6	40.0	1	6.7
35-39	1	100	-	-	-	-	-	-	-	-	1	100	-	-
40-44	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-
45-49	1	100	-	-	1	100	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	14	100	-	-	3	21.4	1	7.1	1	7.1	8	57.1	1	7.1

25 ウェゲナー肉芽腫症

表3-25-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、25 ウェゲナー肉芽腫症

年齢階級	総数		身体障害者手帳					
			あり	なし	不明			
総数	399	100%	58	14.5%	299	74.9%	42	10.5%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	6	100	-	-	5	83.3	1	16.7
20-24	3	100	-	-	2	66.7	1	33.3
25-29	16	100	1	6.3	13	81.3	2	12.5
30-34	18	100	1	5.6	14	77.8	3	16.7
35-39	20	100	3	15.0	16	80.0	1	5.0
40-44	25	100	2	8.0	20	80.0	3	12.0
45-49	27	100	4	14.8	21	77.8	2	7.4
50-54	54	100	11	20.4	37	68.5	6	11.1
55-59	61	100	7	11.5	47	77.0	7	11.5
60-64	47	100	10	21.3	34	72.3	3	6.4
65-69	48	100	9	18.8	34	70.8	5	10.4
70-74	39	100	5	12.8	29	74.4	5	12.8
75-79	25	100	3	12.0	20	80.0	2	8.0
80-84	10	100	2	20.0	7	70.0	1	10.0
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-25-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、25 ウェゲナー肉芽腫症

発病後期間	総数		身体障害者手帳					
			あり	なし	不明			
総数	399	100%	58	14.5%	299	74.9%	42	10.5%
0-4年	158	100	13	8.2	128	81.0	17	10.8
5-9	95	100	12	12.6	71	74.7	12	12.6
10-14	55	100	10	18.2	43	78.2	2	3.6
15-19	40	100	5	12.5	31	77.5	4	10.0
20-24	17	100	4	23.5	11	64.7	2	11.8
25-29	7	100	3	42.9	4	57.1	-	-
30-34	3	100	2	66.7	1	33.3	-	-
35-39	1	100	1	100	-	-	-	-
40-44	1	100	1	100	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	22	100	7	31.8	10	45.5	5	22.7

表3-25-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、25 ウェゲナー肉芽腫症

年齢階級	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	336	100%	13	3.9%	13	3.9%	272	81.0%	38	11.3%
40-44歳	25	100	-	-	-	-	22	88.0	3	12.0
45-49	27	100	-	-	-	-	25	92.6	2	7.4
50-54	54	100	-	-	-	-	48	88.9	6	11.1
55-59	61	100	-	-	-	-	53	86.9	8	13.1
60-64	47	100	1	2.1	2	4.3	40	85.1	4	8.5
65-69	48	100	2	4.2	3	6.3	36	75.0	7	14.6
70-74	39	100	4	10.3	5	12.8	25	64.1	5	12.8
75-79	25	100	4	16.0	2	8.0	16	64.0	3	12.0
80-84	10	100	2	20.0	1	10.0	7	70.0	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-25-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、25 ウェゲナー肉芽腫症

発病後期間	総数		介護認定状況							
			要介護	要支援	なし	不明				
総数	336	100%	13	3.9%	13	3.9%	272	81.0%	38	11.3%
0-4年	132	100	7	5.3	7	5.3	103	78.0	15	11.4
5-9	77	100	2	2.6	2	2.6	63	81.8	10	13.0
10-14	46	100	-	-	2	4.3	39	84.8	5	10.9
15-19	34	100	1	2.9	-	-	31	91.2	2	5.9
20-24	15	100	2	13.3	1	6.7	11	73.3	1	6.7
25-29	7	100	-	-	-	-	7	100	-	-
30-34	3	100	1	33.3	-	-	1	33.3	1	33.3
35-39	1	100	-	-	-	-	1	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	20	100	-	-	1	5.0	15	75.0	4	20.0

25 ウェゲナー肉芽腫症

表3-25-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	58	100%	22	37.9%	11	19.0%	7	12.1%	10	17.2%	1	1.7%	3	5.2%	4	6.9%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	3	100	-	-	1	33.3	2	66.7	-	-	-	-	-	-	-	-
40-44	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
45-49	4	100	3	75.0	-	-	-	-	-	-	-	-	-	-	1	25.0
50-54	11	100	4	36.4	3	27.3	1	9.1	2	18.2	-	-	1	9.1	-	-
55-59	7	100	3	42.9	-	-	1	14.3	1	14.3	1	14.3	-	-	1	14.3
60-64	10	100	5	50.0	2	20.0	2	20.0	1	10.0	-	-	-	-	-	-
65-69	9	100	3	33.3	1	11.1	1	11.1	2	22.2	-	-	1	11.1	1	11.1
70-74	5	100	1	20.0	1	20.0	-	-	2	40.0	-	-	1	20.0	-	-
75-79	3	100	1	33.3	1	33.3	-	-	-	-	-	-	-	-	1	33.3
80-84	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-25-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	58	100%	22	37.9%	11	19.0%	7	12.1%	10	17.2%	1	1.7%	3	5.2%	4	6.9%
0-4年	13	100	6	46.2	3	23.1	1	7.7	1	7.7	-	-	-	-	2	15.4
5-9	12	100	4	33.3	3	25.0	2	16.7	1	8.3	1	8.3	-	-	1	8.3
10-14	10	100	1	10.0	1	10.0	1	10.0	4	40.0	-	-	2	20.0	1	10.0
15-19	5	100	3	60.0	1	20.0	-	-	-	-	-	-	1	20.0	-	-
20-24	4	100	2	50.0	1	25.0	1	25.0	-	-	-	-	-	-	-	-
25-29	3	100	-	-	-	-	1	33.3	2	66.7	-	-	-	-	-	-
30-34	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
35-39	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
40-44	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	7	100	4	57.1	-	-	1	14.3	2	28.6	-	-	-	-	-	-

表3-25-3. つづき  
要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	13	100%	2	15.4%	3	23.1%	1	7.7%	2	15.4%	-	-	5	38.5%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	-	-	1	100	-	-	-	-
65-69	2	100	-	-	-	-	-	-	1	50.0	-	-	1	50.0
70-74	4	100	1	25.0	2	50.0	-	-	-	-	-	-	1	25.0
75-79	4	100	1	25.0	1	25.0	1	25.0	-	-	-	-	1	25.0
80-84	2	100	-	-	-	-	-	-	-	-	-	-	2	100
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-25-4. つづき  
要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	13	100%	2	15.4%	3	23.1%	1	7.7%	2	15.4%	-	-	5	38.5%
0-4年	7	100	1	14.3	1	14.3	1	14.3	1	14.3	-	-	3	42.9
5-9	2	100	-	-	2	100	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1	100	-	-	-	-	-	-	-	-	-	-	1	100
20-24	2	100	1	50.0	-	-	-	-	-	-	-	-	1	50.0
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	-	-	1	100	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-

26特発性拡張型（うっ血型）心筋症

表3-26-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、26特発性拡張型（うっ血型）心筋症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,080	100%	1,972	27.9%	4,070	57.5%	1,038	14.7%
0-4歳	17	100	8	47.1	7	41.2	2	11.8
5-9	14	100	5	35.7	8	57.1	1	7.1
10-14	22	100	5	22.7	13	59.1	4	18.2
15-19	28	100	10	35.7	14	50.0	4	14.3
20-24	41	100	17	41.5	15	36.6	9	22.0
25-29	76	100	26	34.2	36	47.4	14	18.4
30-34	173	100	50	28.9	93	53.8	30	17.3
35-39	250	100	52	20.8	149	59.6	49	19.6
40-44	364	100	97	26.6	214	58.8	53	14.6
45-49	479	100	123	25.7	270	56.4	86	18.0
50-54	767	100	227	29.6	424	55.3	116	15.1
55-59	942	100	240	25.5	561	59.6	141	15.0
60-64	1,036	100	316	30.5	608	58.7	112	10.8
65-69	1,157	100	321	27.7	682	58.9	154	13.3
70-74	988	100	280	28.3	561	56.8	147	14.9
75-79	536	100	149	27.8	296	55.2	91	17.0
80-84	158	100	41	25.9	93	58.9	24	15.2
85-	32	100	5	15.6	26	81.3	1	3.1
不明	-	-	-	-	-	-	-	-

表3-26-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、26特発性拡張型（うっ血型）心筋症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	7,080	100%	1,972	27.9%	4,070	57.5%	1,038	14.7%
0-4年	2,519	100	559	22.2	1,585	62.9	375	14.9
5-9	1,936	100	570	29.4	1,115	57.6	251	13.0
10-14	966	100	311	32.2	532	55.1	123	12.7
15-19	383	100	158	41.3	185	48.3	40	10.4
20-24	129	100	51	39.5	63	48.8	15	11.6
25-29	34	100	10	29.4	18	52.9	6	17.6
30-34	9	100	5	55.6	4	44.4	-	-
35-39	4	100	2	50.0	1	25.0	1	25.0
40-44	2	100	-	-	-	-	2	100
45-49	2	100	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	4	100	2	50.0	2	50.0	-	-
70-74	3	100	2	66.7	-	-	1	33.3
75-79	1	100	1	100	-	-	-	-
不明	1,087	100	301	27.7	562	51.7	224	20.6

表3-26-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、26特発性拡張型（うっ血型）心筋症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,459	100%	188	2.9%	97	1.5%	5,225	80.9%	949	14.7%
40-44歳	364	100	2	0.5	2	0.5	299	82.1	61	16.8
45-49	479	100	5	1.0	1	0.2	400	83.5	73	15.2
50-54	767	100	4	0.5	6	0.8	643	83.8	114	14.9
55-59	942	100	7	0.7	6	0.6	794	84.3	135	14.3
60-64	1,036	100	18	1.7	13	1.3	885	85.4	120	11.6
65-69	1,157	100	26	2.2	16	1.4	968	83.7	147	12.7
70-74	988	100	43	4.4	23	2.3	757	76.6	165	16.7
75-79	536	100	45	8.4	15	2.8	367	68.5	109	20.3
80-84	158	100	24	15.2	11	7.0	101	63.9	22	13.9
85-	32	100	14	43.8	4	12.5	11	34.4	3	9.4

表3-26-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、26特発性拡張型（うっ血型）心筋症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	6,459	100%	188	2.9%	97	1.5%	5,225	80.9%	949	14.7%
0-4年	2,216	100	40	1.8	32	1.4	1,807	81.5	337	15.2
5-9	1,799	100	59	3.3	26	1.4	1,495	83.1	219	12.2
10-14	916	100	32	3.5	13	1.4	750	81.9	121	13.2
15-19	366	100	21	5.7	10	2.7	295	80.6	40	10.9
20-24	118	100	6	5.1	2	1.7	96	81.4	14	11.9
25-29	33	100	2	6.1	2	6.1	23	69.7	6	18.2
30-34	9	100	1	11.1	-	-	8	88.9	-	-
35-39	4	100	-	-	-	-	2	50.0	2	50.0
40-44	2	100	-	-	-	-	-	-	2	100
45-49	2	100	-	-	-	-	2	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	4	100	-	-	-	-	3	75.0	1	25.0
70-74	3	100	-	-	-	-	2	66.7	1	33.3
75-79	1	100	1	100	-	-	-	-	-	-
不明	985	100	26	2.6	12	1.2	741	75.2	206	20.9

26特発性拡張型（うっ血型）心筋症

表3-26-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	1,972	100%	721	36.6%	62	3.1%	729	37.0%	379	19.2%	11	0.6%	5	0.3%	65	3.3%
0-4歳	8	100	7	87.5	-	-	1	12.5	-	-	-	-	-	-	-	-
5-9	5	100	2	40.0	-	-	2	40.0	1	20.0	-	-	-	-	-	-
10-14	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
15-19	10	100	6	60.0	1	10.0	3	30.0	-	-	-	-	-	-	-	-
20-24	17	100	12	70.6	-	-	4	23.5	-	-	-	-	-	-	1	5.9
25-29	26	100	11	42.3	-	-	10	38.5	5	19.2	-	-	-	-	-	-
30-34	50	100	19	38.0	3	6.0	16	32.0	12	24.0	-	-	-	-	-	-
35-39	52	100	21	40.4	2	3.8	18	34.6	11	21.2	-	-	-	-	-	-
40-44	97	100	38	39.2	4	4.1	27	27.8	23	23.7	-	-	-	-	5	5.2
45-49	123	100	42	34.1	-	-	50	40.7	29	23.6	-	-	-	-	2	1.6
50-54	227	100	75	33.0	3	1.3	87	38.3	53	23.3	-	-	1	0.4	8	3.5
55-59	240	100	82	34.2	7	2.9	86	35.8	53	22.1	2	0.8	1	0.4	9	3.8
60-64	316	100	100	31.6	10	3.2	121	38.3	71	22.5	3	0.9	-	-	11	3.5
65-69	321	100	124	38.6	10	3.1	123	38.3	49	15.3	3	0.9	2	0.6	10	3.1
70-74	280	100	99	35.4	11	3.9	113	40.4	46	16.4	3	1.1	-	-	8	2.9
75-79	149	100	59	39.6	7	4.7	59	39.6	17	11.4	-	-	-	-	7	4.7
80-84	41	100	16	39.0	2	4.9	9	22.0	9	22.0	-	-	1	2.4	4	9.8
85-	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-26-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	1,972	100%	721	36.6%	62	3.1%	729	37.0%	379	19.2%	11	0.6%	5	0.3%	65	3.3%
0-4年	559	100	182	32.6	18	3.2	218	39.0	116	20.8	3	0.5	-	-	22	3.9
5-9	570	100	196	34.4	19	3.3	214	37.5	123	21.6	4	0.7	1	0.2	13	2.3
10-14	311	100	114	36.7	9	2.9	116	37.3	60	19.3	-	-	1	0.3	11	3.5
15-19	158	100	74	46.8	6	3.8	55	34.8	18	11.4	1	0.6	-	-	4	2.5
20-24	51	100	22	43.1	1	2.0	20	39.2	5	9.8	-	-	1	2.0	2	3.9
25-29	10	100	5	50.0	-	-	1	10.0	3	30.0	-	-	-	-	1	10.0
30-34	5	100	2	40.0	-	-	2	40.0	1	20.0	-	-	-	-	-	-
35-39	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	2	100	1	50.0	-	-	-	-	-	-	-	-	-	-	1	50.0
70-74	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
不明	301	100	123	40.9	9	3.0	100	33.2	53	17.6	3	1.0	2	0.7	11	3.7

表3-26-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	188	100%	74	39.4%	28	14.9%	18	9.6%	11	5.9%	12	6.4%	45	23.9%
40-44歳	2	100	-	-	2	100	-	-	-	-	-	-	-	-
45-49	5	100	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0
50-54	4	100	-	-	1	25.0	-	-	-	-	-	-	3	75.0
55-59	7	100	1	14.3	-	-	-	-	-	1	14.3	-	5	71.4
60-64	18	100	3	16.7	3	16.7	3	16.7	1	5.6	3	16.7	5	27.8
65-69	26	100	11	42.3	2	7.7	1	3.8	4	15.4	1	3.8	7	26.9
70-74	43	100	15	34.9	3	7.0	6	14.0	2	4.7	4	9.3	13	30.2
75-79	45	100	21	46.7	10	22.2	4	8.9	2	4.4	2	4.4	6	13.3
80-84	24	100	13	54.2	4	16.7	2	8.3	2	8.3	1	4.2	2	8.3
85-	14	100	9	64.3	3	21.4	1	7.1	-	-	-	-	1	7.1

表3-26-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	188	100%	74	39.4%	28	14.9%	18	9.6%	11	5.9%	12	6.4%	45	23.9%
0-4年	40	100	11	27.5	4	10.0	8	20.0	3	7.5	3	7.5	11	27.5
5-9	59	100	27	45.8	5	8.5	4	6.8	3	5.1	5	8.5	15	25.4
10-14	32	100	13	40.6	9	28.1	2	6.3	2	6.3	3	9.4	3	9.4
15-19	21	100	5	23.8	5	23.8	3	14.3	1	4.8	-	-	7	33.3
20-24	6	100	3	50.0	-	-	-	-	1	16.7	-	-	2	33.3
25-29	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	1	100	1	100	-	-	-	-	-	-	-	-	-	-
不明	26	100	12	46.2	5	19.2	-	-	1	3.8	1	3.8	7	26.9

27 多系統萎縮症

表3-27-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、27 多系統萎縮症

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,259	100%	1,904	58.4%	1,076	33.0%	279	8.6%
0-4歳	3	100	-	-	3	100	-	-
5-9	1	100	1	100	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-
20-24	2	100	-	-	-	-	2	100
25-29	4	100	1	25.0	2	50.0	1	25.0
30-34	9	100	5	55.6	3	33.3	1	11.1
35-39	18	100	10	55.6	5	27.8	3	16.7
40-44	45	100	29	64.4	12	26.7	4	8.9
45-49	101	100	61	60.4	36	35.6	4	4.0
50-54	238	100	145	60.9	75	31.5	18	7.6
55-59	445	100	259	58.2	151	33.9	35	7.9
60-64	614	100	372	60.6	192	31.3	50	8.1
65-69	660	100	379	57.4	220	33.3	61	9.2
70-74	574	100	333	58.0	187	32.6	54	9.4
75-79	386	100	221	57.3	133	34.5	32	8.3
80-84	117	100	64	54.7	45	38.5	8	6.8
85-	41	100	23	56.1	12	29.3	6	14.6
不明	-	-	-	-	-	-	-	-

表3-27-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、27 多系統萎縮症

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	3,259	100%	1,904	58.4%	1,076	33.0%	279	8.6%
0-4年	1,313	100	529	40.3	664	50.6	120	9.1
5-9	1,057	100	750	71.0	226	21.4	81	7.7
10-14	433	100	310	71.6	89	20.6	34	7.9
15-19	162	100	117	72.2	33	20.4	12	7.4
20-24	87	100	66	75.9	15	17.2	6	6.9
25-29	35	100	28	80.0	5	14.3	2	5.7
30-34	16	100	14	87.5	1	6.3	1	6.3
35-39	13	100	9	69.2	1	7.7	3	23.1
40-44	8	100	6	75.0	1	12.5	1	12.5
45-49	2	100	1	50.0	-	-	1	50.0
50-54	2	100	1	50.0	-	-	1	50.0
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	130	100	73	56.2	40	30.8	17	13.1

表3-27-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、27 多系統萎縮症

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,221	100%	1,698	52.7%	63	2.0%	1,041	32.3%	419	13.0%
40-44歳	45	100	9	20.0	1	2.2	25	55.6	10	22.2
45-49	101	100	32	31.7	2	2.0	61	60.4	6	5.9
50-54	238	100	89	37.4	10	4.2	111	46.6	28	11.8
55-59	445	100	177	39.8	11	2.5	200	44.9	57	12.8
60-64	614	100	304	49.5	12	2.0	216	35.2	82	13.4
65-69	660	100	377	57.1	13	2.0	180	27.3	90	13.6
70-74	574	100	346	60.3	6	1.0	142	24.7	80	13.9
75-79	386	100	247	64.0	7	1.8	84	21.8	48	12.4
80-84	117	100	86	73.5	1	0.9	19	16.2	11	9.4
85-	41	100	31	75.6	-	-	3	7.3	7	17.1

表3-27-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、27 多系統萎縮症

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	3,221	100%	1,698	52.7%	63	2.0%	1,041	32.3%	419	13.0%
0-4年	1,309	100	569	43.5	24	1.8	539	41.2	177	13.5
5-9	1,046	100	672	64.2	18	1.7	232	22.2	124	11.9
10-14	427	100	233	54.6	9	2.1	134	31.4	51	11.9
15-19	155	100	86	55.5	7	4.5	42	27.1	20	12.9
20-24	84	100	43	51.2	1	1.2	26	31.0	14	16.7
25-29	34	100	13	38.2	1	2.9	14	41.2	6	17.6
30-34	16	100	7	43.8	-	-	8	50.0	1	6.3
35-39	13	100	5	38.5	-	-	7	53.8	1	7.7
40-44	8	100	2	25.0	1	12.5	4	50.0	1	12.5
45-49	2	100	1	50.0	-	-	-	-	1	50.0
50-54	2	100	1	50.0	-	-	1	50.0	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	124	100	66	53.2	2	1.6	33	26.6	23	18.5

表3-27-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総数	1,904	100%	613	32.2%	885	46.5%	281	14.8%	26	1.4%	46	2.4%	4	0.2%	49	2.6%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	1	20.0	1	20.0	2	40.0	-	-	-	-	-	-	1	20.0
35-39	10	100	3	30.0	4	40.0	2	20.0	-	-	1	10.0	-	-	-	-
40-44	29	100	11	37.9	11	37.9	4	13.8	1	3.4	2	6.9	-	-	-	-
45-49	61	100	11	18.0	37	60.7	9	14.8	2	3.3	1	1.6	1	1.6	-	-
50-54	145	100	44	30.3	57	39.3	30	20.7	3	2.1	6	4.1	1	0.7	4	2.8
55-59	259	100	81	31.3	125	48.3	38	14.7	3	1.2	6	2.3	-	-	6	2.3
60-64	372	100	121	32.5	170	45.7	58	15.6	3	0.8	8	2.2	-	-	12	3.2
65-69	379	100	114	30.1	182	48.0	59	15.6	3	0.8	10	2.6	1	0.3	10	2.6
70-74	333	100	107	32.1	159	47.7	46	13.8	6	1.8	7	2.1	1	0.3	7	2.1
75-79	221	100	87	39.4	99	44.8	25	11.3	4	1.8	3	1.4	-	-	3	1.4
80-84	64	100	23	35.9	28	43.8	6	9.4	1	1.6	2	3.1	-	-	4	6.3
85-	23	100	9	39.1	10	43.5	2	8.7	-	-	-	-	-	-	2	8.7
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-27-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総数	1,904	100%	613	32.2%	885	46.5%	281	14.8%	26	1.4%	46	2.4%	4	0.2%	49	2.6%
0-4年	529	100	108	20.4	260	49.1	113	21.4	10	1.9	18	3.4	2	0.4	18	3.4
5-9	750	100	263	35.1	358	47.7	94	12.5	6	0.8	12	1.6	1	0.1	16	2.1
10-14	310	100	139	44.8	118	38.1	32	10.3	3	1.0	11	3.5	-	-	7	2.3
15-19	117	100	43	36.8	54	46.2	12	10.3	1	0.9	1	0.9	1	0.9	5	4.3
20-24	66	100	24	36.4	32	48.5	7	10.6	2	3.0	-	-	-	-	1	1.5
25-29	28	100	6	21.4	18	64.3	2	7.1	1	3.6	1	3.6	-	-	-	-
30-34	14	100	9	64.3	3	21.4	1	7.1	-	-	-	-	-	-	1	7.1
35-39	9	100	1	11.1	6	66.7	1	11.1	1	11.1	-	-	-	-	-	-
40-44	6	100	3	50.0	2	33.3	-	-	-	-	1	16.7	-	-	-	-
45-49	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	73	100	17	23.3	33	45.2	18	24.7	2	2.7	2	2.7	-	-	1	1.4

表3-27-3. つづき  
要介護者の要介護度

年齢階級	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,698	100%	277	16.3%	265	15.6%	223	13.1%	247	14.5%	486	28.6%	200	11.8%
0-44歳	9	100	2	22.2	4	44.4	-	-	1	11.1	2	22.2	-	-
45-49	32	100	7	21.9	5	15.6	1	3.1	5	15.6	11	34.4	3	9.4
50-54	89	100	19	21.3	20	22.5	16	18.0	7	7.9	15	16.9	12	13.5
55-59	177	100	29	16.4	35	19.8	25	14.1	19	10.7	43	24.3	26	14.7
60-64	304	100	44	14.5	39	12.8	42	13.8	49	16.1	86	28.3	44	14.5
65-69	377	100	66	17.5	50	13.3	46	12.2	51	13.5	120	31.8	44	11.7
70-74	346	100	61	17.6	56	16.2	47	13.6	49	14.2	96	27.7	37	10.7
75-79	247	100	39	15.8	42	17.0	29	11.7	40	16.2	71	28.7	26	10.5
80-84	86	100	6	7.0	11	12.8	14	16.3	21	24.4	27	31.4	7	8.1
85-	31	100	4	12.9	3	9.7	3	9.7	5	16.1	15	48.4	1	3.2

表3-27-4. つづき  
要介護者の要介護度

発病後期間	総数		要介護度											
			1	2	3	4	5	不明						
総数	1,698	100%	277	16.3%	265	15.6%	223	13.1%	247	14.5%	486	28.6%	200	11.8%
0-4年	569	100	138	24.3	111	19.5	84	14.8	86	15.1	85	14.9	65	11.4
5-9	672	100	74	11.0	91	13.5	85	12.6	103	15.3	231	34.4	88	13.1
10-14	233	100	30	12.9	27	11.6	18	7.7	27	11.6	103	44.2	28	12.0
15-19	86	100	12	14.0	17	19.8	15	17.4	7	8.1	28	32.6	7	8.1
20-24	43	100	6	14.0	6	14.0	5	11.6	8	18.6	15	34.9	3	7.0
25-29	13	100	3	23.1	2	15.4	4	30.8	1	7.7	2	15.4	1	7.7
30-34	7	100	1	14.3	-	-	2	28.6	3	42.9	1	14.3	-	-
35-39	5	100	1	20.0	2	40.0	1	20.0	-	-	1	20.0	-	-
40-44	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-
45-49	1	100	-	-	-	-	-	-	-	-	-	-	1	100
50-54	1	100	1	100	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	66	100	11	16.7	8	12.1	9	13.6	12	18.2	19	28.8	7	10.6

28 表皮水疱症(接合部型及び栄養障害型)

表3-28-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、28 表皮水疱症(接合部型及び栄養障害型)

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	140	100%	32	22.9%	95	67.9%	13	9.3%
0-4歳	13	100	-	-	11	84.6	2	15.4
5-9	21	100	3	14.3	16	76.2	2	9.5
10-14	15	100	2	13.3	13	86.7	-	-
15-19	15	100	4	26.7	10	66.7	1	6.7
20-24	7	100	2	28.6	4	57.1	1	14.3
25-29	7	100	1	14.3	5	71.4	1	14.3
30-34	10	100	5	50.0	4	40.0	1	10.0
35-39	14	100	3	21.4	10	71.4	1	7.1
40-44	7	100	2	28.6	4	57.1	1	14.3
45-49	8	100	2	25.0	5	62.5	1	12.5
50-54	9	100	2	22.2	6	66.7	1	11.1
55-59	6	100	3	50.0	3	50.0	-	-
60-64	2	100	2	100	-	-	-	-
65-69	5	100	-	-	4	80.0	1	20.0
70-74	1	100	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-28-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、28 表皮水疱症(接合部型及び栄養障害型)

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	140	100%	32	22.9%	95	67.9%	13	9.3%
0-4年	17	100	-	-	14	82.4	3	17.6
5-9	21	100	3	14.3	17	81.0	1	4.8
10-14	14	100	2	14.3	12	85.7	-	-
15-19	16	100	4	25.0	11	68.8	1	6.3
20-24	8	100	1	12.5	6	75.0	1	12.5
25-29	5	100	1	20.0	3	60.0	1	20.0
30-34	11	100	5	45.5	5	45.5	1	9.1
35-39	11	100	3	27.3	7	63.6	1	9.1
40-44	11	100	4	36.4	6	54.5	1	9.1
45-49	7	100	3	42.9	3	42.9	1	14.3
50-54	7	100	1	14.3	5	71.4	1	14.3
55-59	4	100	2	50.0	2	50.0	-	-
60-64	2	100	2	100	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	5	100	1	20.0	3	60.0	1	20.0

表3-28-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、28 表皮水疱症(接合部型及び栄養障害型)

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	38	100%	-	-	-	-	33	86.8%	5	13.2%
40-44歳	7	100	-	-	-	-	6	85.7	1	14.3
45-49	8	100	-	-	-	-	6	75.0	2	25.0
50-54	9	100	-	-	-	-	9	100	-	-
55-59	6	100	-	-	-	-	5	83.3	1	16.7
60-64	2	100	-	-	-	-	2	100	-	-
65-69	5	100	-	-	-	-	4	80.0	1	20.0
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-28-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、28 表皮水疱症(接合部型及び栄養障害型)

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	38	100%	-	-	-	-	33	86.8%	5	13.2%
0-4年	3	100	-	-	-	-	2	66.7	1	33.3
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	1	100	-	-	-	-	1	100	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	1	100	-	-	-	-	1	100	-	-
40-44	11	100	-	-	-	-	9	81.8	2	18.2
45-49	7	100	-	-	-	-	6	85.7	1	14.3
50-54	7	100	-	-	-	-	7	100	-	-
55-59	4	100	-	-	-	-	3	75.0	1	25.0
60-64	2	100	-	-	-	-	2	100	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	1	100	-	-	-	-	1	100	-	-



28 表皮水疱症(接合部型及び栄養障害型)

表3-28-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	32	100%	14	43.8%	8	25.0%	3	9.4%	4	12.5%	2	6.3%	1	3.1%	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3	-	-
10-14	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
15-19	4	100	2	50.0	1	25.0	-	-	-	-	1	25.0	-	-	-	-
20-24	2	100	-	-	-	-	-	-	2	100	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
45-49	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	-	-	1	50.0	1	50.0	-	-	-	-
55-59	3	100	2	66.7	1	33.3	-	-	-	-	-	-	-	-	-	-
60-64	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-28-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1		2		3		4		5		6		不明	
総 数	32	100%	14	43.8%	8	25.0%	3	9.4%	4	12.5%	2	6.3%	1	3.1%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3	-	-
10-14	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
15-19	4	100	2	50.0	1	25.0	-	-	-	-	1	25.0	-	-	-	-
20-24	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
30-34	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-
35-39	3	100	2	66.7	-	-	1	33.3	-	-	-	-	-	-	-	-
40-44	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-	-	-
45-49	3	100	1	33.3	-	-	1	33.3	-	-	1	33.3	-	-	-	-
50-54	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
55-59	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
60-64	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-

表3-28-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不明
			1	2	3	4	5	
総 数	-	-	-	-	-	-	-	-
40-44歳	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-

表3-28-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不明
			1	2	3	4	5	
総 数	-	-	-	-	-	-	-	-
0-4年	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

29 膿疱性乾癬

表3-29-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、29 膿疱性乾癬

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	563	100%	30	5.3%	463	82.2%	70	12.4%
0-4歳	2	100	-	-	2	100	-	-
5-9	2	100	-	-	2	100	-	-
10-14	4	100	-	-	4	100	-	-
15-19	6	100	-	-	5	83.3	1	16.7
20-24	14	100	-	-	12	85.7	2	14.3
25-29	32	100	1	3.1	30	93.8	1	3.1
30-34	36	100	1	2.8	28	77.8	7	19.4
35-39	44	100	2	4.5	36	81.8	6	13.6
40-44	50	100	2	4.0	45	90.0	3	6.0
45-49	38	100	1	2.6	29	76.3	8	21.1
50-54	70	100	3	4.3	58	82.9	9	12.9
55-59	52	100	2	3.8	46	88.5	4	7.7
60-64	56	100	2	3.6	46	82.1	8	14.3
65-69	62	100	3	4.8	51	82.3	8	12.9
70-74	46	100	6	13.0	34	73.9	6	13.0
75-79	30	100	4	13.3	23	76.7	3	10.0
80-84	11	100	2	18.2	7	63.6	2	18.2
85-	8	100	1	12.5	5	62.5	2	25.0
不 明	-	-	-	-	-	-	-	-

表3-29-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、29 膿疱性乾癬

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	563	100%	30	5.3%	463	82.2%	70	12.4%
0-4年	140	100	6	4.3	118	84.3	16	11.4
5-9	100	100	5	5.0	88	88.0	7	7.0
10-14	86	100	5	5.8	70	81.4	11	12.8
15-19	75	100	5	6.7	63	84.0	7	9.3
20-24	52	100	-	-	45	86.5	7	13.5
25-29	33	100	6	18.2	20	60.6	7	21.2
30-34	15	100	1	6.7	13	86.7	1	6.7
35-39	8	100	-	-	5	62.5	3	37.5
40-44	6	100	-	-	5	83.3	1	16.7
45-49	1	100	-	-	1	100	-	-
50-54	1	100	-	-	1	100	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	45	100	2	4.4	33	73.3	10	22.2

表3-29-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、29 膿疱性乾癬

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	423	100%	17	4.0%	4	0.9%	350	82.7%	52	12.3%
40-44歳	50	100	-	-	-	-	47	94.0	3	6.0
45-49	38	100	-	-	-	-	30	78.9	8	21.1
50-54	70	100	1	1.4	-	-	61	87.1	8	11.4
55-59	52	100	-	-	1	1.9	48	92.3	3	5.8
60-64	56	100	-	-	1	1.8	50	89.3	5	8.9
65-69	62	100	4	6.5	2	3.2	46	74.2	10	16.1
70-74	46	100	6	13.0	-	-	33	71.7	7	15.2
75-79	30	100	2	6.7	-	-	23	76.7	5	16.7
80-84	11	100	2	18.2	-	-	7	63.6	2	18.2
85-	8	100	2	25.0	-	-	5	62.5	1	12.5

表3-29-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、29 膿疱性乾癬

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	423	100%	17	4.0%	4	0.9%	350	82.7%	52	12.3%
0-4年	110	100	4	3.6	-	-	93	84.5	13	11.8
5-9	72	100	2	2.8	1	1.4	65	90.3	4	5.6
10-14	67	100	6	9.0	1	1.5	52	77.6	8	11.9
15-19	48	100	2	4.2	-	-	42	87.5	4	8.3
20-24	40	100	1	2.5	2	5.0	33	82.5	4	10.0
25-29	21	100	-	-	-	-	15	71.4	6	28.6
30-34	13	100	-	-	-	-	13	100	-	-
35-39	8	100	-	-	-	-	4	50.0	4	50.0
40-44	6	100	-	-	-	-	5	83.3	1	16.7
45-49	1	100	-	-	-	-	1	100	-	-
50-54	1	100	-	-	-	-	1	100	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	35	100	2	5.7	-	-	25	71.4	8	22.9

29 膿疱性乾癬

表3-29-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	30	100%	11	36.7%	4	13.3%	5	16.7%	4	13.3%	4	13.3%	2	6.7%	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
30-34	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
40-44	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-	-	-
45-49	1	100	-	-	-	-	-	-	-	-	1	100	-	-	-	-
50-54	3	100	1	33.3	-	-	2	66.7	-	-	-	-	-	-	-	-
55-59	2	100	-	-	-	-	-	-	1	50.0	1	50.0	-	-	-	-
60-64	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
65-69	3	100	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	-	-
70-74	6	100	1	16.7	2	33.3	1	16.7	1	16.7	-	-	1	16.7	-	-
75-79	4	100	2	50.0	-	-	-	-	1	25.0	1	25.0	-	-	-	-
80-84	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
85-	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-29-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	30	100%	11	36.7%	4	13.3%	5	16.7%	4	13.3%	4	13.3%	2	6.7%	-	-
0-4年	6	100	3	50.0	-	-	1	16.7	-	-	-	-	2	33.3	-	-
5-9	5	100	2	40.0	-	-	-	-	2	40.0	1	20.0	-	-	-	-
10-14	5	100	2	40.0	1	20.0	1	20.0	-	-	1	20.0	-	-	-	-
15-19	5	100	1	20.0	2	40.0	1	20.0	-	-	1	20.0	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	6	100	1	16.7	-	-	2	33.3	2	33.3	1	16.7	-	-	-	-
30-34	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-

表3-29-3. つづき  
要介護者の要介護度

年齢階級	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	17	100%	5	29.4%	5	29.4%	3	17.6%	1	5.9%	1	5.9%	2	11.8%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	4	100	1	25.0	1	25.0	2	50.0	-	-	-	-	-	-
70-74	6	100	3	50.0	2	33.3	-	-	1	16.7	-	-	-	-
75-79	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-
80-84	2	100	1	50.0	-	-	-	-	-	-	-	1	50.0	
85-	2	100	-	-	-	-	-	-	-	-	1	50.0	1	50.0

表3-29-4. つづき  
要介護者の要介護度

発病後期間	総 数		要介護度					不明						
			1	2	3	4	5							
総 数	17	100%	5	29.4%	5	29.4%	3	17.6%	1	5.9%	1	5.9%	2	11.8%
0-4年	4	100	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0
5-9	2	100	2	100	-	-	-	-	-	-	-	-	-	-
10-14	6	100	1	16.7	3	50.0	-	-	1	16.7	-	-	1	16.7
15-19	2	100	-	-	-	-	1	50.0	-	-	1	50.0	-	-
20-24	1	100	-	-	1	100	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-

### 30 広範脊柱管狭窄症

表3-30-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、30 広範脊柱管狭窄症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	962	100%	380	39.5%	488	50.7%	94	9.8%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	2	100	1	50.0	1	50.0	-	-
15-19	-	-	-	-	-	-	-	-
20-24	1	100	1	100	-	-	-	-
25-29	5	100	2	40.0	2	40.0	1	20.0
30-34	3	100	2	66.7	1	33.3	-	-
35-39	10	100	3	30.0	5	50.0	2	20.0
40-44	11	100	4	36.4	5	45.5	2	18.2
45-49	35	100	15	42.9	19	54.3	1	2.9
50-54	72	100	25	34.7	39	54.2	8	11.1
55-59	90	100	39	43.3	44	48.9	7	7.8
60-64	148	100	61	41.2	74	50.0	13	8.8
65-69	161	100	62	38.5	77	47.8	22	13.7
70-74	204	100	81	39.7	103	50.5	20	9.8
75-79	131	100	48	36.6	72	55.0	11	8.4
80-84	69	100	27	39.1	37	53.6	5	7.2
85-	20	100	9	45.0	9	45.0	2	10.0
不 明	-	-	-	-	-	-	-	-

表3-30-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、30 広範脊柱管狭窄症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	962	100%	380	39.5%	488	50.7%	94	9.8%
0-4年	296	100	70	23.6	200	67.6	26	8.8
5-9	253	100	99	39.1	130	51.4	24	9.5
10-14	183	100	97	53.0	66	36.1	20	10.9
15-19	78	100	39	50.0	31	39.7	8	10.3
20-24	27	100	15	55.6	8	29.6	4	14.8
25-29	19	100	13	68.4	5	26.3	1	5.3
30-34	6	100	5	83.3	-	-	1	16.7
35-39	8	100	3	37.5	4	50.0	1	12.5
40-44	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	91	100	38	41.8	44	48.4	9	9.9

表3-30-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、30 広範脊柱管狭窄症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	941	100%	232	24.7%	29	3.1%	572	60.8%	108	11.5%
40-44歳	11	100	3	27.3	-	-	5	45.5	3	27.3
45-49	35	100	3	8.6	1	2.9	30	85.7	1	2.9
50-54	72	100	8	11.1	3	4.2	52	72.2	9	12.5
55-59	90	100	11	12.2	2	2.2	61	67.8	16	17.8
60-64	148	100	19	12.8	3	2.0	108	73.0	18	12.2
65-69	161	100	32	19.9	4	2.5	105	65.2	20	12.4
70-74	204	100	60	29.4	5	2.5	121	59.3	18	8.8
75-79	131	100	46	35.1	5	3.8	63	48.1	17	13.0
80-84	69	100	38	55.1	4	5.8	22	31.9	5	7.2
85-	20	100	12	60.0	2	10.0	5	25.0	1	5.0

表3-30-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、30 広範脊柱管狭窄症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	941	100%	232	24.7%	29	3.1%	572	60.8%	108	11.5%
0-4年	286	100	66	23.1	15	5.2	171	59.8	34	11.9
5-9	248	100	51	20.6	6	2.4	156	62.9	35	14.1
10-14	181	100	47	26.0	3	1.7	116	64.1	15	8.3
15-19	76	100	22	28.9	4	5.3	44	57.9	6	7.9
20-24	27	100	10	37.0	-	-	15	55.6	2	7.4
25-29	19	100	11	57.9	-	-	6	31.6	2	10.5
30-34	6	100	1	16.7	-	-	4	66.7	1	16.7
35-39	8	100	2	25.0	-	-	5	62.5	1	12.5
40-44	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	89	100	21	23.6	1	1.1	55	62	12	13.5

30 広範脊柱管狭窄症

表3-30-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	380	100%	80	21.1%	153	40.3%	75	19.7%	30	7.9%	28	7.4%	9	2.4%	5	1.3%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
25-29	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
30-34	2	100	-	-	1	50.0	1	50.0	-	-	-	-	-	-	-	-
35-39	3	100	1	33.3	2	66.7	-	-	-	-	-	-	-	-	-	-
40-44	4	100	3	75.0	1	25.0	-	-	-	-	-	-	-	-	-	-
45-49	15	100	3	20.0	6	40.0	2	13.3	-	-	4	26.7	-	-	-	-
50-54	25	100	8	32.0	6	24.0	4	16.0	1	4.0	2	8.0	2	8.0	2	8.0
55-59	39	100	10	25.6	11	28.2	10	25.6	3	7.7	3	7.7	1	2.6	1	2.6
60-64	61	100	10	16.4	19	31.1	18	29.5	6	9.8	5	8.2	3	4.9	-	-
65-69	62	100	10	16.1	29	46.8	11	17.7	7	11.3	4	6.5	-	-	1	1.6
70-74	81	100	13	16.0	43	53.1	11	13.6	7	8.6	4	4.9	3	3.7	-	-
75-79	48	100	11	22.9	18	37.5	11	22.9	4	8.3	4	8.3	-	-	-	-
80-84	27	100	7	25.9	11	40.7	5	18.5	1	3.7	2	7.4	-	-	1	3.7
85-	9	100	4	44.4	4	44.4	1	11.1	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-30-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	380	100%	80	21.1%	153	40.3%	75	19.7%	30	7.9%	28	7.4%	9	2.4%	5	1.3%
0-4年	70	100	16	22.9	30	42.9	14	20.0	6	8.6	-	-	3	4.3	1	1.4
5-9	99	100	15	15.2	42	42.4	24	24.2	4	4.0	10	10.1	2	2.0	2	2.0
10-14	97	100	20	20.6	37	38.1	17	17.5	9	9.3	11	11.3	3	3.1	-	-
15-19	39	100	7	17.9	16	41.0	9	23.1	5	12.8	1	2.6	-	-	1	2.6
20-24	15	100	4	26.7	8	53.3	1	6.7	1	6.7	1	6.7	-	-	-	-
25-29	13	100	6	46.2	4	30.8	1	7.7	-	-	1	7.7	1	7.7	-	-
30-34	5	100	1	20.0	3	60.0	-	-	-	-	1	20.0	-	-	-	-
35-39	3	100	1	33.3	-	-	1	33.3	1	33.3	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	38	100	10	26.3	12	31.6	8	21.1	4	11	3	7.9	-	-	1	2.6

表3-30-3. つづき  
要介護者の要介護度

年齢階級	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	232	100%	89	38.4%	54	23.3%	28	12.1%	22	9.5%	18	7.8%	21	9.1%
40-44歳	3	100	1	33.3	1	33.3	-	-	1	33.3	-	-	-	-
45-49	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	
50-54	8	100	3	37.5	1	12.5	1	12.5	1	12.5	1	12.5	1	12.5
55-59	11	100	5	45.5	1	9.1	2	18.2	1	9.1	1	9.1	1	9.1
60-64	19	100	6	31.6	7	36.8	2	10.5	-	-	3	15.8	1	5.3
65-69	32	100	9	28.1	13	40.6	3	9.4	2	6.3	1	3.1	4	12.5
70-74	60	100	24	40.0	11	18.3	9	15.0	7	11.7	2	3.3	7	11.7
75-79	46	100	26	56.5	6	13.0	2	4.3	4	8.7	4	8.7	4	8.7
80-84	38	100	11	28.9	9	23.7	7	18.4	4	10.5	4	10.5	3	7.9
85-	12	100	3	25.0	4	33.3	1	8.3	2	16.7	2	16.7	-	-

表3-30-4. つづき  
要介護者の要介護度

発病後期間	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	232	100%	89	38.4%	54	23.3%	28	12.1%	22	9.5%	18	7.8%	21	9.1%
0-4年	66	100	26	39.4	21	31.8	4	6.1	5	7.6	4	6.1	6	9.1
5-9	51	100	23	45.1	9	17.6	5	9.8	5	9.8	6	11.8	3	5.9
10-14	47	100	15	31.9	10	21.3	9	19.1	5	10.6	2	4.3	6	12.8
15-19	22	100	9	40.9	7	31.8	2	9.1	2	9.1	-	-	2	9.1
20-24	10	100	2	20.0	1	10.0	1	10.0	-	-	3	30.0	3	30.0
25-29	11	100	4	36.4	1	9.1	3	27.3	2	18.2	1	9.1	-	-
30-34	1	100	-	-	-	-	1	100	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	-	-	-	-	1	50.0	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	21	100	8	38.1	5	23.8	3	14.3	3	14.3	1	4.8	1	4.8

### 31 原発性胆汁性肝硬変

表3-31-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、31 原発性胆汁性肝硬変

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	5,657	100%	169	3.0%	4,690	82.9%	798	14.1%
0-4歳	4	100	-	-	4	100	-	-
5-9	6	100	-	-	5	83.3	1	16.7
10-14	1	100	-	-	-	-	1	100
15-19	2	100	-	-	2	100	-	-
20-24	8	100	-	-	7	87.5	1	12.5
25-29	15	100	-	-	13	86.7	2	13.3
30-34	34	100	-	-	30	88.2	4	11.8
35-39	96	100	1	1.0	80	83.3	15	15.6
40-44	173	100	2	1.2	135	78.0	36	20.8
45-49	339	100	6	1.8	287	84.7	46	13.6
50-54	718	100	13	1.8	615	85.7	90	12.5
55-59	907	100	15	1.7	781	86.1	111	12.2
60-64	1,008	100	32	3.2	842	83.5	134	13.3
65-69	956	100	32	3.3	792	82.8	132	13.8
70-74	769	100	33	4.3	618	80.4	118	15.3
75-79	419	100	19	4.5	327	78.0	73	17.4
80-84	157	100	12	7.6	115	73.2	30	19.1
85-	45	100	4	8.9	37	82.2	4	8.9
不明	-	-	-	-	-	-	-	-

表3-31-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、31 原発性胆汁性肝硬変

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	5,657	100%	169	3.0%	4,690	82.9%	798	14.1%
0-4年	1,375	100	26	1.9	1,170	85.1	179	13.0
5-9	1,486	100	55	3.7	1,242	83.6	189	12.7
10-14	1,084	100	29	2.7	932	86.0	123	11.3
15-19	441	100	14	3.2	374	84.8	53	12.0
20-24	115	100	2	1.7	97	84.3	16	13.9
25-29	25	100	1	4.0	19	76.0	5	20.0
30-34	3	100	-	-	3	100	-	-
35-39	1	100	-	-	1	100	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	2	100	1	50.0	1	50.0	-	-
55-59	-	-	-	-	-	-	-	-
60-64	4	100	-	-	4	100	-	-
65-69	1	100	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	1,120	100	41	3.7	846	75.5	233	20.8

表3-31-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、31 原発性胆汁性肝硬変

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	5,491	100%	142	2.6%	60	1.1%	4,608	83.9%	681	12.4%
40-44歳	173	100	-	-	-	-	142	82.1	31	17.9
45-49	339	100	2	0.6	2	0.6	295	87.0	40	11.8
50-54	718	100	1	0.1	-	-	643	89.6	74	10.3
55-59	907	100	2	0.2	1	0.1	801	88.3	103	11.4
60-64	1,008	100	7	0.7	7	0.7	878	87.1	116	11.5
65-69	956	100	21	2.2	9	0.9	808	84.5	118	12.3
70-74	769	100	33	4.3	13	1.7	620	80.6	103	13.4
75-79	419	100	31	7.4	20	4.8	306	73.0	62	14.8
80-84	157	100	26	16.6	5	3.2	95	60.5	31	19.7
85-	45	100	19	42.2	3	6.7	20	44.4	3	6.7

表3-31-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、31 原発性胆汁性肝硬変

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	5,491	100%	142	2.6%	60	1.1%	4,608	83.9%	681	12.4%
0-4年	1,307	100	27	2.1	13	1.0	1,116	85.4	151	11.6
5-9	1,449	100	29	2.0	15	1.0	1,253	86.5	152	10.5
10-14	1,058	100	30	2.8	12	1.1	917	86.7	99	9.4
15-19	437	100	18	4.1	6	1.4	368	84.2	45	10.3
20-24	112	100	3	2.7	2	1.8	90	80.4	17	15.2
25-29	24	100	-	-	-	-	20	83.3	4	16.7
30-34	3	100	1	33.3	-	-	1	33.3	1	33.3
35-39	1	100	-	-	-	-	1	100	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	2	100	1	50.0	-	-	-	-	1	50.0
55-59	-	-	-	-	-	-	-	-	-	-
60-64	4	100	-	-	-	-	4	100	-	-
65-69	1	100	-	-	-	-	1	100	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	1,093	100	33	3.0	12	1.1	837	76.6	211	19.3

31 原発性胆汁性肝硬変

表3-31-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総 数	169	100%	38 22.5%	29 17.2%	35 20.7%	30 17.8%	15 8.9%	5 3.0%	17 10.1%		
0-4歳	-	-	-	-	-	-	-	-	-		
5-9	-	-	-	-	-	-	-	-	-		
10-14	-	-	-	-	-	-	-	-	-		
15-19	-	-	-	-	-	-	-	-	-		
20-24	-	-	-	-	-	-	-	-	-		
25-29	-	-	-	-	-	-	-	-	-		
30-34	-	-	-	-	-	-	-	-	-		
35-39	1	100	1 100	-	-	-	-	-	-		
40-44	2	100	-	-	1 50.0	-	-	-	1 50.0		
45-49	6	100	-	-	1 16.7	1 16.7	2 33.3	-	2 33.3		
50-54	13	100	4 30.8	1 7.7	2 15.4	4 30.8	-	-	2 15.4		
55-59	15	100	3 20.0	3 20.0	3 20.0	3 20.0	1 6.7	-	2 13.3		
60-64	32	100	7 21.9	7 21.9	7 21.9	6 18.8	2 6.3	1 3.1	2 6.3		
65-69	32	100	7 21.9	8 25.0	6 18.8	5 15.6	3 9.4	-	3 9.4		
70-74	33	100	10 30.3	5 15.2	5 15.2	4 12.1	4 12.1	1 3.0	4 12.1		
75-79	19	100	3 15.8	4 21.1	6 31.6	5 26.3	-	1 5.3	-		
80-84	12	100	2 16.7	1 8.3	4 33.3	1 8.3	2 16.7	2 16.7	-		
85-	4	100	1 25.0	-	-	1 25.0	1 25.0	-	1 25.0		
不明	-	-	-	-	-	-	-	-	-		

表3-31-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)								
			1	2	3	4	5	6	不明		
総 数	169	100%	38 22.5%	29 17.2%	35 20.7%	30 17.8%	15 8.9%	5 3.0%	17 10.1%		
0-4年	26	100	4 15.4	4 15.4	4 15.4	3 11.5	2 7.7	1 3.8	8 30.8		
5-9	55	100	12 21.8	8 14.5	13 23.6	13 23.6	4 7.3	2 3.6	3 5.5		
10-14	29	100	7 24.1	5 17.2	4 13.8	9 31.0	2 6.9	1 3.4	1 3.4		
15-19	14	100	2 14.3	4 28.6	3 21.4	2 14.3	-	-	1 7.1		
20-24	2	100	1 50.0	1 50.0	-	-	-	-	-		
25-29	1	100	-	-	1 100	-	-	-	-		
30-34	-	-	-	-	-	-	-	-	-		
35-39	-	-	-	-	-	-	-	-	-		
40-44	-	-	-	-	-	-	-	-	-		
45-49	-	-	-	-	-	-	-	-	-		
50-54	1	100	-	-	-	1 100	-	-	-		
55-59	-	-	-	-	-	-	-	-	-		
60-64	-	-	-	-	-	-	-	-	-		
65-69	-	-	-	-	-	-	-	-	-		
70-74	-	-	-	-	-	-	-	-	-		
75-79	-	-	-	-	-	-	-	-	-		
不明	41	100	12 29.3	7 17.1	10 24.4	2 4.9	5 12.2	1 2.4	4 9.8		

表3-31-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					
			1	2	3	4	5	不明
総 数	142	100%	57 40.1%	28 19.7%	12 8.5%	15 10.6%	17 12.0%	13 9.2%
40-44歳	-	-	-	-	-	-	-	-
45-49	2	100	-	-	1 50.0	-	1 50.0	-
50-54	1	100	-	-	-	-	-	1 100
55-59	2	100	1 50.0	-	-	-	-	1 50.0
60-64	7	100	6 85.7	-	-	-	-	1 14.3
65-69	21	100	6 28.6	4 19.0	2 9.5	2 9.5	2 9.5	5 23.8
70-74	33	100	17 51.5	8 24.2	1 3.0	2 6.1	5 15.2	-
75-79	31	100	10 32.3	7 22.6	2 6.5	4 12.9	6 19.4	2 6.5
80-84	26	100	11 42.3	4 15.4	2 7.7	5 19.2	2 7.7	2 7.7
85-	19	100	6 31.6	5 26.3	4 21.1	2 10.5	1 5.3	1 5.3

表3-31-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					
			1	2	3	4	5	不明
総 数	142	100%	57 40.1%	28 19.7%	12 8.5%	15 10.6%	17 12.0%	13 9.2%
0-4年	27	100	10 37.0	4 14.8	1 3.7	5 18.5	2 7.4	5 18.5
5-9	29	100	12 41.4	7 24.1	4 13.8	3 10.3	2 6.9	1 3.4
10-14	30	100	14 46.7	6 20.0	3 10.0	2 6.7	4 13.3	1 3.3
15-19	18	100	9 50.0	2 11.1	2 11.1	2 11.1	3 16.7	-
20-24	3	100	2 66.7	-	-	-	-	1 33.3
25-29	-	-	-	-	-	-	-	-
30-34	1	100	-	-	1 100	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	1	100	-	1 100	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	33	100	10 30.3	8 24.2	1 3.0	3 9.1	6 18.2	5 15.2

32 重症急性膵炎

表3-32-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、32 重症急性膵炎

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	520	100%	21	4.0%	376	72.3%	123	23.7%
0-4歳	-	-	-	-	-	-	-	-
5-9	1	100	-	-	1	100	-	-
10-14	4	100	-	-	4	100	-	-
15-19	7	100	-	-	5	71.4	2	28.6
20-24	7	100	-	-	4	57.1	3	42.9
25-29	10	100	-	-	10	100	-	-
30-34	20	100	-	-	12	60.0	8	40.0
35-39	35	100	2	5.7	23	65.7	10	28.6
40-44	39	100	2	5.1	28	71.8	9	23.1
45-49	37	100	1	2.7	31	83.8	5	13.5
50-54	53	100	1	1.9	42	79.2	10	18.9
55-59	53	100	-	-	40	75.5	13	24.5
60-64	51	100	1	2.0	33	64.7	17	33.3
65-69	55	100	5	9.1	37	67.3	13	23.6
70-74	63	100	3	4.8	47	74.6	13	20.6
75-79	49	100	3	6.1	33	67.3	13	26.5
80-84	18	100	1	5.6	15	83.3	2	11.1
85-	18	100	2	11.1	11	61.1	5	27.8
不 明	-	-	-	-	-	-	-	-

表3-32-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、32 重症急性膵炎

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	520	100%	21	4.0%	376	72.3%	123	23.7%
0-4年	56	100	-	-	2	3.6	54	96.4
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	464	100	21	4.5	374	80.6	69	14.9

表3-32-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、32 重症急性膵炎

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	436	100%	13	3.0%	5	1.1%	309	70.9%	109	25.0%
40-44歳	39	100	-	-	-	-	30	76.9	9	23.1
45-49	37	100	-	-	-	-	31	83.8	6	16.2
50-54	53	100	-	-	-	-	42	79.2	11	20.8
55-59	53	100	-	-	-	-	40	75.5	13	24.5
60-64	51	100	-	-	-	-	34	66.7	17	33.3
65-69	55	100	1	1.8	-	-	40	72.7	14	25.5
70-74	63	100	2	3.2	1	1.6	43	68.3	17	27.0
75-79	49	100	3	6.1	1	2.0	31	63.3	14	28.6
80-84	18	100	3	16.7	1	5.6	11	61.1	3	16.7
85-	18	100	4	22.2	2	11.1	7	38.9	5	27.8

表3-32-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、32 重症急性膵炎

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	436	100%	13	3.0%	5	1.1%	309	70.9%	109	25.0%
0-4年	44	100	-	-	-	-	2	4.5	42	95.5
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	392	100	13	3.3	5	1.3	307	78.3	67	17.1



32 重症急性膵炎

表3-32-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不 明							
総 数	21	100%	8	38.1%	2	9.5%	2	9.5%	4	19.0%	-	-	1	4.8%	4	19.0%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-	-	-
40-44	2	100	-	-	-	-	-	-	-	-	-	-	1	50.0	1	50.0
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	-	-	-	-	-	-	-	1	100
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	-	-	-	-	-	-	-	-	1	100
65-69	5	100	3	60.0	-	-	-	-	2	40.0	-	-	-	-	-	-
70-74	3	100	-	-	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3
75-79	3	100	1	33.3	1	33.3	1	33.3	-	-	-	-	-	-	-	-
80-84	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-
85-	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-32-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不 明							
総 数	21	100%	8	38.1%	2	9.5%	2	9.5%	4	19.0%	-	-	1	4.8%	4	19.0%
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不 明	21	100	8	38.1	2	9.5	2	9.5	4	19.0	-	-	1	4.8	4	19.0

表3-32-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不 明						
			1	2	3	4	5							
総 数	13	100%	1	7.7%	4	30.8%	3	23.1%	1	7.7%	4	30.8%	-	-
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	-	-	1	100	-	-	-	-
70-74	2	100	-	-	1	50.0	-	-	-	-	1	50.0	-	-
75-79	3	100	-	-	-	-	1	33.3	-	-	2	66.7	-	-
80-84	3	100	-	-	1	33.3	1	33.3	-	-	1	33.3	-	-
85-	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-

表3-32-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不 明						
			1	2	3	4	5							
総 数	13	100%	1	7.7%	4	30.8%	3	23.1%	1	7.7%	4	30.8%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不 明	13	100	1	7.7	4	30.8	3	23.1	1	7.7	4	30.8	-	-

### 33 特発性大腿骨頭壊死症

表3-33-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、33 特発性大腿骨頭壊死症

年齢階級	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	4,639	100%	2,240	48.3%	1,896	40.9%	503	10.8%
0-4歳	2	100	1	50.0	1	50.0	-	-
5-9	-	-	-	-	-	-	-	-
10-14	1	100	-	-	1	100	-	-
15-19	17	100	5	29.4	9	52.9	3	17.6
20-24	65	100	10	15.4	43	66.2	12	18.5
25-29	171	100	46	26.9	105	61.4	20	11.7
30-34	325	100	125	38.5	161	49.5	39	12.0
35-39	341	100	122	35.8	180	52.8	39	11.4
40-44	481	100	197	41.0	222	46.2	62	12.9
45-49	483	100	205	42.4	225	46.6	53	11.0
50-54	600	100	318	53.0	222	37.0	60	10.0
55-59	532	100	291	54.7	193	36.3	48	9.0
60-64	544	100	303	55.7	179	32.9	62	11.4
65-69	433	100	241	55.7	147	33.9	45	10.4
70-74	352	100	220	62.5	101	28.7	31	8.8
75-79	206	100	111	53.9	75	36.4	20	9.7
80-84	67	100	35	52.2	23	34.3	9	13.4
85-	19	100	10	52.6	9	47.4	-	-
不 明	-	-	-	-	-	-	-	-

表3-33-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、33 特発性大腿骨頭壊死症

発病後期間	総 数		身体障害者手帳					
			あり	なし	不明			
総 数	4,639	100%	2,240	48.3%	1,896	40.9%	503	10.8%
0-4年	2,139	100	760	35.5	1,141	53.3	238	11.1
5-9	1,276	100	721	56.5	423	33.2	132	10.3
10-14	621	100	394	63.4	177	28.5	50	8.1
15-19	165	100	114	69.1	33	20.0	18	10.9
20-24	54	100	41	75.9	8	14.8	5	9.3
25-29	22	100	18	81.8	2	9.1	2	9.1
30-34	14	100	12	85.7	2	14.3	-	-
35-39	3	100	3	100	-	-	-	-
40-44	2	100	1	50.0	1	50.0	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	3	100	-	-	3	100	-	-
65-69	2	100	2	100	-	-	-	-
70-74	1	100	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	337	100	173	51.3	106	31.5	58	17.2

表3-33-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、33 特発性大腿骨頭壊死症

年齢階級	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	3,717	100%	211	5.7%	70	1.9%	2,788	75.0%	648	17.4%
40-44歳	481	100	2	0.4	1	0.2	395	82.1	83	17.3
45-49	483	100	4	0.8	4	0.8	384	79.5	91	18.8
50-54	600	100	11	1.8	5	0.8	484	80.7	100	16.7
55-59	532	100	9	1.7	6	1.1	437	82.1	80	15.0
60-64	544	100	17	3.1	4	0.7	414	76.1	109	20.0
65-69	433	100	35	8.1	15	3.5	300	69.3	83	19.2
70-74	352	100	60	17.0	17	4.8	222	63.1	53	15.1
75-79	206	100	42	20.4	12	5.8	113	54.9	39	18.9
80-84	67	100	26	38.8	4	6.0	30	44.8	7	10.4
85-	19	100	5	26.3	2	10.5	9	47.4	3	15.8

表3-33-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、33 特発性大腿骨頭壊死症

発病後期間	総 数		介護認定状況							
			要介護	要支援	なし	不明				
総 数	3,717	100%	211	5.7%	70	1.9%	2,788	75.0%	648	17.4%
0-4年	1,590	100	91	5.7	36	2.3	1,178	74.1	285	17.9
5-9	1,066	100	56	5.3	13	1.2	828	77.7	169	15.9
10-14	539	100	23	4.3	9	1.7	432	80.1	75	13.9
15-19	149	100	7	4.7	4	2.7	113	75.8	25	16.8
20-24	50	100	6	12.0	1	2.0	36	72.0	7	14.0
25-29	22	100	1	4.5	-	-	18	81.8	3	13.6
30-34	14	100	2	14.3	-	-	11	78.6	1	7.1
35-39	3	100	1	33.3	-	-	2	66.7	-	-
40-44	2	100	-	-	-	-	2	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	3	100	-	-	1	33.3	2	66.7	-	-
65-69	2	100	-	-	-	-	2	100	-	-
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	276	100	24	8.7	6	2.2	163	59.1	83	30.1

33 特発性大腿骨頭壊死症

表3-33-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	2,240	100%	87	118	598	1,198	162	27	50	2.2%
0-4歳	1	100	-	1	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	5	100	-	-	2	40.0	2	40.0	1	20.0
20-24	10	100	1	10.0	4	40.0	3	30.0	-	-
25-29	46	100	1	2.2	17	37.0	19	41.3	4	8.7
30-34	125	100	8	6.4	34	27.2	55	44.0	12	9.6
35-39	122	100	9	7.4	28	23.0	59	48.4	18	14.8
40-44	197	100	9	4.6	44	22.3	101	51.3	26	13.2
45-49	205	100	7	3.4	19	9.3	58	28.3	19	9.3
50-54	318	100	12	3.8	13	4.1	81	25.5	174	54.7
55-59	291	100	10	3.4	18	6.2	85	29.2	148	50.9
60-64	303	100	7	2.3	14	4.6	89	29.4	171	56.4
65-69	241	100	6	2.5	12	5.0	71	29.5	136	56.4
70-74	220	100	13	5.9	11	5.0	56	25.5	125	56.8
75-79	111	100	4	3.6	8	7.2	22	19.8	74	66.7
80-84	35	100	-	-	1	2.9	6	17.1	26	74.3
85-	10	100	-	-	1	10.0	1	10.0	8	80.0
不明	-	-	-	-	-	-	-	-	-	-

表3-33-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	2,240	100%	87	118	598	1,198	162	27	50	2.2%
0-4年	760	100	24	3.2	33	4.3	180	23.7	444	58.4
5-9	721	100	26	3.6	33	4.6	199	27.6	392	54.4
10-14	394	100	18	4.6	26	6.6	108	27.4	199	50.5
15-19	114	100	2	1.8	11	9.6	38	33.3	52	45.6
20-24	41	100	6	14.6	1	2.4	13	31.7	12	29.3
25-29	18	100	-	-	3	16.7	10	55.6	2	11.1
30-34	12	100	-	-	1	8.3	5	41.7	5	41.7
35-39	3	100	-	-	1	33.3	2	66.7	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	2	100	-	-	-	-	2	100	-	-
70-74	1	100	-	-	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	173	100	11	6.4	10	5.8	43	24.9	87	50.3

表3-33-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	211	100%	122	57.8%	36	17.1%	9	4.3%	5	2.4%	5	2.4%	34	16.1%
40-44歳	2	100	-	-	-	-	-	-	-	-	-	-	2	100
45-49	4	100	1	25.0	2	50.0	-	-	-	-	-	-	1	25.0
50-54	11	100	7	63.6	1	9.1	-	-	1	9.1	-	-	2	18.2
55-59	9	100	5	55.6	2	22.2	-	-	1	11.1	-	-	1	11.1
60-64	17	100	10	58.8	4	23.5	-	-	-	-	-	-	3	17.6
65-69	35	100	16	45.7	10	28.6	1	2.9	-	-	1	2.9	7	20.0
70-74	60	100	35	58.3	12	20.0	5	8.3	1	1.7	1	1.7	6	10.0
75-79	42	100	28	66.7	2	4.8	1	2.4	1	2.4	2	4.8	8	19.0
80-84	26	100	19	73.1	3	11.5	1	3.8	-	-	1	3.8	2	7.7
85-	5	100	1	20.0	-	-	1	20.0	1	20.0	-	-	2	40.0

表3-33-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度											
			1	2	3	4	5	不明						
総 数	211	100%	122	57.8%	36	17.1%	9	4.3%	5	2.4%	5	2.4%	34	16.1%
0-4年	91	100	46	50.5	18	19.8	5	5.5	1	1.1	1	1.1	20	22.0
5-9	56	100	37	66.1	10	17.9	4	7.1	-	-	-	-	5	8.9
10-14	23	100	14	60.9	2	8.7	-	-	1	4.3	2	8.7	4	17.4
15-19	7	100	4	57.1	-	-	-	-	-	-	-	-	3	42.9
20-24	6	100	5	83.3	-	-	-	-	1	16.7	-	-	-	-
25-29	1	100	1	100	-	-	-	-	-	-	-	-	-	-
30-34	2	100	2	100	-	-	-	-	-	-	-	-	-	-
35-39	1	100	1	100	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	24	100	12	50.0	6	25.0	-	-	2	8.3	2	8.3	2	8.3

### 34 混合性結合組織病

表3-34-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、34 混合性結合組織病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	3,088	100%	184	6.0%	2,565	83.1%	339	11.0%
0-4歳	1	100	-	-	-	-	1	100
5-9	1	100	-	-	1	100	-	-
10-14	13	100	-	-	11	84.6	2	15.4
15-19	47	100	1	2.1	40	85.1	6	12.8
20-24	108	100	1	0.9	95	88.0	12	11.1
25-29	206	100	5	2.4	183	88.8	18	8.7
30-34	280	100	9	3.2	240	85.7	31	11.1
35-39	238	100	8	3.4	213	89.5	17	7.1
40-44	271	100	14	5.2	230	84.9	27	10.0
45-49	322	100	17	5.3	278	86.3	27	8.4
50-54	347	100	23	6.6	288	83.0	36	10.4
55-59	362	100	32	8.8	288	79.6	42	11.6
60-64	354	100	29	8.2	279	78.8	46	13.0
65-69	252	100	21	8.3	201	79.8	30	11.9
70-74	186	100	12	6.5	150	80.6	24	12.9
75-79	81	100	7	8.6	56	69.1	18	22.2
80-84	12	100	3	25.0	7	58.3	2	16.7
85-	7	100	2	28.6	5	71.4	-	-
不 明	-	-	-	-	-	-	-	-

表3-34-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、34 混合性結合組織病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	3,088	100%	184	6.0%	2,565	83.1%	339	11.0%
0-4年	877	100	23	2.6	747	85.2	107	12.2
5-9	1,020	100	54	5.3	878	86.1	88	8.6
10-14	599	100	52	8.7	480	80.1	67	11.2
15-19	248	100	23	9.3	202	81.5	23	9.3
20-24	125	100	13	10.4	94	75.2	18	14.4
25-29	39	100	4	10.3	29	74.4	6	15.4
30-34	19	100	2	10.5	16	84.2	1	5.3
35-39	4	100	2	50.0	2	50.0	-	-
40-44	2	100	-	-	1	50.0	1	50.0
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	154	100	11	7.1	115	74.7	28	18.2

表3-34-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、34 混合性結合組織病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	2,194	100%	78	3.6%	22	1.0%	1,845	84.1%	249	11.3%
40-44歳	271	100	-	-	2	0.7	242	89.3	27	10.0
45-49	322	100	1	0.3	1	0.3	292	90.7	28	8.7
50-54	347	100	4	1.2	1	0.3	300	86.5	42	12.1
55-59	362	100	4	1.1	1	0.3	319	88.1	38	10.5
60-64	354	100	10	2.8	4	1.1	299	84.5	41	11.6
65-69	252	100	10	4.0	7	2.8	202	80.2	33	13.1
70-74	186	100	23	12.4	4	2.2	136	73.1	23	12.4
75-79	81	100	16	19.8	2	2.5	49	60.5	14	17.3
80-84	12	100	6	50.0	-	-	4	33.3	2	16.7
85-	7	100	4	57.1	-	-	2	28.6	1	14.3

表3-34-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、34 混合性結合組織病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	2,194	100%	78	3.6%	22	1.0%	1,845	84.1%	249	11.3%
0-4年	540	100	9	1.7	4	0.7	457	84.6	70	13.0
5-9	701	100	25	3.6	4	0.6	611	87.2	61	8.7
10-14	444	100	16	3.6	6	1.4	369	83.1	53	11.9
15-19	213	100	11	5.2	3	1.4	175	82.2	24	11.3
20-24	109	100	4	3.7	-	-	92	84.4	13	11.9
25-29	38	100	3	7.9	1	2.6	29	76.3	5	13.2
30-34	18	100	2	11.1	1	5.6	14	77.8	1	5.6
35-39	4	100	-	-	1	25.0	3	75.0	-	-
40-44	2	100	-	-	-	-	1	50.0	1	50.0
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	124	100	8	6.5	2	1.6	93	75.0	21	16.9

34 混合性結合組織病

表3-34-1. つづき  
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不 明							
総 数	184	100%	41	22.3%	35	19.0%	47	25.5%	39	21.2%	7	3.8%	6	3.3%	9	4.9%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-
20-24	1	100	-	-	-	-	-	1	100	-	-	-	-	-	-	-
25-29	5	100	1	20.0	2	40.0	-	1	20.0	-	-	-	1	20.0	-	-
30-34	9	100	1	11.1	1	11.1	3	33.3	4	44.4	-	-	-	-	-	-
35-39	8	100	-	-	2	25.0	4	50.0	1	12.5	-	-	-	-	1	12.5
40-44	14	100	3	21.4	4	28.6	4	28.6	2	14.3	-	-	-	-	1	7.1
45-49	17	100	2	11.8	1	5.9	6	35.3	7	41.2	-	-	-	-	1	5.9
50-54	23	100	6	26.1	5	21.7	5	21.7	4	17.4	2	8.7	1	4.3	-	-
55-59	32	100	6	18.8	4	12.5	11	34.4	6	18.8	2	6.3	-	-	3	9.4
60-64	29	100	6	20.7	7	24.1	7	24.1	6	20.7	1	3.4	2	6.9	-	-
65-69	21	100	6	28.6	3	14.3	4	19.0	4	19.0	1	4.8	1	4.8	2	9.5
70-74	12	100	4	33.3	3	25.0	2	16.7	2	16.7	1	8.3	-	-	-	-
75-79	7	100	3	42.9	2	28.6	1	14.3	1	14.3	-	-	-	-	-	-
80-84	3	100	1	33.3	-	-	-	-	-	-	-	-	1	33.3	1	33.3
85-	2	100	1	50.0	1	50.0	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-34-2. つづき  
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不 明							
総 数	184	100%	41	22.3%	35	19.0%	47	25.5%	39	21.2%	7	3.8%	6	3.3%	9	4.9%
0-4年	23	100	5	21.7	3	13.0	5	21.7	7	30.4	1	4.3	1	4.3	1	4.3
5-9	54	100	8	14.8	14	25.9	15	27.8	12	22.2	2	3.7	2	3.7	1	1.9
10-14	52	100	15	28.8	7	13.5	13	25.0	8	15.4	2	3.8	3	5.8	4	7.7
15-19	23	100	5	21.7	3	13.0	7	30.4	5	21.7	1	4.3	-	-	2	8.7
20-24	13	100	5	38.5	-	-	2	15.4	4	30.8	1	7.7	-	-	1	7.7
25-29	4	100	1	25.0	2	50.0	1	25.0	-	-	-	-	-	-	-	-
30-34	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
35-39	2	100	-	-	1	50.0	-	-	1	50.0	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不 明	11	100	2	18.2	3	27.3	4	36.4	2	18.2	-	-	-	-	-	-

表3-34-3. つづき  
要介護者の要介護度

年齢階級	総 数		要介護度											
			1	2	3	4	5	不 明						
総 数	78	100%	29	37.2%	10	12.8%	10	12.8%	10	12.8%	8	10.3%	11	14.1%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	1	100	1	100	-	-	-	-	-	-	-	-	-	-
50-54	4	100	1	25.0	2	50.0	-	-	-	-	-	-	1	25.0
55-59	4	100	2	50.0	-	-	1	25.0	1	25.0	-	-	-	-
60-64	10	100	3	30.0	3	30.0	1	10.0	1	10.0	1	10.0	1	10.0
65-69	10	100	4	40.0	-	-	4	40.0	-	-	-	-	2	20.0
70-74	23	100	8	34.8	4	17.4	2	8.7	3	13.0	1	4.3	5	21.7
75-79	16	100	9	56.3	1	6.3	-	-	2	12.5	3	18.8	1	6.3
80-84	6	100	1	16.7	-	-	1	16.7	2	33.3	1	16.7	1	16.7
85-	4	100	-	-	-	-	1	25.0	1	25.0	2	50.0	-	-

表3-34-4. つづき  
要介護者の要介護度

発病後期間	総 数		要介護度											
			1	2	3	4	5	不 明						
総 数	78	100%	29	37.2%	10	12.8%	10	12.8%	8	10.3%	11	14.1%		
0-4年	9	100	2	22.2	-	-	4	44.4	-	2	22.2	1	11.1	
5-9	25	100	11	44.0	5	20.0	-	-	7	28.0	-	-	2	8.0
10-14	16	100	3	18.8	2	12.5	3	18.8	1	6.3	3	18.8	4	25.0
15-19	11	100	6	54.5	1	9.1	2	18.2	1	9.1	-	-	1	9.1
20-24	4	100	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0
25-29	3	100	2	66.7	1	33.3	-	-	-	-	-	-	-	-
30-34	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不 明	8	100	2	25.0	1	12.5	-	-	-	-	3	37.5	2	25.0