

35 原発性免疫不全症候群

表3-35-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、35 原発性免疫不全症候群

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	447	100%	32	7.2%	358	80.1%	57	12.8%
0-4歳	21	100	-	-	18	85.7	3	14.3
5-9	42	100	2	4.8	35	83.3	5	11.9
10-14	60	100	5	8.3	42	70.0	13	21.7
15-19	64	100	2	3.1	53	82.8	9	14.1
20-24	70	100	4	5.7	60	85.7	6	8.6
25-29	63	100	8	12.7	50	79.4	5	7.9
30-34	39	100	2	5.1	33	84.6	4	10.3
35-39	25	100	4	16.0	18	72.0	3	12.0
40-44	18	100	1	5.6	16	88.9	1	5.6
45-49	13	100	2	15.4	9	69.2	2	15.4
50-54	9	100	-	-	8	88.9	1	11.1
55-59	8	100	-	-	8	100	-	-
60-64	3	100	-	-	3	100	-	-
65-69	7	100	1	14.3	3	42.9	3	42.9
70-74	3	100	1	33.3	1	33.3	1	33.3
75-79	1	100	-	-	1	100	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不 明	1	100	-	-	-	-	1	100

表3-35-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、35 原発性免疫不全症候群

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	447	100%	32	7.2%	358	80.1%	57	12.8%
0-4年	60	100	-	-	50	83.3	10	16.7
5-9	81	100	3	3.7	67	82.7	11	13.6
10-14	71	100	7	9.9	57	80.3	7	9.9
15-19	70	100	1	1.4	60	85.7	9	12.9
20-24	56	100	7	12.5	46	82.1	3	5.4
25-29	36	100	6	16.7	23	63.9	7	19.4
30-34	16	100	2	12.5	13	81.3	1	6.3
35-39	10	100	2	20.0	5	50.0	3	30.0
40-44	1	100	-	-	1	100	-	-
45-49	1	100	-	-	-	-	1	100
50-54	1	100	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	44	100	4	9.1	35	79.5	5	11.4

表3-35-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、35 原発性免疫不全症候群

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	62	100%	1	1.6%	1	1.6%	52	83.9%	8	12.9%
40-44歳	18	100	-	-	-	-	17	94.4	1	5.6
45-49	13	100	-	-	-	-	10	76.9	3	23.1
50-54	9	100	1	11.1	-	-	8	88.9	-	-
55-59	8	100	-	-	1	12.5	7	87.5	-	-
60-64	3	100	-	-	-	-	3	100	-	-
65-69	7	100	-	-	-	-	4	57.1	3	42.9
70-74	3	100	-	-	-	-	2	66.7	1	33.3
75-79	1	100	-	-	-	-	1	100	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-35-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、35 原発性免疫不全症候群

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	62	100%	1	1.6%	1	1.6%	52	83.9%	8	12.9%
0-4年	10	100	-	-	-	-	8	80.0	2	20.0
5-9	17	100	1	5.9	1	5.9	15	88.2	-	-
10-14	3	100	-	-	-	-	3	100	-	-
15-19	5	100	-	-	-	-	4	80.0	1	20.0
20-24	4	100	-	-	-	-	3	75.0	1	25.0
25-29	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	1	100	-	-
35-39	3	100	-	-	-	-	3	100	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	1	100	-	-	-	-	-	-	1	100
50-54	1	100	-	-	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	16	100	-	-	-	-	13	81.3	3	18.8

35 原発性免疫不全症候群

表3-35-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)														
			1		2		3		4		5		6		不明		
総 数	32	100%	15	46.9%	4	12.5%	8	25.0%	5	15.6%	-	-	-	-	-	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	5	100	4	80.0	1	20.0	-	-	-	-	-	-	-	-	-	-	-
15-19	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	4	100	1	25.0	1	25.0	2	50.0	-	-	-	-	-	-	-	-	-
25-29	8	100	1	12.5	2	25.0	4	50.0	1	12.5	-	-	-	-	-	-	-
30-34	2	100	1	50.0	-	-	-	-	1	50.0	-	-	-	-	-	-	-
35-39	4	100	3	75.0	-	-	-	-	1	25.0	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	-	-	1	100	-	-	-	-	-	-	-
45-49	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1	100	-	-	-	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-35-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)														
			1		2		3		4		5		6		不明		
総 数	32	100%	15	46.9%	4	12.5%	8	25.0%	5	15.6%	-	-	-	-	-	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	2	66.7	-	-	-	-	1	33.3	-	-	-	-	-	-	-
10-14	7	100	5	71.4	1	14.3	1	14.3	-	-	-	-	-	-	-	-	-
15-19	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	7	100	2	28.6	1	14.3	2	28.6	2	28.6	-	-	-	-	-	-	-
25-29	6	100	-	-	2	33.3	3	50.0	1	16.7	-	-	-	-	-	-	-
30-34	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	2	100	2	100	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	4	100	1	25.0	-	-	2	50.0	1	25.0	-	-	-	-	-	-	-

表3-35-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度					不明		
			1	2	3	4	5			
総 数	1	100%	-	-	-	-	1	100%	-	-
40-44歳	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-35-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度					不明		
			1	2	3	4	5			
総 数	1	100%	-	-	-	-	1	100%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-
5-9	1	100	-	-	-	-	1	100	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-

36 特発性間質性肺炎

表3-36-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、36 特発性間質性肺炎

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	1,569	100%	513	32.7%	833	53.1%	223	14.2%
0-4歳	5	100	3	60.0	1	20.0	1	20.0
5-9	2	100	2	100	-	-	-	-
10-14	2	100	2	100	-	-	-	-
15-19	2	100	-	-	1	50.0	1	50.0
20-24	1	100	1	100	-	-	-	-
25-29	7	100	4	57.1	3	42.9	-	-
30-34	4	100	2	50.0	1	25.0	1	25.0
35-39	2	100	-	-	2	100	-	-
40-44	12	100	6	50.0	3	25.0	3	25.0
45-49	39	100	14	35.9	20	51.3	5	12.8
50-54	75	100	17	22.7	49	65.3	9	12.0
55-59	156	100	50	32.1	87	55.8	19	12.2
60-64	229	100	68	29.7	125	54.6	36	15.7
65-69	331	100	111	33.5	176	53.2	44	13.3
70-74	306	100	116	37.9	155	50.7	35	11.4
75-79	237	100	77	32.5	120	50.6	40	16.9
80-84	114	100	29	25.4	65	57.0	20	17.5
85-	45	100	11	24.4	25	55.6	9	20.0
不 明	-	-	-	-	-	-	-	-

表3-36-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、36 特発性間質性肺炎

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	1,569	100%	513	32.7%	833	53.1%	223	14.2%
0-4年	793	100	232	29.3	439	55.4	122	15.4
5-9	403	100	152	37.7	205	50.9	46	11.4
10-14	113	100	47	41.6	51	45.1	15	13.3
15-19	32	100	11	34.4	20	62.5	1	3.1
20-24	6	100	3	50.0	2	33.3	1	16.7
25-29	5	100	3	60.0	2	40.0	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	1	100	-	-	1	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	1	100	-	-	1	100	-	-
70-74	1	100	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-
不 明	213	100	65	30.5	110	51.6	38	17.8

表3-36-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、36 特発性間質性肺炎

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	1,544	100%	188	12.2%	39	2.5%	1,022	66.2%	295	19.1%
40-44歳	12	100	-	-	-	-	10	83.3	2	16.7
45-49	39	100	1	2.6	-	-	34	87.2	4	10.3
50-54	75	100	1	1.3	1	1.3	59	78.7	14	18.7
55-59	156	100	4	2.6	1	0.6	132	84.6	19	12.2
60-64	229	100	6	2.6	1	0.4	177	77.3	45	19.7
65-69	331	100	31	9.4	6	1.8	229	69.2	65	19.6
70-74	306	100	51	16.7	10	3.3	191	62.4	54	17.6
75-79	237	100	43	18.1	11	4.6	120	50.6	63	26.6
80-84	114	100	29	25.4	7	6.1	56	49.1	22	19.3
85-	45	100	22	48.9	2	4.4	14	31.1	7	15.6

表3-36-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、36 特発性間質性肺炎

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	1,544	100%	188	12.2%	39	2.5%	1,022	66.2%	295	19.1%
0-4年	780	100	98	12.6	21	2.7	508	65.1	153	19.6
5-9	397	100	49	12.3	8	2.0	279	70.3	61	15.4
10-14	110	100	11	10.0	1	0.9	77	70.0	21	19.1
15-19	32	100	4	12.5	2	6.3	21	65.6	5	15.6
20-24	5	100	-	-	1	20.0	2	40.0	2	40.0
25-29	4	100	1	25.0	-	-	3	75.0	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	-	1	100
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	-	-	1	100
70-74	1	100	-	-	-	-	1	100	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	212	100	25	11.8	6	2.8	130	61.3	51	24.1

37 網膜色素変性症

表3-37-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、37 網膜色素変性症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,649	100%	4,793	49.7%	3,999	41.4%	857	8.9%
0-4歳	2	100	1	50.0	1	50.0	-	-
5-9	9	100	2	22.2	5	55.6	2	22.2
10-14	40	100	8	20.0	30	75.0	2	5.0
15-19	71	100	16	22.5	46	64.8	9	12.7
20-24	92	100	42	45.7	46	50.0	4	4.3
25-29	148	100	53	35.8	83	56.1	12	8.1
30-34	225	100	87	38.7	118	52.4	20	8.9
35-39	311	100	134	43.1	146	46.9	31	10.0
40-44	410	100	168	41.0	203	49.5	39	9.5
45-49	582	100	273	46.9	256	44.0	53	9.1
50-54	975	100	443	45.4	440	45.1	92	9.4
55-59	1,227	100	591	48.2	525	42.8	111	9.0
60-64	1,467	100	738	50.3	596	40.6	133	9.1
65-69	1,489	100	749	50.3	609	40.9	131	8.8
70-74	1,277	100	669	52.4	492	38.5	116	9.1
75-79	770	100	454	59.0	253	32.9	63	8.2
80-84	381	100	247	64.8	104	27.3	30	7.9
85-	173	100	118	68.2	46	26.6	9	5.2
不 明	-	-	-	-	-	-	-	-

表3-37-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、37 網膜色素変性症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	9,649	100%	4,793	49.7%	3,999	41.4%	857	8.9%
0-4年	601	100	158	26.3	402	66.9	41	6.8
5-9	929	100	343	36.9	520	56.0	66	7.1
10-14	1,096	100	511	46.6	497	45.3	88	8.0
15-19	746	100	431	57.8	273	36.6	42	5.6
20-24	515	100	339	65.8	151	29.3	25	4.9
25-29	497	100	315	63.4	149	30.0	33	6.6
30-34	254	100	175	68.9	63	24.8	16	6.3
35-39	261	100	176	67.4	75	28.7	10	3.8
40-44	151	100	97	64.2	43	28.5	11	7.3
45-49	197	100	143	72.6	43	21.8	11	5.6
50-54	103	100	70	68.0	25	24.3	8	7.8
55-59	87	100	52	59.8	27	31.0	8	9.2
60-64	51	100	34	66.7	10	19.6	7	13.7
65-69	38	100	28	73.7	8	21.1	2	5.3
70-74	13	100	8	61.5	2	15.4	3	23.1
75-79	8	100	7	87.5	1	12.5	-	-
不 明	4,102	100	1,906	46.5	1,710	41.7	486	11.8

表3-37-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、37 網膜色素変性症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	8,751	100%	570	6.5%	364	4.2%	6,266	71.6%	1,551	17.7%
40-44歳	410	100	5	1.2	11	2.7	333	81.2	61	14.9
45-49	582	100	5	0.9	11	1.9	468	80.4	98	16.8
50-54	975	100	18	1.8	21	2.2	763	78.3	173	17.7
55-59	1,227	100	18	1.5	27	2.2	956	77.9	226	18.4
60-64	1,467	100	28	1.9	55	3.7	1,122	76.5	262	17.9
65-69	1,489	100	75	5.0	67	4.5	1,088	73.1	259	17.4
70-74	1,277	100	116	9.1	63	4.9	864	67.7	234	18.3
75-79	770	100	133	17.3	61	7.9	431	56.0	145	18.8
80-84	381	100	92	24.1	33	8.7	189	49.6	67	17.6
85-	173	100	80	46.2	15	8.7	52	30.1	26	15.0

表3-37-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、37 網膜色素変性症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	8,751	100%	570	6.5%	364	4.2%	6,266	71.6%	1,551	17.7%
0-4年	506	100	12	2.4	16	3.2	409	80.8	69	13.6
5-9	805	100	43	5.3	26	3.2	637	79.1	99	12.3
10-14	993	100	51	5.1	46	4.6	759	76.4	137	13.8
15-19	651	100	40	6.1	35	5.4	478	73.4	98	15.1
20-24	449	100	39	8.7	24	5.3	322	71.7	64	14.3
25-29	449	100	30	6.7	22	4.9	318	70.8	79	17.6
30-34	241	100	22	9.1	7	2.9	185	76.8	27	11.2
35-39	251	100	29	11.6	9	3.6	175	69.7	38	15.1
40-44	151	100	13	8.6	9	6.0	106	70.2	23	15.2
45-49	197	100	27	13.7	10	5.1	132	67.0	28	14.2
50-54	103	100	19	18.4	2	1.9	68	66.0	14	13.6
55-59	87	100	4	4.6	4	4.6	63	72.4	16	18.4
60-64	51	100	6	11.8	4	7.8	30	58.8	11	21.6
65-69	38	100	8	21.1	3	7.9	24	63.2	3	7.9
70-74	13	100	4	30.8	2	15.4	3	23.1	4	30.8
75-79	8	100	3	37.5	-	-	4	50.0	1	12.5
不 明	3,758	100	220	5.9	145	3.9	2,553	67.9	840	22.4

38 プリオン病

表3-38-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、38 プリオン病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	124	100%	29	23.4%	72	58.1%	23	18.5%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	3	100	-	-	3	100	-	-
45-49	-	-	-	-	-	-	-	-
50-54	6	100	2	33.3	4	66.7	-	-
55-59	14	100	2	14.3	7	50.0	5	35.7
60-64	20	100	7	35.0	9	45.0	4	20.0
65-69	29	100	9	31.0	15	51.7	5	17.2
70-74	19	100	3	15.8	14	73.7	2	10.5
75-79	27	100	6	22.2	16	59.3	5	18.5
80-84	5	100	-	-	3	60.0	2	40.0
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-38-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、38 プリオン病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	124	100%	29	23.4%	72	58.1%	23	18.5%
0-4年	112	100	24	21.4	67	59.8	21	18.8
5-9	8	100	4	50.0	4	50.0	-	-
10-14	1	100	-	-	-	-	1	100
15-19	1	100	-	-	1	100	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	2	100	1	50.0	-	-	1	50.0

表3-38-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、38 プリオン病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	123	100%	30	24.4%	-	-	64	52.0%	29	23.6%
40-44歳	3	100	-	-	-	-	3	100	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	6	100	1	16.7	-	-	5	83.3	-	-
55-59	14	100	3	21.4	-	-	6	42.9	5	35.7
60-64	20	100	5	25.0	-	-	8	40.0	7	35.0
65-69	29	100	5	17.2	-	-	16	55.2	8	27.6
70-74	19	100	6	31.6	-	-	9	47.4	4	21.1
75-79	27	100	9	33.3	-	-	15	55.6	3	11.1
80-84	5	100	1	20.0	-	-	2	40.0	2	40.0
85-	-	-	-	-	-	-	-	-	-	-

表3-38-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、38 プリオン病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	123	100%	30	24.4%	-	-	64	52.0%	29	23.6%
0-4年	111	100	25	22.5	-	-	61	55.0	25	22.5
5-9	8	100	3	37.5	-	-	3	37.5	2	25.0
10-14	1	100	-	-	-	-	-	-	1	100
15-19	1	100	1	100	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	2	100	1	50.0	-	-	-	-	1	50.0

表3-38-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)										
			1	2	3	4	5	6	不明				
総 数	29	100%	27	93.1%	-	-	-	-	-	1	3.4%	1	3.4%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	2	100	1	50.0	-	-	-	-	-	-	-	1	50.0
55-59	2	100	2	100	-	-	-	-	-	-	-	-	-
60-64	7	100	7	100	-	-	-	-	-	-	-	-	-
65-69	9	100	9	100	-	-	-	-	-	-	-	-	-
70-74	3	100	2	66.7	-	-	-	-	-	1	33.3	-	-
75-79	6	100	6	100	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-38-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)										
			1	2	3	4	5	6	不明				
総 数	29	100%	27	93.1%	-	-	-	-	-	1	3.4%	1	3.4%
0-4年	24	100	23	95.8	-	-	-	-	-	1	4.2	-	-
5-9	4	100	3	75.0	-	-	-	-	-	-	-	1	25.0
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	1	100	1	100	-	-	-	-	-	-	-	-	-

表3-38-3. つづき
要介護者の要介護度

年齢階級	総 数		要介護度					不明					
			1	2	3	4	5						
総 数	30	100%	1	3.3%	-	2	6.7%	5	16.7%	20	66.7%	2	6.7%
40-44歳	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	1	100	-	-	-	-
55-59	3	100	-	-	-	-	1	33.3	2	66.7	-	-	-
60-64	5	100	1	20.0	-	-	-	-	3	60.0	1	20.0	-
65-69	5	100	-	-	-	1	20.0	1	20.0	3	60.0	-	-
70-74	6	100	-	-	-	1	16.7	1	16.7	3	50.0	1	16.7
75-79	9	100	-	-	-	-	-	2	22.2	7	77.8	-	-
80-84	1	100	-	-	-	-	-	-	-	1	100	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-38-4. つづき
要介護者の要介護度

発病後期間	総 数		要介護度					不明					
			1	2	3	4	5						
総 数	30	100%	1	3.3%	-	2	6.7%	5	16.7%	20	66.7%	2	6.7%
0-4年	25	100	1	4.0	-	2	8.0	4	16.0	16	64.0	2	8.0
5-9	3	100	-	-	-	-	-	1	33.3	2	66.7	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1	100	-	-	-	-	-	-	1	100	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	-	-	-	1	100	-	-

39 原発性肺高血圧症

表3-39-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、39 原発性肺高血圧症

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	321	100%	157	48.9%	122	38.0%	42	13.1%
0-4歳	8	100	4	50.0	2	25.0	2	25.0
5-9	7	100	5	71.4	-	-	2	28.6
10-14	12	100	8	66.7	3	25.0	1	8.3
15-19	25	100	17	68.0	8	32.0	-	-
20-24	24	100	10	41.7	8	33.3	6	25.0
25-29	25	100	12	48.0	8	32.0	5	20.0
30-34	39	100	20	51.3	15	38.5	4	10.3
35-39	27	100	15	55.6	8	29.6	4	14.8
40-44	17	100	9	52.9	7	41.2	1	5.9
45-49	20	100	8	40.0	8	40.0	4	20.0
50-54	27	100	14	51.9	13	48.1	-	-
55-59	23	100	7	30.4	12	52.2	4	17.4
60-64	21	100	8	38.1	10	47.6	3	14.3
65-69	20	100	9	45.0	8	40.0	3	15.0
70-74	16	100	8	50.0	7	43.8	1	6.3
75-79	7	100	2	28.6	3	42.9	2	28.6
80-84	3	100	1	33.3	2	66.7	-	-
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-39-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、39 原発性肺高血圧症

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	321	100%	157	48.9%	122	38.0%	42	13.1%
0-4年	154	100	72	46.8	60	39.0	22	14.3
5-9	79	100	48	60.8	22	27.8	9	11.4
10-14	31	100	18	58.1	11	35.5	2	6.5
15-19	10	100	5	50.0	5	50.0	-	-
20-24	5	100	2	40.0	3	60.0	-	-
25-29	2	100	2	100	-	-	-	-
30-34	1	100	1	100	-	-	-	-
35-39	2	100	-	-	1	50.0	1	50.0
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	1	100	1	100	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	1	100	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	35	100	8	22.9	19	54.3	8	22.9

表3-39-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、39 原発性肺高血圧症

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	154	100%	10	6.5%	6	3.9%	116	75.3%	22	14.3%
40-44歳	17	100	-	-	1	5.9	15	88.2	1	5.9
45-49	20	100	-	-	-	-	16	80.0	4	20.0
50-54	27	100	1	3.7	1	3.7	21	77.8	4	14.8
55-59	23	100	-	-	1	4.3	18	78.3	4	17.4
60-64	21	100	-	-	1	4.8	17	81.0	3	14.3
65-69	20	100	4	20.0	-	-	13	65.0	3	15.0
70-74	16	100	3	18.8	-	-	12	75.0	1	6.3
75-79	7	100	-	-	2	28.6	3	42.9	2	28.6
80-84	3	100	2	66.7	-	-	1	33.3	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-39-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、39 原発性肺高血圧症

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	154	100%	10	6.5%	6	3.9%	116	75.3%	22	14.3%
0-4年	66	100	5	7.6	3	4.5	47	71.2	11	16.7
5-9	43	100	2	4.7	2	4.7	34	79.1	5	11.6
10-14	13	100	1	7.7	-	-	11	84.6	1	7.7
15-19	5	100	-	-	1	20.0	4	80.0	-	-
20-24	1	100	-	-	-	-	1	100	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	1	100	-	-
35-39	1	100	-	-	-	-	1	100	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	1	100	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	1	100	-	-	-	-	1	100	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	22	100	2	9.1	-	-	15	68.2	5	22.7

40_1 神経線維腫症 I 型

表 3-40_1-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、40_1 神経線維腫症 I 型

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	694	100%	115	16.6%	495	71.3%	84	12.1%
0-4歳	14	100	1	7.1	10	71.4	3	21.4
5-9	41	100	4	9.8	32	78.0	5	12.2
10-14	38	100	2	5.3	33	86.8	3	7.9
15-19	58	100	3	5.2	50	86.2	5	8.6
20-24	54	100	3	5.6	43	79.6	8	14.8
25-29	56	100	9	16.1	39	69.6	8	14.3
30-34	65	100	17	26.2	42	64.6	6	9.2
35-39	52	100	11	21.2	36	69.2	5	9.6
40-44	44	100	6	13.6	33	75.0	5	11.4
45-49	46	100	10	21.7	30	65.2	6	13.0
50-54	53	100	9	17.0	38	71.7	6	11.3
55-59	62	100	15	24.2	36	58.1	11	17.7
60-64	48	100	14	29.2	29	60.4	5	10.4
65-69	29	100	5	17.2	19	65.5	5	17.2
70-74	21	100	2	9.5	17	81.0	2	9.5
75-79	8	100	2	25.0	5	62.5	1	12.5
80-84	4	100	2	50.0	2	50.0	-	-
85-	1	100	-	-	1	100	-	-
不 明	-	-	-	-	-	-	-	-

表 3-40_1-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、40_1 神経線維腫症 I 型

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	694	100%	115	16.6%	495	71.3%	84	12.1%
0-4年	63	100	8	12.7	46	73.0	9	14.3
5-9	60	100	8	13.3	45	75.0	7	11.7
10-14	57	100	9	15.8	44	77.2	4	7.0
15-19	57	100	6	10.5	47	82.5	4	7.0
20-24	56	100	7	12.5	43	76.8	6	10.7
25-29	55	100	11	20.0	39	70.9	5	9.1
30-34	48	100	13	27.1	31	64.6	4	8.3
35-39	49	100	9	18.4	32	65.3	8	16.3
40-44	31	100	4	12.9	23	74.2	4	12.9
45-49	32	100	5	15.6	24	75.0	3	9.4
50-54	20	100	3	15.0	13	65.0	4	20.0
55-59	24	100	8	33.3	12	50.0	4	16.7
60-64	8	100	2	25.0	6	75.0	-	-
65-69	6	100	1	16.7	4	66.7	1	16.7
70-74	5	100	1	20.0	3	60.0	1	20.0
75-79	-	-	-	-	-	-	-	-
不 明	123	100	20	16.3	83	67.5	20	16.3

表 3-40_1-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、40_1 神経線維腫症 I 型

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	316	100%	16	5.1%	3	0.9%	255	80.7%	42	13.3%
40-44歳	44	100	-	-	-	-	40	90.9	4	9.1
45-49	46	100	1	2.2	-	-	40	87.0	5	10.9
50-54	53	100	-	-	-	-	47	88.7	6	11.3
55-59	62	100	1	1.6	-	-	50	80.6	11	17.7
60-64	48	100	4	8.3	-	-	35	72.9	9	18.8
65-69	29	100	1	3.4	2	6.9	23	79.3	3	10.3
70-74	21	100	3	14.3	1	4.8	15	71.4	2	9.5
75-79	8	100	3	37.5	-	-	4	50.0	1	12.5
80-84	4	100	2	50.0	-	-	1	25.0	1	25.0
85-	1	100	1	100	-	-	-	-	-	-

表 3-40_1-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、40_1 神経線維腫症 I 型

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	316	100%	16	5.1%	3	0.9%	255	80.7%	42	13.3%
0-4年	17	100	2	11.8	-	-	12	70.6	3	17.6
5-9	11	100	1	9.1	-	-	9	81.8	1	9.1
10-14	7	100	1	14.3	-	-	5	71.4	1	14.3
15-19	5	100	-	-	-	-	4	80.0	1	20.0
20-24	12	100	-	-	1	8.3	9	75.0	2	16.7
25-29	23	100	1	4.3	-	-	21	91.3	1	4.3
30-34	16	100	-	-	-	-	14	87.5	2	12.5
35-39	28	100	1	3.6	-	-	23	82.1	4	14.3
40-44	31	100	-	-	-	-	28	90.3	3	9.7
45-49	32	100	-	-	-	-	28	87.5	4	12.5
50-54	20	100	1	5.0	-	-	15	75.0	4	20.0
55-59	24	100	1	4.2	-	-	20	83.3	3	12.5
60-64	8	100	-	-	1	12.5	7	87.5	-	-
65-69	6	100	-	-	1	16.7	5	83.3	-	-
70-74	5	100	1	20.0	-	-	3	60.0	1	20.0
75-79	-	-	-	-	-	-	-	-	-	-
不 明	71	100	7	9.9	-	-	52	73.2	12	16.9

40_1 神経線維腫症 I 型

表 3-40_1-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不 明	
総 数	115	100%	12	23	30	20	19	7	4	
0-4歳	1	100	-	1	-	-	-	-	-	-
5-9	4	100	-	-	2	1	-	-	1	
10-14	2	100	-	-	-	1	50.0	1	50.0	
15-19	3	100	-	1	2	-	-	-	-	
20-24	3	100	-	1	-	2	66.7	-	-	
25-29	9	100	2	4	2	1	-	-	-	
30-34	17	100	-	4	5	3	17.6	4	23.5	1
35-39	11	100	3	1	1	2	18.2	1	9.1	3
40-44	6	100	-	2	1	1	16.7	2	33.3	-
45-49	10	100	1	2	2	1	10.0	3	30.0	1
50-54	9	100	-	1	3	3	33.3	-	-	1
55-59	15	100	1	1	6	2	13.3	3	20.0	2
60-64	14	100	3	3	4	2	14.3	1	7.1	1
65-69	5	100	1	-	1	-	-	3	60.0	-
70-74	2	100	-	-	-	1	50.0	1	50.0	-
75-79	2	100	1	1	-	-	-	-	-	-
80-84	2	100	-	1	1	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-

表 3-40_1-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不 明	
総 数	115	100%	12	23	30	20	19	7	4	
0-4年	8	100	2	1	1	2	2	-	-	-
5-9	8	100	1	2	2	1	1	1	12.5	1
10-14	9	100	2	2	2	2	1	-	-	-
15-19	6	100	1	1	2	2	-	-	-	-
20-24	7	100	-	1	2	3	-	-	-	1
25-29	11	100	2	4	2	2	1	-	-	-
30-34	13	100	-	2	5	-	5	-	-	1
35-39	9	100	1	-	2	3	-	3	33.3	-
40-44	4	100	-	1	-	2	50.0	1	25.0	-
45-49	5	100	1	-	2	-	-	1	20.0	1
50-54	3	100	-	-	2	-	-	1	33.3	-
55-59	8	100	-	2	2	1	12.5	2	25.0	1
60-64	2	100	-	-	2	-	-	-	-	-
65-69	1	100	-	-	-	-	-	1	100	-
70-74	1	100	-	-	-	-	-	1	100	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	20	100	2	7	4	2	3	1	5.0	1

表 3-40_1-3. つづき
要介護者の要介護度

年齢階級	総 数		要介護度					不 明
			1	2	3	4	5	
総 数	16	100%	2	2	2	3	4	3
40-44歳	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	1
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	1	100
60-64	4	100	1	2	1	-	-	-
65-69	1	100	-	-	-	-	1	100
70-74	3	100	-	-	-	1	33.3	-
75-79	3	100	-	-	-	1	33.3	2
80-84	2	100	1	50.0	1	50.0	-	-
85-	1	100	-	-	-	1	100	-

表 3-40_1-4. つづき
要介護者の要介護度

発病後期間	総 数		要介護度					不 明
			1	2	3	4	5	
総 数	16	100%	2	2	2	3	4	3
0-4年	2	100	-	-	-	-	2	100
5-9	1	100	-	-	-	-	-	1
10-14	1	100	-	1	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	1	100	-	1	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	1	100	-	-	-	1	100	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	1	100	-	-	-	-	-	1
55-59	1	100	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	1	100	-	-	-	-	-	1
75-79	-	-	-	-	-	-	-	-
不 明	7	100	2	-	1	2	2	-

40_2神経線維腫症II型

表3-40_2-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、40_2神経線維腫症II型

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	157	100%	55	35.0%	78	49.7%	24	15.3%
0-4歳	-	-	-	-	-	-	-	-
5-9	2	100	-	-	2	100	-	-
10-14	1	100	-	-	1	100	-	-
15-19	11	100	-	-	11	100	-	-
20-24	20	100	5	25.0	10	50.0	5	25.0
25-29	19	100	7	36.8	9	47.4	3	15.8
30-34	27	100	18	66.7	5	18.5	4	14.8
35-39	16	100	5	31.3	8	50.0	3	18.8
40-44	16	100	8	50.0	6	37.5	2	12.5
45-49	4	100	2	50.0	1	25.0	1	25.0
50-54	12	100	2	16.7	8	66.7	2	16.7
55-59	17	100	6	35.3	8	47.1	3	17.6
60-64	7	100	2	28.6	5	71.4	-	-
65-69	3	100	-	-	3	100	-	-
70-74	2	100	-	-	1	50.0	1	50.0
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

表3-40_2-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、40_2神経線維腫症II型

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	157	100%	55	35.0%	78	49.7%	24	15.3%
0-4年	26	100	1	3.8	23	88.5	2	7.7
5-9	33	100	13	39.4	15	45.5	5	15.2
10-14	23	100	9	39.1	9	39.1	5	21.7
15-19	18	100	7	38.9	9	50.0	2	11.1
20-24	24	100	15	62.5	7	29.2	2	8.3
25-29	7	100	3	42.9	2	28.6	2	28.6
30-34	7	100	5	71.4	1	14.3	1	14.3
35-39	5	100	-	-	5	100	-	-
40-44	2	100	-	-	1	50.0	1	50.0
45-49	2	100	-	-	1	50.0	1	50.0
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	10	100	2	20.0	5	50.0	3	30.0

表3-40_2-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、40_2神経線維腫症II型

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	61	100%	2	3.3%	2	3.3%	47	77.0%	10	16.4%
40-44歳	16	100	-	-	-	-	13	81.3	3	18.8
45-49	4	100	-	-	-	-	2	50.0	2	50.0
50-54	12	100	-	-	1	8.3	10	83.3	1	8.3
55-59	17	100	1	5.9	1	5.9	12	70.6	3	17.6
60-64	7	100	1	14.3	-	-	6	85.7	-	-
65-69	3	100	-	-	-	-	3	100	-	-
70-74	2	100	-	-	-	-	1	50.0	1	50.0
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-40_2-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、40_2神経線維腫症II型

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	61	100%	2	3.3%	2	3.3%	47	77.0%	10	16.4%
0-4年	8	100	-	-	-	-	8	100	-	-
5-9	7	100	-	-	-	-	6	85.7	1	14.3
10-14	8	100	-	-	1	12.5	5	62.5	2	25.0
15-19	6	100	-	-	-	-	4	66.7	2	33.3
20-24	12	100	1	8.3	1	8.3	8	66.7	2	16.7
25-29	3	100	-	-	-	-	3	100	-	-
30-34	6	100	1	16.7	-	-	4	66.7	1	16.7
35-39	2	100	-	-	-	-	2	100	-	-
40-44	2	100	-	-	-	-	2	100	-	-
45-49	2	100	-	-	-	-	1	50.0	1	50.0
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	5	100	-	-	-	-	4	80.0	1	20.0

40_2神経線維腫症Ⅱ型

表3-40_2-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	55	100%	17	30.9%	24	43.6%	6	10.9%	5	9.1%	-	-	2	3.6%	1	3.6%
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24	5	100	2	40.0	1	20.0	1	20.0	-	-	-	-	-	-	1	20.0
25-29	7	100	3	42.9	2	28.6	1	14.3	1	14.3	-	-	-	-	-	-
30-34	18	100	4	22.2	11	61.1	1	5.6	2	11.1	-	-	-	-	-	-
35-39	5	100	2	40.0	3	60.0	-	-	-	-	-	-	-	-	-	-
40-44	8	100	3	37.5	3	37.5	1	12.5	1	12.5	-	-	-	-	-	-
45-49	2	100	-	-	2	100	-	-	-	-	-	-	-	-	-	-
50-54	2	100	-	-	-	-	1	50.0	1	50.0	-	-	-	-	-	-
55-59	6	100	2	33.3	2	33.3	-	-	-	-	-	-	2	33.3	-	-
60-64	2	100	1	50.0	-	-	1	50.0	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

表3-40_2-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)													
			1	2	3	4	5	6	不明							
総 数	55	100%	17	30.9%	24	43.6%	6	10.9%	5	9.1%	-	-	2	3.6%	1	3.6%
0-4年	1	100	1	100	-	-	-	-	-	-	-	-	-	-	-	9.5
5-9	13	100	4	30.8	6	46.2	-	-	2	15.4	-	-	-	-	1	3.0
10-14	9	100	3	33.3	4	44.4	-	-	1	11.1	-	-	1	11.1	-	4.7
15-19	7	100	1	14.3	4	57.1	1	14.3	-	-	-	-	1	14.3	-	3.2
20-24	15	100	5	33.3	6	40.0	2	13.3	2	13.3	-	-	-	-	-	5.0
25-29	3	100	-	-	3	100	-	-	-	-	-	-	-	-	-	2.7
30-34	5	100	3	60.0	1	20.0	1	20.0	-	-	-	-	-	-	-	2.9
35-39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4
40-44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.1
50-54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不明	2	100	-	-	-	-	2	100	-	-	-	-	-	-	-	1.3

表3-40_2-3. つづき
要介護者の要介護度

年齢階級	総 数		要介護度					不明		
			1	2	3	4	5			
総 数	2	100%	-	-	-	-	1	50.0%	1	50.0%
40-44歳	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	-	-	-	1	100
60-64	1	100	-	-	-	-	-	1	100	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-40_2-4. つづき
要介護者の要介護度

発病後期間	総 数		要介護度					不明		
			1	2	3	4	5			
総 数	2	100%	-	-	-	-	1	50.0%	1	50.0%
0-4年	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	1	100	-	-	-	-	-	-	1	100
25-29	-	-	-	-	-	-	-	-	-	-
30-34	1	100	-	-	-	-	-	1	100	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-

41 亜急性硬化性全脳炎

表3-41-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、41 亜急性硬化性全脳炎

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	43	100%	34	79.1%	4	9.3%	5	11.6%
0-4歳	-	-	-	-	-	-	-	-
5-9	4	100	3	75.0	-	-	1	25.0
10-14	6	100	3	50.0	1	16.7	2	33.3
15-19	12	100	10	83.3	-	-	2	16.7
20-24	7	100	5	71.4	2	28.6	-	-
25-29	9	100	9	100	-	-	-	-
30-34	4	100	4	100	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	1	100	-	-	1	100	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-41-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、41 亜急性硬化性全脳炎

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	43	100%	34	79.1%	4	9.3%	5	11.6%
0-4年	11	100	7	63.6	1	9.1	3	27.3
5-9	12	100	10	83.3	1	8.3	1	8.3
10-14	9	100	6	66.7	2	22.2	1	11.1
15-19	9	100	9	100	-	-	-	-
20-24	2	100	2	100	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-41-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、41 亜急性硬化性全脳炎

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	1	100%	-	-	-	-	-	-	1	100%
40-44歳	1	100	-	-	-	-	-	-	1	100
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-41-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、41 亜急性硬化性全脳炎

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	1	100%	-	-	-	-	-	-	1	100%
0-4年	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-
10-14	1	100	-	-	-	-	-	-	1	100
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-

41 亜急性硬化性全脳炎

表3-41-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)									
			1	2	3	4	5	6	不明			
総 数	34	100%	34	100%	-	-	-	-	-	-	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-
5-9	3	100	3	100	-	-	-	-	-	-	-	-
10-14	3	100	3	100	-	-	-	-	-	-	-	-
15-19	10	100	10	100	-	-	-	-	-	-	-	-
20-24	5	100	5	100	-	-	-	-	-	-	-	-
25-29	9	100	9	100	-	-	-	-	-	-	-	-
30-34	4	100	4	100	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-

表3-41-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)									
			1	2	3	4	5	6	不明			
総 数	34	100%	34	100%	-	-	-	-	-	-	-	-
0-4年	7	100	7	100	-	-	-	-	-	-	-	-
5-9	10	100	10	100	-	-	-	-	-	-	-	-
10-14	6	100	6	100	-	-	-	-	-	-	-	-
15-19	9	100	9	100	-	-	-	-	-	-	-	-
20-24	2	100	2	100	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-	-	-	-	-

表3-41-3. つづき
要介護者の要介護度

年齢階級	総 数		要介護度					
			1	2	3	4	5	不明
総 数	-	-	-	-	-	-	-	-
40-44歳	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-

表3-41-4. つづき
要介護者の要介護度

発病後期間	総 数		要介護度					
			1	2	3	4	5	不明
総 数	-	-	-	-	-	-	-	-
0-4年	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	-	-	-	-	-	-	-	-

42 バッド・キアリ (Budd-Chiari) 症候群

表3-42-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、42 バッド・キアリ (Budd-Chiari) 症候群

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	107	100%	5	4.7%	86	80.4%	16	15.0%
0-4歳	1	100	-	-	1	100	-	-
5-9	1	100	-	-	1	100	-	-
10-14	1	100	-	-	1	100	-	-
15-19	-	-	-	-	-	-	-	-
20-24	4	100	-	-	3	75.0	1	25.0
25-29	5	100	-	-	5	100	-	-
30-34	11	100	-	-	7	63.6	4	36.4
35-39	6	100	-	-	4	66.7	2	33.3
40-44	4	100	-	-	4	100	-	-
45-49	11	100	-	-	10	90.9	1	9.1
50-54	10	100	1	10.0	7	70.0	2	20.0
55-59	13	100	2	15.4	10	76.9	1	7.7
60-64	14	100	-	-	13	92.9	1	7.1
65-69	13	100	2	15.4	9	69.2	2	15.4
70-74	7	100	-	-	6	85.7	1	14.3
75-79	4	100	-	-	3	75.0	1	25.0
80-84	1	100	-	-	1	100	-	-
85-	1	100	-	-	1	100	-	-
不 明	-	-	-	-	-	-	-	-

表3-42-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、42 バッド・キアリ (Budd-Chiari) 症候群

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	107	100%	5	4.7%	86	80.4%	16	15.0%
0-4年	32	100	-	-	29	90.6	3	9.4
5-9	28	100	2	7.1	20	71.4	6	21.4
10-14	13	100	-	-	11	84.6	2	15.4
15-19	5	100	2	40.0	3	60.0	-	-
20-24	2	100	-	-	2	100	-	-
25-29	2	100	-	-	2	100	-	-
30-34	1	100	-	-	-	-	1	100
35-39	-	-	-	-	-	-	-	-
40-44	1	100	-	-	1	100	-	-
45-49	1	100	-	-	1	100	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	22	100	1	4.5	17	77.3	4	18.2

表3-42-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、42 バッド・キアリ (Budd-Chiari) 症候群

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	78	100%	4	5.1%	1	1.3%	64	82.1%	9	11.5%
40-44歳	4	100	-	-	-	-	4	100	-	-
45-49	11	100	-	-	-	-	10	90.9	1	9.1
50-54	10	100	-	-	-	-	9	90.0	1	10.0
55-59	13	100	-	-	-	-	12	92.3	1	7.7
60-64	14	100	-	-	-	-	12	85.7	2	14.3
65-69	13	100	1	7.7	-	-	9	69.2	3	23.1
70-74	7	100	1	14.3	-	-	5	71.4	1	14.3
75-79	4	100	1	25.0	-	-	3	75.0	-	-
80-84	1	100	-	-	1	100	-	-	-	-
85-	1	100	1	100	-	-	-	-	-	-

表3-42-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、42 バッド・キアリ (Budd-Chiari) 症候群

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	78	100%	4	5.1%	1	1.3%	64	82.1%	9	11.5%
0-4年	18	100	1	5.6	-	-	16	88.9	1	5.6
5-9	22	100	3	13.6	1	4.5	16	72.7	2	9.1
10-14	12	100	-	-	-	-	9	75.0	3	25.0
15-19	4	100	-	-	-	-	4	100	-	-
20-24	2	100	-	-	-	-	2	100	-	-
25-29	2	100	-	-	-	-	2	100	-	-
30-34	1	100	-	-	-	-	-	-	1	100
35-39	-	-	-	-	-	-	-	-	-	-
40-44	1	100	-	-	-	-	1	100	-	-
45-49	1	100	-	-	-	-	1	100	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	15	100	-	-	-	-	13	86.7	2	13.3

42 バッド・キアリ (Budd-Chiari) 症候群

表 3-42-1. つづき

身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)									
			1	2	3	4	5	6	不 明			
総 数	5	100%	-	-	4	80.0%	-	-	1	20.0%	-	-
0-4歳	-	-	-	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	1	100	-	-	1	100	-	-	-	-	-	-
55-59	2	100	-	-	2	100	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	2	100	-	-	1	50.0	-	-	1	50.0	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-	-	-

表 3-42-2. つづき

身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)									
			1	2	3	4	5	6	不 明			
総 数	5	100%	-	-	4	80.0%	-	-	1	20.0%	-	-
0-4年	-	-	-	-	-	-	-	-	-	-	-	-
5-9	2	100	-	-	1	50.0	-	-	1	50.0	-	-
10-14	-	-	-	-	-	-	-	-	-	-	-	-
15-19	2	100	-	-	2	100	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-	-	-
不 明	1	100	-	-	1	100	-	-	-	-	-	-

表 3-42-3. つづき

要介護者の要介護度

年齢階級	総 数		要介護度							
			1	2	3	4	5	不 明		
総 数	4	100%	3	75.0%	-	-	1	25.0%	-	-
40-44歳	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	1	100	1	100	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-	-
75-79	1	100	-	-	-	-	1	100	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	1	100	1	100	-	-	-	-	-	-

表 3-42-4. つづき

要介護者の要介護度

発病後期間	総 数		要介護度							
			1	2	3	4	5	不 明		
総 数	4	100%	3	75.0%	-	-	1	25.0%	-	-
0-4年	1	100	1	100	-	-	-	-	-	-
5-9	3	100	2	66.7	-	-	1	33.3	-	-
10-14	-	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-	-	-

43 特発性慢性肺血栓塞栓症(肺高血圧型)

表3-43-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、43 特発性慢性肺血栓塞栓症(肺高血圧型)

年齢階級	総数		身体障害者手帳					
			あり		なし		不明	
総数	226	100%	87	38.5%	115	50.9%	24	10.6%
0-4歳	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-
20-24	3	100	2	66.7	1	33.3	-	-
25-29	3	100	-	-	3	100	-	-
30-34	5	100	-	-	4	80.0	1	20.0
35-39	3	100	1	33.3	2	66.7	-	-
40-44	6	100	1	16.7	5	83.3	-	-
45-49	18	100	10	55.6	8	44.4	-	-
50-54	28	100	10	35.7	15	53.6	3	10.7
55-59	27	100	9	33.3	16	59.3	2	7.4
60-64	38	100	14	36.8	21	55.3	3	7.9
65-69	41	100	22	53.7	14	34.1	5	12.2
70-74	25	100	8	32.0	11	44.0	6	24.0
75-79	18	100	8	44.4	9	50.0	1	5.6
80-84	8	100	1	12.5	6	75.0	1	12.5
85-	3	100	1	33.3	-	-	2	66.7
不明	-	-	-	-	-	-	-	-

表3-43-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、43 特発性慢性肺血栓塞栓症(肺高血圧型)

発病後期間	総数		身体障害者手帳					
			あり		なし		不明	
総数	226	100%	87	38.5%	115	50.9%	24	10.6%
0-4年	126	100	43	34.1	74	58.7	9	7.1
5-9	62	100	30	48.4	26	41.9	6	9.7
10-14	10	100	5	50.0	2	20.0	3	30.0
15-19	6	100	3	50.0	2	33.3	1	16.7
20-24	4	100	3	75.0	1	25.0	-	-
25-29	1	100	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	17	100	3	17.6	9	52.9	5	29.4

表3-43-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、43 特発性慢性肺血栓塞栓症(肺高血圧型)

年齢階級	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	212	100%	10	4.7%	3	1.4%	173	81.6%	26	12.3%
40-44歳	6	100	-	-	-	-	6	100	-	-
45-49	18	100	1	5.6	-	-	16	88.9	1	5.6
50-54	28	100	-	-	-	-	24	85.7	4	14.3
55-59	27	100	-	-	-	-	25	92.6	2	7.4
60-64	38	100	1	2.6	-	-	35	92.1	2	5.3
65-69	41	100	4	9.8	2	4.9	28	68.3	7	17.1
70-74	25	100	1	4.0	-	-	19	76.0	5	20.0
75-79	18	100	-	-	-	-	15	83.3	3	16.7
80-84	8	100	2	25.0	-	-	5	62.5	1	12.5
85-	3	100	1	33.3	1	33.3	-	-	1	33.3

表3-43-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、43 特発性慢性肺血栓塞栓症(肺高血圧型)

発病後期間	総数		介護認定状況							
			要介護		要支援		なし		不明	
総数	212	100%	10	4.7%	3	1.4%	173	81.6%	26	12.3%
0-4年	120	100	5	4.2	1	0.8	99	82.5	15	12.5
5-9	58	100	3	5.2	2	3.4	47	81.0	6	10.3
10-14	9	100	-	-	-	-	7	77.8	2	22.2
15-19	6	100	-	-	-	-	6	100	-	-
20-24	3	100	1	33.3	-	-	2	66.7	-	-
25-29	1	100	-	-	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不明	15	100	1	6.7	-	-	11	73.3	3	20.0

44 ライソゾーム病

表3-44-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、44 ライソゾーム病

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	141	100%	54	38.3%	80	56.7%	7	5.0%
0-4歳	2	100	2	100	-	-	-	-
5-9	1	100	1	100	-	-	-	-
10-14	-	-	-	-	-	-	-	-
15-19	8	100	2	25.0	6	75.0	-	-
20-24	18	100	12	66.7	6	33.3	-	-
25-29	21	100	8	38.1	11	52.4	2	9.5
30-34	16	100	5	31.3	11	68.8	-	-
35-39	21	100	3	14.3	17	81.0	1	4.8
40-44	10	100	1	10.0	6	60.0	3	30.0
45-49	12	100	5	41.7	7	58.3	-	-
50-54	14	100	8	57.1	6	42.9	-	-
55-59	5	100	3	60.0	1	20.0	1	20.0
60-64	5	100	-	-	5	100	-	-
65-69	4	100	1	25.0	3	75.0	-	-
70-74	3	100	3	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	1	100	-	-	1	100	-	-
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-44-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、44 ライソゾーム病

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	141	100%	54	38.3%	80	56.7%	7	5.0%
0-4年	12	100	3	25.0	8	66.7	1	8.3
5-9	19	100	8	42.1	10	52.6	1	5.3
10-14	17	100	7	41.2	10	58.8	-	-
15-19	18	100	7	38.9	11	61.1	-	-
20-24	28	100	14	50.0	14	50.0	-	-
25-29	10	100	5	50.0	5	50.0	-	-
30-34	9	100	1	11.1	6	66.7	2	22.2
35-39	4	100	1	25.0	3	75.0	-	-
40-44	4	100	1	25.0	2	50.0	1	25.0
45-49	3	100	2	66.7	1	33.3	-	-
50-54	2	100	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	14	100	5	35.7	8	57.1	1	7.1

表3-44-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、44 ライソゾーム病

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	54	100%	2	3.7%	1	1.9%	47	87.0%	4	7.4%
40-44歳	10	100	-	-	-	-	7	70.0	3	30.0
45-49	12	100	1	8.3	-	-	11	91.7	-	-
50-54	14	100	1	7.1	1	7.1	12	85.7	-	-
55-59	5	100	-	-	-	-	5	100	-	-
60-64	5	100	-	-	-	-	5	100	-	-
65-69	4	100	-	-	-	-	4	100	-	-
70-74	3	100	-	-	-	-	2	66.7	1	33.3
75-79	-	-	-	-	-	-	-	-	-	-
80-84	1	100	-	-	-	-	1	100	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-44-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、44 ライソゾーム病

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし		不明	
総 数	54	100%	2	3.7%	1	1.9%	47	87.0%	4	7.4%
0-4年	1	100	-	-	-	-	1	100	-	-
5-9	9	100	1	11.1	-	-	6	66.7	2	22.2
10-14	6	100	1	16.7	-	-	5	83.3	-	-
15-19	5	100	-	-	-	-	5	100	-	-
20-24	6	100	-	-	-	-	6	100	-	-
25-29	4	100	-	-	1	25.0	3	75.0	-	-
30-34	5	100	-	-	-	-	4	80.0	1	20.0
35-39	3	100	-	-	-	-	3	100	-	-
40-44	4	100	-	-	-	-	3	75.0	1	25.0
45-49	3	100	-	-	-	-	3	100	-	-
50-54	2	100	-	-	-	-	2	100	-	-
55-59	1	100	-	-	-	-	1	100	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	5	100	-	-	-	-	5	100	-	-

45 副腎白質ジストロフィー

表3-45-1. 受給者数、身体障害者手帳の取得状況と等級・年齢階級別、45 副腎白質ジストロフィー

年齢階級	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	50	100%	31	62.0%	11	22.0%	8	16.0%
0-4歳	-	-	-	-	-	-	-	-
5-9	1	100	1	100	-	-	-	-
10-14	1	100	1	100	-	-	-	-
15-19	6	100	-	-	5	83.3	1	16.7
20-24	4	100	2	50.0	2	50.0	-	-
25-29	4	100	2	50.0	2	50.0	-	-
30-34	5	100	2	40.0	-	-	3	60.0
35-39	7	100	7	100	-	-	-	-
40-44	3	100	2	66.7	-	-	1	33.3
45-49	3	100	3	100	-	-	-	-
50-54	6	100	3	50.0	-	-	3	50.0
55-59	7	100	5	71.4	2	28.6	-	-
60-64	1	100	1	100	-	-	-	-
65-69	1	100	1	100	-	-	-	-
70-74	1	100	1	100	-	-	-	-
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-
不 明	-	-	-	-	-	-	-	-

表3-45-2. 受給者数、身体障害者手帳の取得状況と等級・発病後期間別、45 副腎白質ジストロフィー

発病後期間	総 数		身体障害者手帳					
			あり		なし		不明	
総 数	50	100%	31	62.0%	11	22.0%	8	16.0%
0-4年	13	100	6	46.2	5	38.5	2	15.4
5-9	13	100	7	53.8	4	30.8	2	15.4
10-14	15	100	13	86.7	-	-	2	13.3
15-19	3	100	1	33.3	-	-	2	66.7
20-24	1	100	1	100	-	-	-	-
25-29	1	100	1	100	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不 明	4	100	2	50.0	2	50.0	-	-

表3-45-3. 受給者数、介護認定状況と要介護度・年齢階級別(40歳以上)、45 副腎白質ジストロフィー

年齢階級	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	22	100%	4	18.2%	-	-	13	59.1%	5	22.7%
40-44歳	3	100	-	-	-	-	2	66.7	1	33.3
45-49	3	100	1	33.3	-	-	2	66.7	-	-
50-54	6	100	-	-	-	-	3	50.0	3	50.0
55-59	7	100	1	14.3	-	-	5	71.4	1	14.3
60-64	1	100	-	-	-	-	1	100	-	-
65-69	1	100	1	100	-	-	-	-	-	-
70-74	1	100	1	100	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-	-	-

表3-45-4. 受給者数、介護認定状況と要介護度・発病後期間別(40歳以上)、45 副腎白質ジストロフィー

発病後期間	総 数		介護認定状況							
			要介護		要支援		なし	不明		
総 数	22	100%	4	18.2%	-	-	13	59.1%	5	22.7%
0-4年	2	100	-	-	-	-	1	50.0	1	50.0
5-9	6	100	2	33.3	-	-	3	50.0	1	16.7
10-14	7	100	1	14.3	-	-	5	71.4	1	14.3
15-19	3	100	-	-	-	-	1	33.3	2	66.7
20-24	1	100	-	-	-	-	1	100	-	-
25-29	1	100	-	-	-	-	1	100	-	-
30-34	-	-	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-	-	-
不 明	2	100	1	50.0	-	-	1	50.0	-	-

45 副腎白質ジストロフィー

表3-45-1. つづき
身体障害者手帳ありの者の等級

年齢階級	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	31	100%	10 32.3%	10 32.3%	5 16.1%	1 3.2%	2 6.5%	1 3.2%	2 6.5%	
0-4歳	-	-	-	-	-	-	-	-	-	
5-9	1	100	1 100	-	-	-	-	-	-	
10-14	1	100	1 100	-	-	-	-	-	-	
15-19	-	-	-	-	-	-	-	-	-	
20-24	2	100	1 50.0	1 50.0	-	-	-	-	-	
25-29	2	100	-	-	-	-	-	-	-	
30-34	2	100	-	1 50.0	-	-	-	1 50.0	2 100	
35-39	7	100	1 14.3	3 42.9	3 42.9	-	-	-	-	
40-44	2	100	-	2 100	-	-	-	-	-	
45-49	3	100	1 33.3	-	-	1 33.3	1 33.3	-	-	
50-54	3	100	1 33.3	1 33.3	1 33.3	-	-	-	-	
55-59	5	100	3 60.0	1 20.0	-	-	1 20.0	-	-	
60-64	1	100	-	1 100	-	-	-	-	-	
65-69	1	100	1 100	-	-	-	-	-	-	
70-74	1	100	-	-	1 100	-	-	-	-	
75-79	-	-	-	-	-	-	-	-	-	
80-84	-	-	-	-	-	-	-	-	-	
85-	-	-	-	-	-	-	-	-	-	
不明	-	-	-	-	-	-	-	-	-	

表3-45-2. つづき
身体障害者手帳ありの者の等級

発病後期間	総 数		身体障害者手帳の等級(級)							
			1	2	3	4	5	6	不明	
総 数	31	100%	10 32.3%	10 32.3%	5 16.1%	1 3.2%	2 6.5%	1 3.2%	2 6.5%	
0-4年	6	100	2 33.3	1 16.7	1 16.7	-	-	1 16.7	1 16.7	
5-9	7	100	1 14.3	4 57.1	2 28.6	-	-	-	-	
10-14	13	100	4 30.8	4 30.8	2 15.4	1 7.7	2 15.4	-	-	
15-19	1	100	1 100	-	-	-	-	-	-	
20-24	1	100	1 100	-	-	-	-	-	-	
25-29	1	100	-	1 100	-	-	-	-	-	
30-34	-	-	-	-	-	-	-	-	-	
35-39	-	-	-	-	-	-	-	-	-	
40-44	-	-	-	-	-	-	-	-	-	
45-49	-	-	-	-	-	-	-	-	-	
50-54	-	-	-	-	-	-	-	-	-	
55-59	-	-	-	-	-	-	-	-	-	
60-64	-	-	-	-	-	-	-	-	-	
65-69	-	-	-	-	-	-	-	-	-	
70-74	-	-	-	-	-	-	-	-	-	
75-79	-	-	-	-	-	-	-	-	-	
不明	2	100	1 50.0	-	-	-	-	-	1 50.0	

表3-45-3. つづき
要介護者の要介護度

年齢階級	総 数		要介護度					不明
			1	2	3	4	5	
総 数	4	100%	-	-	-	1 25.0%	1 25.0%	2 50.0%
40-44歳	-	-	-	-	-	-	-	-
45-49	1	100	-	-	-	-	-	1 100
50-54	-	-	-	-	-	-	-	-
55-59	1	100	-	-	-	1 100	-	-
60-64	-	-	-	-	-	-	-	-
65-69	1	100	-	-	-	-	1 100	-
70-74	1	100	-	-	-	-	-	1 100
75-79	-	-	-	-	-	-	-	-
80-84	-	-	-	-	-	-	-	-
85-	-	-	-	-	-	-	-	-

表3-45-4. つづき
要介護者の要介護度

発病後期間	総 数		要介護度					不明
			1	2	3	4	5	
総 数	4	100%	-	-	-	1 25.0%	1 25.0%	2 50.0%
0-4年	-	-	-	-	-	-	-	-
5-9	2	100	-	-	-	1 50.0	-	1 50.0
10-14	1	100	-	-	-	-	1 100	-
15-19	-	-	-	-	-	-	-	-
20-24	-	-	-	-	-	-	-	-
25-29	-	-	-	-	-	-	-	-
30-34	-	-	-	-	-	-	-	-
35-39	-	-	-	-	-	-	-	-
40-44	-	-	-	-	-	-	-	-
45-49	-	-	-	-	-	-	-	-
50-54	-	-	-	-	-	-	-	-
55-59	-	-	-	-	-	-	-	-
60-64	-	-	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-
75-79	-	-	-	-	-	-	-	-
不明	1	100	-	-	-	-	-	1 100

